ROUGHEYE/BLACKSPOTTED ROCKFISH

GROUNDFISH PLAN TEAM, NOV 2020

JANE SULLIVAN, KALEI SHOTWELL, DANA HANSELMAN



PARTIAL ASSESSMENT (FULL IN ODD YEARS) TIER 3

- Projection model
- Recommendations for 2021:


OFL 1,456 t

ABC 1,212 t (<1% increase from 2020)

2019 catch: 749 t, projected 2020 catch: 368 t (Oct. 10, 2020)


Catch has averaged 48% of ABC since 2017

AFSC LONGLINE SURVEY RELATIVE POPULATION NUMBER (RPN)





CATCH/BIOMASS



Range = 0.007-0.026 Mean = 0.013 2020 estimate = 0.009



Quantity	As estimated or specified last year for:		As estimated or recommended this year for:*	
	2020	2021	2021	2022
M (natural mortality rate)	0.036	0.036	0.036	0.036
Tier	3a	3a	3a	3a
Projected total (ages 3+) biomass (t)	40,336	40,393	40,432	40,454
Projected female spawning biomass (t)	12,518	12,530	12,540	12,563
$B_{100\%}$	20,658	20,658	20,658	20,658
$B_{40\%}$	8,263	8,263	8,263	8,263
B _{35%}	7,230	7,230	7,230	7,230
F_{OFL}	0.048	0.048	0.048	0.048
$maxF_{ABC}$	0.040	0.040	0.040	0.040
F_{ABC}	0.040	0.040	0.040	0.040
OFL (t)	1,452	1,455	1,456	1,467
maxABC (t)	1,209	1,211	1,212	1,221
ABC(t)	1,209	1,211	1,212	1,221
Status	As determined	l <i>last</i> year for:	As determined	this year for:
	2018	2019	2019	2020
Overfishing	No	n/a	No	n/a
Overfished	n/a	No	n/a	No
Approaching overfished	n/a	No	n/a	No

2019 catch: **749 t**, projected 2020 catch: **368 t** (Oct. 10, 2020) Catch has averaged **48**% of ABC since 2017



APPORTIONMENT

Method	Area Allocation		Western GOA	Central GOA	Eastern GOA	Total
Two Survey Random Effects	2021	Area ABC (t) OFL (t) Area ABC (t) OFL (t)	13.88% 168 169	37.61% 456 459	48.51% 588 592	100% 1,212 1,456 1,221 1,467
Three Survey Weighted Average	2021	Area ABC (t) OFL (t) Area ABC (t) OFL (t)	6.63% 80 81	55.70% 675 680	37.67% 457 460	100% 1,212 1,456 1,221 1,467



QUESTIONS



jane.sullivan@noaa.gov

