




Figure 19: Tanner crab CPUE (biomass) from the 1992 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 20: Tanner crab CPUE (biomass) from the 1993 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.






Figure 21: Tanner crab CPUE (biomass) from the 1994 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 22: Tanner crab CPUE (biomass) from the 1995 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 23: Tanner crab CPUE (biomass) from the 1996 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 24: Tanner crab CPUE (biomass) from the 1997 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 25: Tanner crab CPUE (biomass) from the 1998 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.






Figure 26: Tanner crab CPUE (biomass) from the 1999 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 27: Tanner crab CPUE (biomass) from the 2000 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 28: Tanner crab CPUE (biomass) from the 2001 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 29: Tanner crab CPUE (biomass) from the 2002 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 30: Tanner crab CPUE (biomass) from the 2003 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.






Figure 31: Tanner crab CPUE (biomass) from the 2004 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 32: Tanner crab CPUE (biomass) from the 2005 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 33: Tanner crab CPUE (biomass) from the 2006 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 34: Tanner crab CPUE (biomass) from the 2007 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.




Figure 35: Tanner crab CPUE (biomass) from the 2008 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.






Figure 36: Tanner crab CPUE (biomass) from the 2009 NMFS EBS bottom trawl survey. upper row: immature crab; lower row: mature crab; lefthand column: males; righthand column: females.