North Pacific Fishery Management Council

Richard B. Lauber, Chairman Clarence G. Pautzke, Executive Director

Telephone: (907) 271-2809



605 West 4th Avenue, Suite 306 Anchorage, AK 99501-2252

Fax: (907) 271-2817

April 16, 1998

DRAFT AGENDA

132nd Plenary Session
North Pacific Fishery Management Council
April 22-27, 1998
Anchorage Hilton Hotel
Anchorage, Alaska

The North Pacific Fishery Management Council will meet April 22-27, 1998 at the Hilton Hotel in Anchorage, Alaska. Other meetings to be held during the week are:

Committee/Panel
Scientific and Statistical Committee
Advisory Panel
Ecosystems Committee
NMFS Public Meeting --Draft EFH Recommendations

8:00 a.m., Monday, April 20 (King Salmon Room) 8:00 a.m., Monday, April 20 (Dillingham-Katmai Room)

7:00 p.m., Tuesday, April 21 (King Salmon Room) 7:00 p.m., Wednesday, April 22 (Aleutian Room)

All meetings except Council executive sessions are open to the public. Other committee and workgroup meetings may be scheduled on short notice during the week.

INFORMATION FOR PERSONS WISHING TO PROVIDE PUBLIC COMMENTS

Sign-up sheets are available at the registration table for those wishing to provide public comments on a specific agenda item. Sign-up must be completed **before** public comment begins on that agenda item. Additional names are generally not accepted after public comment has begun.

Submission of Written Comments. Any written comments and materials to be included in Council meeting materials must be received at the Council office by 5:00 p.m. on Wednesday, Apr. 15, 1998. Written and oral comments should include a statement of the source and date of information provided as well as a brief description of the background and interests of the person(s) submitting the statement. Material received after the deadline will be placed in a special notebook for late materials, but will not be copied or included in meeting notebooks for this meeting. It is the submitter's responsibility to provide adequate copies of comments after the deadline. Materials provided during the meeting for distribution to Council members should be provided to the Council secretary. A minimum of 18 copies is needed to ensure that Council members, the executive director, NOAA General Counsel and the official meeting record each receive a copy. If you also wish copies to be made available for the Advisory Panel (23), Scientific and Statistical Committee (12), staff (10) or the public (50) after the pre-meeting deadline, they must also be provided by the submitter.

FOR THOSE WISHING TO TESTIFY BEFORE THE ADVISORY PANEL

The Advisory Panel has revised its operating guidelines to incorporate a strict time management approach to its meetings. Rules for testimony before the Advisory Panel have been developed which are similar to those used by the Council. Members of the public wishing to testify before the AP <u>must</u> sign up on the list for each topic listed on the agenda. Sign-up sheets are provided in a special notebook located at the back of the room. The deadline for registering to testify is when the agenda topic comes before the AP. The time available for individual and group testimony will be based on the number registered and determined by the AP Chairman. The AP may not take public testimony on items for which they will not be making recommendations to the Council.

FOR THOSE WISHING TO TESTIFY BEFORE THE SCIENTIFIC AND STATISTICAL COMMITTEE

The usual practice is for the SSC to call for public comment immediately following the staff presentation on each agenda item. In addition, the SSC will designate a time, normally at the beginning of the afternoon session on the first day of the SSC meeting, when members of the public will have the opportunity to present testimony on any agenda item. The Committee will discourage testimony that does not directly address the technical issues of concern to the SSC, and presentations lasting more than ten minutes will require prior approval from the Chair.

COMMONLY USED ACRONYMS

AI	BC	Acceptable Biological Catch	MMPA	Marine Mammal Protection Act
Al		Advisory Panel	MRB	Maximum Retainable Bycatch
ADF&G Alaska Dept. of Fish and Game		MSY	Maximum Sustainable Yield	
BS	SAI	Bering Sea and Aleutian Islands	mt	Metric tons
CI	QC	Community Development Quota	NMFS	National Marine Fisheries Service
CI	RP.	Comprehensive Rationalization Program		National Oceanic & Atmospheric Adm.
EA	VRIR	Environmental Assessment/Regulatory	NPFMC	North Pacific Fishery Management
		Impact Review		Council
EF	EZ	Exclusive Economic Zone	OY	Optimum Yield
EF	H	Essential Fish Habitat	POP	Pacific ocean perch ·
FN	/IP	Fishery Management Plan	PSC	Prohibited Species Catch
GO	AC	Gulf of Alaska	SAFE	Stock Assessment and Fishery Evaluation
\mathbf{B}	Q	Individual Bycatch Quota		Document
IP.	ĦС	International Pacific Halibut Commission	SSC	Scientific and Statistical Committee
IT	AC	Initial Total Allowable Catch	TAC	Total Allowable Catch
MSFCMA Magnuson-Stevens Fishery			VBA	Vessel Bycatch Accounting
		Conservation and Management Act	VIP	Vessel Incentive Program

DRAFT AGENDA

132nd Plenary Session

North Pacific Fishery Management Council

April 22-27, 1998

Anchorage Hilton Hotel Anchorage, Alaska

	Anchorage, Alaska	Tation at a d Transma
	CALL A CEPTRIC TO ORDER	Estimated Hours
A.	CALL MEETING TO ORDER	
	(a) Approval of Agenda(b) Approval of Minutes of Previous Meetings	•
	(b) Approval of remines of Fievious recomings	·
B.	REPORTS	
	B-1 Executive Director's Report	•
	B-2 State Fisheries Report by ADF&G	•
	B-3 NMFS Management Report	•
	B-4 Enforcement and Surveillance Report	•
		(2 hours for
		A/B items)
C.	NEW OR CONTINUING BUSINESS	
О.		
	C-1 <u>Inshore-Offshore 3</u>	(12 hours)
	Amendment: initial review.	
	C. 2. Economical Finds Walkingt	(3 hours)
	C-2 <u>Essential Fish Habitat</u> (a) EFH amendment package: initial review.	(3 nours)
	(b) Cape Edgecumbe Pinnacles closure: initial review (includes	
	video).	
	12400).	
	C-3 Moratorium	(1 hour)
	Moratorium extension: initial review.	
		.
	C-4 Community Development Quotas	(2 hours)
	(a) Status of implementation.	
	(b) CDQ Implementation Committee report.	
	(c) Amendment to continue BSAI pollock CDQ Program: initial review.	
	leview.	
	C-5 Fishing Vessel Registration and Fisheries Information Management	(1 hour)
	System	• • • • • • • • • • • • • • • • • • • •
	NMFS implementation plan: Council comments. (Postponed)	
		/* * · · ·
	C-6 Social and Economic Data Collection	(1 hour)
	(a) NMFS initiative on cost data: status report.	
	(b) Socioeconomic data committee: report.	
	(c) Proposed plan amendment for data collection: discussion and direction.	
	differior.	
	C-7 Halibut Charterboat Management	(1 hour)
	GHL Committee report.	
	•	

(6 hours) C-8 Halibut and Sablefish IFOs (a) Amendments: initial review. (b) Transfer to heirs issue: NMFS report, Council guidance. (c) IFQ fee and loan programs: Status report. (d) Strawman weighmaster proposal. (Postponed) (e) Local GOA communities' request for "excess" halibut. D. FISHERY MANAGEMENT PLANS (6 hours) D-1 Groundfish Amendments with Action Required (a) Streamline TAC setting process: final action. (b) BSAI chinook PSC revisions: initial review. (c) BSAI pollock bottom trawl ban: initial review. (d) Overfishing definitions: initial review. (e) Seasonal/area apportionment of Atka mackerel: initial review. (6 hours) D-2 Groundfish Issues for Discussion (a) Western/Central GOA management: Committee report. (b) Pollock density specifications: NMFS report: Council recommendation. (c) IR/IU Committee Report. (d) Draft groundfish SEIS: status report. (1 hour) D-3 Scallops FMP Overfishing definitions: initial review. (1 hour) D-4 BSAI Crab FMP Overfishing definitions and plan update: initial review. (1 hour) D-5 Salmon FMP Overfishing definitions: initial review. E. **PUBLIC COMMENTS** F. CHAIRMAN'S REMARKS AND ADJOURNMENT Total Agenda Hours: 44 TIME SUMMARY 44.0 hours Total agenda hours Lunches - 6 days (1 hr ea) 6.0 hours Breaks (3/day, 15 min ea x 6 days) 4.5 hours 54.5 hours Total estimated hours required: Meeting as follows: $= 9.5 \text{ hours } \times 6 =$ 57.0 hours Wed.-Mon. - 8am-5:30pm

North Pacific Fishery Management Council

Richard B. Lauber, Chairman Clarence G. Pautzke, Executive Director

Telephone: (907) 271-2809



605 West 4th Avenue, Suite 306 Anchorage, AK 99501-2252

Fax: (907) 271-2817

Ceretified by: <u>Aar Bundy</u>
Date: 4/3/98

MINUTES Scientific and Statistical Committee February 2-4, 1998

The Scientific and Statistical Committee of the North Pacific Fishery Management Council met February 2-4, 1998 at the Anchorage Hilton Hotel in Anchorage, AK. All members were present with the exception of Al Tyler:

Richard Marasco, Chair Harold Weeks Sue Hills Seth Macinko Jack Tagart, Vice-Chair Dan Kimura (Alt.) Keith Criddle Doug Larson Phil Rigby (Alt.) Terry Quinn

C-3 Inshore-Offshore 3

The SSC heard staff presentations by Darrell Brannan, Chris Oliver and Lowell Fritz. Public testimony was given by Jude Henzler of the Bering Sea Fishermen's Association; Rebecca Baldwin of Economic and Environmental Analysts; John Gauvin of Groundfish Forum; Paul MacGregor and Ed Richardson of At-Sea Processors Association; John Iani of UniSea; and Donna Parker, Arctic Storm.

The SSC discussed several fundamental, and problematic, issues with the analysis, including (a) utilization (product recovery) rates; (b) price data; © employment, markets, and spillover effects; and (d) how to utilize industry-supplied data to help fill holes in analytical documents.

a) <u>Utilization rates</u> - In the section of the report that treats utilization rates, care should be taken to describe the data used and their sources.

Caution must be used in comparing utilization rates across sectors, because "percent utilization" is not necessarily a good proxy for "net economic value." Product forms with higher utilization rates do not necessarily have higher net economic values. Furthermore, utilization rates are not constants—they are decision variables by firms responding to the marketplace, and vary by time and operator.

These limitations should receive more emphasis in the report to provide better context for interpreting comparative utilization rates

b) <u>Price Data</u> - There are major data gaps at both the exvessel and first wholesale level for the offshore sector. The SSC encourages staff to consult a larger cross-section of the industry to develop an estimate of the fraction of onshore price to be used as the offshore exvessel price paid vessels delivering cod-ends to at-sea

processors. At the first wholesale level, it appears that it will be necessary to use industry data. To reduce concerns about the credibility of such self-reported data, every effort should be made to verify it by an independent source where possible. The SSC notes that it often encounters data of varying quality in analytical documents, and judgments about its suitability depend on the degree to which the data can be replicated and verified.

Difficulties with basic price data underscore the need for caveats in interpreting gross revenue predictions for Council allocation alternatives. We do not have good information on how price changes with allocations, and in some cases don't even have good information on the levels of prices, so changes in gross revenues to sectors are driven completely by the Council's basic choices on allocating quantities of pollock.

c) <u>Employment, markets, and spillover effects</u> - It may be necessary to depend in part on industry-supplied employment data for the offshore sector, and the same concerns about validation apply here. The sections on product mix and markets should be expanded where possible, but treatment will likely have to be qualitative in nature due to the lack of quantitative models to predict market responses to Council allocations. It appears unlikely that much hard evidence on market concentration can be provided.

The tables on pages 57-61 are very useful indicators of when, in time, current fisheries take place, and indicate the likely alternatives that will be available if changes in pollock allocations force fleets to look elsewhere. The staff should, where possible, replace ranges of catch with specific total quantities by week, and develop similar tables that indicate the number of participants. Tables presenting prices by fishery/species should also be developed to provide perspective on how much effort will be required to replace foregone revenues due to Council allocations.

d) <u>Use of industry-supplied data</u> - In general the SSC is supportive of any and all efforts to improve our understanding of fisheries with credible, unbiased data. Where such data are supplied by industry, they should be independently verified to be considered most reliable. Providing such data to all participants in the Council process in a timely manner for comment and evaluation is essential. The staff's proposed policy on use of this data (see pp. 42 and 72), is a reasonable start, though the SSC suggests replacing the phrase "and result in symmetry in the information across sectors" with "and result in more comparable information for all sectors."

The fact that the Council must consider reliance on industry-supplied data underscores the need for (a) mandatory reporting of prices along with catch data; and (b) collection of needed economic data on costs from the industry.

The SSC reminds staff that documents larger than 50 pages need to be received at least 2 weeks prior to the meeting to permit an adequate review.

C-4 Essential Fish Habitat

This topic was presented by Dave Witherell, Cindy Hartman, and Jeff Short. The presentation focused on three main topics: the preliminary EFH reports, the concepts of Complementary Criteria, and the Strategic Investment Framework. John Gauvin (Alaska Groundfish Forum), Chris Blackburn (Alaska Groundfish Data Bank), and Dorothy Childers (Alaska Marine Conservation Council) gave public testimony.

The SSC commends the staff and core teams for a good beginning on a large task in a short time. In particular, the SSC commends their development of the "Level 0" information level. The fact that it is now being used by the other regions points to its utility. Individual documents for some fishes in the "other species" category such as capelin and eulachon will be very useful as will the inclusion of data on herring and halibut in the appendix. The more detailed mapping approach based on fishing data also looks like it will be informative.

The SSC recognizes that these are preliminary reports and assumes that the inconsistencies and editorial technicalities will be corrected in the next versions. The format of the salmon report is inconsistent with the other reports and it does not contain an assessment of the level of information available. The SSC suggests that the Vining and Witherell report on the effects of fishing on habitat be updated with some of the additional data and references provided in the written public testimony.

The SSC suggests that citations be used in all text sections, including the life history sections, so that a statement can be traced to its source. In many sections of these reports, especially the effects of fishing section, the data come from other areas, different oceanic regimes, or very limited sample sizes. Although it is useful at this preliminary stage to assess all available information on a particular topic, the SSC cautions that data from other areas and conditions may or may not be applicable to Alaska. In addition, some of the studies do not give sufficient detail (for example, bottom type, trawl type) to support detailed conclusions.

Jeff Short's complementary criteria work appears to be a reasonable beginning to develop a tool that will be necessary in some of the next phases of the EFH process. It attempts to incorporate life history data, risk and sensitivity into an index for prioritization. It is an integration over critical core habitats that will be useful for data reduction and may provide guidance in consultations in the future.

C-7 Catch & Bycatch Estimation

Catch Estimation

The SSC received a full-day presentation from Galen Trumble, Bill Karp, and Sarah Gaichas, NMFS on catch and bycatch estimation. The presentation was based on the following reports: (1) Determination of Catch Quantity and Composition in the Federal Groundfish Fisheries off Alaska (February 1998), (2) Observer Coverage Needs (Karp, June 1997), (3) Estimation of Salmon Bycatch in the 1995 Pollock Fishery in the BS/AI (Turnock and Karp, June 1997), (4) Analytical and Statistical Review of [Data Collection Procedures] ... (Versar, Inc., Volstad et al, Oct 1997), and (5) Evaluation of Haul Weight Estimation Procedures (Dorn et al, Oct 1997). In addition the SSC heard public testimony from Brent Paine (UCB), Ed Richardson (ASP), and Chris Blackburn (AGDB).

The SSC commends NMFS for its work improving catch estimation and documenting protocols and procedures and encourages further work in this direction, as noted below. The SSC intends to review catch estimation each February, as this is a central topic in groundfisheries management. The SSC did not have time to address the subtopic of catch & bycatch estimation at the individual vessel level and requests that appropriate staff prepare an outline highlighting key findings and issues.

The first issue before the Council is to approve measures to ensure total catch measurement. Based on its review of the information provided, the SSC agrees with the Executive Director's suggestion in the cover memo that existing measures for observer, reporting, and monitoring requirements provide for a reasonable system of total catch & bycatch estimation. In many respects, the system in place is better than any found around the world. Nevertheless, improvements in all aspects of data collection are crucial to successful fisheries management in the future.

The SSC believes the following topics are particularly important:

Revise the "blend" system algorithm:

- (1) For some fisheries with high observer coverage, a statistical system of estimation based solely on the observer data should be considered, as described in the Versar Report. (The major advantage of using observer data is the ability of calculation of variances).
- (2) Better information is needed to discriminate when WPR information should be used in place of observer data. The current substitution algorithm at 80% (or 70% for pollock as the target species) of the WPR weight creates a major discontinuity without having a strong justification.
- (3) Better documentation of the blend algorithm and justification for its decision points are needed.
- (4) Investigation of a calibration factor for adjusting reported catches of unobserved processor vessels is warranted. Currently, WPRs are used exclusively. An alternative approach would establish a calibration factor from observed vessels which could then be applied to unobserved vessels.
- (5) Use of observer species composition data should be considered when the blend algorithm selects the WPR over observer data. Currently, the entire observer record is not used when this happens, but observer species composition data may be better than found on the WPR.
- Establish a protocol for revising product recovery rates (PRR's). A standard set of PRR's has been established for use in converting processed weights to round weights. Documentation and justification for these standard rates would be desirable. Furthermore, there is need for a scientific protocol for changing PRR's based on new information and a process for validating their rates and how they may change over time, fleet sector, and perhaps vessel.
- Validation of shoreside WPR's is needed. WPR's are made by the processors and should be audited periodically for accuracy. A comparison with ADF&G fish tickets would be useful.
- Similarly, the logbooks and WPR's of at-sea processors should be corroborated against the weights of finished products. Statistical estimation is needed of PRRs.
- Improvements to the sampling design of the observer program are needed.
 - (1) Methods to better randomize the placement of observers aboard vessels in the 30% category should be pursued. Non-random placement introduces bias.
 - (2) Further refinement of observer coverage levels may be possible, and efforts to increase the number of vessels observed will improve estimation. For estimation of biological characteristics needed in stock assessment, coverage levels of 20-30% appear sufficient, as long as the sampling is representative of the catch. Recent studies suggest that it might be desirable to vary observer coverage by season and fishery.
 - (3) The Versar report suggests that the current 200% (100% of vessels with two observers) observer coverage for the CDQ fishery needs to continue for valid catch and bycatch estimation.
 - (4) To estimate bycatch for some prohibited species, coverage levels close to 100% may be required (which comes from previous studies), because of high variability.
 - (5) Currently, subsampling information on hauls is not recorded, just the aggregate of the subsamples. Hence, it is not possible to estimate the total sampling variance of observer estimates. Further attention to this problem is needed. Short of recommending that such subsampling information be collected, the

SSC suggests some special project activities for some observers to assess the magnitude of subsampling variability.

- (6) SSC recommends that NMFS and ADF&G explore further the issues of discard estimation.
- The SSC received a brief overview of the ADF&G catch estimation program from Earl Krygier, ADF&G. This program is complementary to the NMFS data collection program and provides information on crabs, herring, and demersal shelf rockfish among others. The SSC requests further documentation of this program, including reports of any efforts to validate information, in time for its next meeting on this topic in February 1999.
- An evaluation of protocols for establishing historical data sets is needed. Currently the collection of
 information is designed to provide for in-season management of fisheries. Once data have been collected
 for the fishing year, additional analytical activities such as data set auditing and comparisons among
 different data sets may be useful.

Catch Weighing

This manuscript by Dorn et al. (Oct., 1997) reports on a preliminary evaluation of the flow scale, and uses the flow scale to evaluate in situ catch estimates based on codend volume and bin volume estimates. The work presented in this report was systematically performed under carefully controlled conditions and represents the best available work in this subject area performed on north Pacific groundfish. As such the SSC concurs with the warning and recommendations found on page v of the Dorn et al report.

Volumetrics and flow scales provide accurate total catch weight estimates under proper conditions. An important consideration in applying the bin volume method of estimating total catch is water content in the bins. Excess water increases volume, so that a lower value of density would be appropriate. However, because increased water implies increased variability in the bin volume estimate, it makes sense, for the sake of precision, to minimize the amount of water in the bins. The SSC heard testimony arguing that the NMFS study overestimates density, though this is not evident from the available data. Nevertheless, further study may be warranted to assure that the prescribed density values are appropriate for application according to common industry practices.

Flow scales provide potentially the most accurate method for catch weight estimation. However, with well-marked bins of known volume estimates of catch weight can be precise. Accuracy for this method is dependent upon have valid density adjustment factors. The accuracy of haul weights obtained from flow scale readings depends on the accurate accounting of the fish passing across the scale on a 24-hour basis, frequent calibration, and daily materials testing. At current observer staffing levels and sampling workload, independent verification of the accuracy of flow scale weights in not possible. Consequently, reliance on vessel personnel involvement is greater for the flow scale than other haul weight estimation methods. Platform scales were used to calibrate the flow scales and may represent another catch weight estimation method for some vessels and fisheries.

An important finding is that the density estimate (0.93t/m3) which has been used to convert pollock catch volumes to catch weights has been significantly underestimating total catch weights. The report recommends density values for pollock of 1.02t/m3 for codends, and 0.98t/m3 for bin volumes. It also recommends that further studies with flow scales be used to estimate fishery specific density values, and that density estimation using basket samples be discontinued. The small size of sampling baskets has distinctly biased density estimates based on basket sampling.

Although codend measurement can provide precise estimates under proper conditions, the study also recommends against the use of the codend volume method, for monitoring the catch of individual vessels as in the CDO

fishery. This is especially true for vessels where codends consistently overflow the trawl alley or codends are not completely accessible to the observer.

Salmon Retention

The manuscript by Turnock and Karp (June 1997) has several important findings related to salmon bycatch estimation:

- (1) It is possible to obtain salmon bycatch estimates using statistical methods, which allows evaluation of the estimates with respect to variability. This is a theme similar to that in the Versar report.
- (2) An interesting aspect of this report is that it includes a study of within haul sampling variability. According to Dr. Karp's cover letter this is the first study which does this. It accomplishes this by simulating within haul samples as Poisson random variables with mean fC, where f is the fraction of the haul being sampled and C is the whole haul catch of salmon. It does not seem the full simulation study is really necessary since simply assuming the sampling variance is fC would appear to accomplish the same result. The authors are correct in stating this formula likely underestimates the true within haul variability, because salmon are probably not randomly distributed within hauls.
- (3) Observer estimates of salmon bycatch are larger than the estimates based on retained fish for all fleet sectors examined.
- (4) Although Figs. 3 and 4 indicate that within haul sampling fractions of 0.1-0.2 can provide useful estimates of salmon bycatch, attaining these sampling levels will not always be possible when dealing with large landings or difficult sampling situations. At lower sampling fractions, there is some tendency for observer estimates to be higher than at higher levels. This result would not be expected from sampling theory.
- (5) A further caveat by the authors notes that sampling variability of salmon bycatch for any particular vessel will typically be large, and this must be understood when using these data.

The SSC heard testimony that questioned whether observer estimates might be too high rather than retention data being too low. The SSC agrees that it is important for observers to follow sampling protocols so that estimates are not biased. It also seems that the lack of focused responsibility among crew and observers in the Salmon Retention Program might have made retention data less reliable.

Because the true number of salmon caught was not known, it is impossible to know which of the two estimates (observer and retained) is true. If some vessels did not report all salmon, then the observer estimates are probably more correct. If the basket sampling procedure contains a sampling bias, then the salmon retention information may be better. To properly resolve this issue, an experiment needs to be done in which the true number of salmon (or some other object) can be determined and the basket sampling procedure is evaluated at a variety of sampling fractions. The SSC notes that this problem of accurately estimating the catch of rarely occurring species within a larger total catch is likely to arise in other contexts. Accuracy will be an especially difficult problem for estimates by individual vessels such as in the multi-species CDQ program and any future vessel bycatch accounting or multi-species IFQ programs.

Council staff pointed out that the law requires vessels to record all salmon catch in their logbooks anyway. Observers were simply asked to place their "stamp of approval" on retained salmon counts whose quality they cannot control.

C-9 Research Priorities

The SSC reviewed Groundfish Plan Team recommendations for additional research and updated its February 1997 recommendations. The SSC emphasizes that this list is not inclusive of all needed research nor is it prioritized; rather it represents a compilation of research ideas recognized by the SSC as deserving attention by NMFS, ADF&G, IPHC, other agencies, and institutions of higher learning. The SSC also requests that the Crab Plan Team provide research recommendations.

While the SSC has periodically attempted to prioritize the research items found below, we have never been able to arrive at a consensus on these priorities. It is therefore somewhat historic, that the SSC wishes to emphasize the critical need for the Council to support the development and maintenance of basic social and economic data on the fisheries and fishery dependent communities of the GOA and BS/AI.

A. Critical Assessment Problems

- 1. Rockfish: There is a general need for better assessment data, particularly investigation of stock structure and biological variables.
 - a) Supplement triennial trawl survey biomass estimates with estimates of biomass or indices of biomass obtained from alternative survey designs.
 - b) Obtain age and length samples from the commercial fishery, especially for Pacific ocean perch, northern rockfish, and dusky rockfish.
 - c) Increase capacity for production ageing of rockfish so that age information from surveys and the fishery can be included in stock assessments in a timely manner.
- Walleye pollock: There is a continuing need for research on stock structure as it relates to assessment. There is a critical need for a tagging study to focus on stock interactions. We continue to emphasize the need for age-structured assessments of recognized stock units. As the Bering Sea pollock population has declined, the forecasts of future pollock recruitment have undergone greater scrutiny. Research on alternative forecasting methods is needed

The SSC believes that the magnitude of the catch, size and age structure of the EBS stock harvested in the Russian zone in the vicinity of the transboundary area is needed. It may be necessary to consider fishing removals from the Russian zone and their impact on EBS pollock mortality in the estimates of ABC and TAC.

Assessment of the status of the Gulf of Alaska resource is critically dependent upon results of resource surveys. Currently, these surveys are conducted every three years. Various ways of supplementing the triennial survey data should be evaluated. The relationship between fish in Prince William Sound to those in the Gulf of Alaska needs to be elucidated.

- 3. Crab research: Research should be expanded on handling mortality, stock structure and life history parameters.
- 4. Age- and length-structured assessments: These assessments integrate several data sources using some weighting scheme. Little research has gone into evaluation of different weighting schemes, although the weight can have a large effect on the assessment results. Research is

needed on which weighting schemes are robust to uncertainties among the different data sources. Age structured assessments depend upon age determination techniques and ongoing age validation is needed.

Correct model specification is critical to stock assessment. Further research is needed on model performance in terms of bias and variability. In particular, computer simulations, sensitivity studies, and retrospective analyses are needed. As models become more complex in terms of parameters, error structure, and data sources, there is a greater need to understand how well they perform.

- 5. Life history information, e.g., growth and maturity data, is incomplete for a number of stocks. This information is essential for determination of ABC, OFL and preferred fishing mortality rates. Maturity data are lacking for: Pacific cod, Dover sole, other flatfish, sablefish, and many species of rockfish. Life history and distributional patterns of Greenland turbot are lacking. To better understand sablefish recruitment variability, additional information on the geographical distributional and movement of juvenile sablefish is needed.
- 6. Identification of the origin of chum and chinook salmon stocks captured incidentally in the groundfish fisheries is needed. The chum salmon stocks in particular are recognized as a mixture of Asian and North American origin. Resolution of stock origin is important in the consideration of bycatch management.
- 7. There is need for information about stock structure and movement of walleye pollock, Atka mackerel, Pacific cod, POP, and other rockfish.
- 8. Further research is needed about management strategies that provide for conservation of aquatic resources. Topics that need attention include: which measure of biomass should be used in biomass-based adjustment of ABC and OFL; what measure of average recruitment to use in B_{40%}; the effect of seasonality in spawning, recruitment, and harvest on optimal harvest rate; adaptive management schemes which are designed to provide understanding of multispecies interactions and spatial population dynamics.
- Presentation of uncertainty in stock assessments is often lacking or incomplete. Further research
 is needed into which methods are most appropriate for capturing uncertainty in the status of
 populations.
- 10. Management measures such as time-area closures and other restrictions are frequently imposed, but rarely rescinded. Studies are needed to evaluate the effectiveness of management measures on conserving populations, achieving management goals and assessing other ecosystem effects.

B. Stock survey concerns

- 1. Conservation of aquatic resources in the North Pacific is critically dependent on a consistent time series of trawl, hydroacoustic, and longline surveys. The continuity of these series must remain one of the highest priorities of NMFS and the Council.
- 2. Explore ways for inaugurating or improving surveys to assess rockfish (including nearshore pelagics), pollock, squid and Atka mackerel.

- 3. Expand bottom trawl surveys in the Gulf of Alaska and Bering Sea to include slope areas that encompass the population range of Greenland turbot, rockfish, thornyheads, and sablefish.
- 4. Conduct surveys of the Aleutian Islands management area to assist in the assessment of groundfish stocks found in this region.
- 5. Improve surveys for Bering Sea crab complementary to the existing Bering Sea crab/groundfish survey (e.g. Norton Sound, Pribilof Islands, St. Matthew Island, and Bristol Bay).
- 6. Direct observation (e.g. submersible and dive surveys) offers unique opportunities to directly examine gear performance, fish behavior in the proximity of gear, gear related habitat impacts, and differences of fish density between trawlable and nontrawlable habitat.
- 7. There is a continuing need to perform gear calibration and fish observation studies to validate indices of abundance (e.g. fishing longline and trawl gear side-by-side, and fishing different baits on longline gear over the same stations).
- 8. Within the EEZ are seamounts that are unsampled for groundfish, halibut, and crab abundance. Surveys that sample these seamounts may improve estimates of total abundance in the EEZ, particularly for sablefish and rockfish stocks.
- 9. Data from annual ADF&G crab surveys should be examined and their usefulness for assessing groundfish abundance in near-shore areas should be evaluated. Dialogue between ADF&G and NMFS assessment scientists regarding ways of gaining more useful groundfish data from this survey should be encouraged.

C. Expanded Ecosystem Studies

- Because of the importance of marine mammal and seabird considerations in fisheries management, further studies are needed on interactions among fisheries, marine mammals, and seabird populations. In particular relationships among oceanographic conditions, conditions and animal condition and health should be explored. Research should be done on sources of agespecific fish mortality.
- Effort is needed on status of stocks and distribution of forage fishes, such as capelin, eulachon, and sand lance. Forage fish are an important part of the ecosystem, yet little is known about these stocks. The Lowell-Wakefield Symposium (October 1996) presented current research on forage fishes.
- 3. Studies of the effects of harvesting and processing activities on the ecosystem and habitat should be instituted. For example, studies contrasting species diversity and abundance in the red king crab savings area with that in adjacent regions.
- 4. Trophic dynamics research should be undertaken on the relationships among critical species, e.g., Pacific cod and its prey (including shrimp and crabs). The feasibility of constructing multispecies models using ongoing collection of gut contents data should be investigated.
- 5. Groups of species in the rockfish and flatfish families are now managed as "species complexes."

 Research should be expanded on the question of biological linkages among the components of

- "species complexes" that justify this management approach. Further, are there other, unidentified groups of species that are ecologically related and could be managed as a unit?
- 6. Studies are needed to identify essential habitat for groundfish and forage fish species in the Gulf of Alaska and Bering Sea. This identification is required by the MSFCMA and would benefit from field studies conducted across a matrix of spatial temporal, and life history stages.
- 7. Expand studies of distribution, abundance, and productivity of seabird populations and ensure that data are collected in ways that provide for rigorous analyses of seabird/marine mammal/oceanographic/fisheries interactions. The majority of data on seabirds in Alaska was collected during the 1970s (through OCSEAP); the quantity of data collected afterwards has been insufficient to adequately examine these interactions.
- 8. Multivariate statistical analysis of the time series of annual survey data may identify which species regularly occur in assemblages. Mapping these assemblages through space and time may reveal changes in the distribution and abundance of the species of the Eastern Bering Sea. These mappings and trajectories may be applicable to adaptive management approaches suggested for exploring ecosystem concerns. Although related analyses were started by NMFS in the late 1970's, they have not been conducted in recent years. Recent advances in spatial statistics may prove fruitful tools for re-examining these existing data.

D. Socioeconomic research

There is a critical need for the development and continued maintenance of basic social and economic information databases on the fisheries and fisheries dependent communities of GOA and BS/AI. This information is required for establishing a baseline to be used in the evaluation of the impacts of alternative management measures.

- 1. There is a need to develop a cross section-time series of data on:
 - a) Exvessel and wholesale prices (information is needed on actual transactions and sources of variability).
 - b) Inventories and exports (greater detail on product form, volume, and transactions prices).
 - c) Cost of variable inputs to fishing
 - d) Patterns of ownership in fishing and processing operations (concentration, vertical integration, foreign participation).
 - e) Employment and earnings for crew and skippers
 - f) Patterns of employment/unemployment, earnings, transfer payments in fishery dependent communities, and
 - g) The location where goods and services are purchased.
- 2. There is a need for economic analyses of:

- a) The demand for fisheries products (exvessel, wholesale, international, and retail markets)
- b) Production functions for catch and processing
- c) Regional models of economic activity in fishery dependent communities,
- d) An assessment of the cumulative efficiency and equity consequences of management actions that apply time/area closures
- e) An assessment of the consequences of the halibut/sablefish IFQ program (changes in product markets, characteristics of quota share markets, changes in distribution of ownership, changes in crew compensation, etc.)
- f) Estimates of the net economic benefits of recreation and subsistence harvests, and,
- g) And improved representation of fleet behavioral response to alternative fishing opportunities to provide better prediction of how fishing effort will shift in response to time/area closures.
- 3. Research pertinent to assessment of the social impacts of actions contemplated by the Council include:
 - a) Fishery/Community Linkages: Field research aimed at capturing the full array of linkages between fisheries and social and economic life in fishery dependent communities.
 - b) Social Assessments: Selected community and industry assessments should be conducted to establish baseline conditions underlying social problems identified by the Council and the Advisory Panel. As appropriate, these projects can be extended to generate time series information.
 - c) Social Impacts: Social impact and policy research should be conducted regarding the identification and potential effects of alternative management actions.
 - d) Develop better methods for determining the social costs and benefits of management actions (e.g. through the use of non-market valuation techniques).

E. Bycatch problems

- Research on gear modification and other methods for reducing bycatch should be expanded.
- 2. A better quantification of discard mortality rates is needed, especially for halibut and crab.
- Data on size/age and sex of crabs taken as bycatch are needed to assess impacts.
- 5. Comprehensive evaluations are needed of single and multiple time/area closures and other bycatch management measures.
- 6. Develop better methods for assessing the social costs of bycatch.

7. Identify sources of variability in actual and estimated bycatch rates.

F. Fishery Monitoring

- Inseason management and stock assessment are critically dependent on catch estimates. There is a need to conduct ongoing analyses of the accuracy and precision of catch estimates in all fisheries. An analysis of the utility of fishery logbook information should be conducted. In particular, determine if it is possible to gain insight into fleet performance from such information. Examine feasibility for developing a representative CPUE index and determine if it is proportional to stock size
- 2. Evaluate sampling procedures used by observers and various catch estimation procedures.
- 3. Development of catch and bycatch sampling procedures for individual vessel accountability programs.

D-1(d) Revise the Annual Specification Process

The SSC supports the release of the EA/RIR for public review. The proposed amendment would make the specification process more efficient and allow the SSC to spend more time on reviewing stock assessment models and harvest strategies at the October meeting. The SSC recommends that an outline of information to be presented at the October meeting be developed for SSC comment at the April meeting when final review of this amendment takes place.

D-2(c) Bycatch Amendments

Dave Witherell provided a staff report on the status of four bycatch amendments under development. Dorothy Childers (AMCC) and John Gauvin (Groundfish Forum) provided public testimony.

Staff indicated that numerous issues must be resolved before further development occurs for the amendments addressing an individual checklist program and halibut mortality avoidance. Staff indicate that two amendments - limiting directed pollock harvest to pelagic trawls and further limiting chinook salmon taken in BSAI fisheries - are sufficiently well developed that they can be ready for initial review at the Council's April meeting.

ADVISORY PANEL MINUTES FEBRUARY 2-5, 1998 ANCHORAGE, ALASKA

Advisory Panel members in attendance:

Alstrom, Ragnar Henderschedt, John
Benson, Dave Jones, Spike
Blott, Tim Lewis, John

Madsen, Stephanie (Vice-Chair) Bruce, John (Chair) Nelson, Hazel Burch, Alvin Cross, Craig Paddock, Dean Falvey, Dan Stephan, Jeff Turk, Teresa Fanning, Kris Ward, Robert Fraser, Dave Yeck, Lyle Fuglvog, Arne Ganey, Steve Yutrzenka, Grant

Gundersen, Justine

The Advisory Panel (AP) unanimously approved the minutes from their December 1997 meeting.

C-1 Observer Program

The AP recommends the Council adopt Alternative 2 and further recommends the development of a modified Research Plan which incorporates the items highlighted in italics below from our December minutes:

Alternative 4: Modified Research Plan

- option on obtaining from Congress start-up funds
- identification of the best sampling plan using available resources
- advance notice requirements for getting an observer
- resolve questions on ADF&G request of priority use of fees for crab program
- · examination of potential cost recovery plan
- · define baseline coverage and sideboards on supplemental programs

The document should include a side by side comparison of the modified research plan and JPA. The AP recommends the Council direct NMFS to initiate a rollover of the existing observer plan. Motion carries 14/1.

Because of significantly increased costs for the observer program and the economic condition of the industry, the AP recommends the Council request additional funds from NMFS to augment those provided by industry. Motion carries 15/1.

The AP further requests the analysis answer the questions identified through public testimony (i.e., David Fraser's letter) to the extent possible in order to make an informed choice. Motion carries 19/2/1.

C-2 Halibut Management

(a) Sitka Sound Local Area Plan

The AP recommends the Council adopt Alternative 2 with the following changes:

- 1) change 1,000 lbs trip limit to 2,000 lbs, and
- 2) delete suboption "for Sitka residents only."

The AP notes these changes are consistent with the task force's most recent recommendations.

We further request NMFS/RAM assist in notifying affected commercial fishermen of this change. Motion carries unanimously (22/0).

(b) Protocol for Local Halibut Management Areas

The AP recommends the Council have staff continue to develop a Board/Council protocol on local area management plans for halibut. We note that the affected public and ADF&G advisory panels cannot meet during the summer and that the current 3-year cycle used by the Board may not be an appropriate time frame. Motion carries unanimously (22/0).

C-3 Inshore/Offshore 3

The AP has reviewed the staff's proposed Inshore/Offshore 3 analysis and offers the following comments to be addressed to the extent possible:

- 1. Always use the label "True Mothership" when referring to the offshore motherships that never harvested their own fish.
- 2. Break out the catcher processor categories by when they harvest their own fish and when they take deliveries over the side, whenever possible.

3. CVOA

- a. Correct and 'simplify' Tables and Figures.
- b. Examine other approaches for estimating non-CVOA fishing patterns for the offshore sector (1991 patterns may not be representative).
- c. Breakout and identify "True Motherships."
- d. Provide additional information, if possible, on how utilization rates may change if more fish over 40 cm and fish of a more uniform size were harvested and processed. This would also be appropriate in the utilization rate section of the document.

- e. Provide information on the number of hauls that were used to calculate CPUE by area and sector.
- f. Provide catch information from areas that have been closed in recent years, but are not critical habitat
- 4. Provide a list of ownership, like Appendix A from the Coast Guard, for shore plants, true motherships, and catcher vessels.
- Expand the utilization rate discussion on how the total catch estimates differ between sectors. If possible, include information on the amount of catch in the blend data from Weekly Production Reports and Observer data.
- 6. Estimate continued regulatory discards of pollock and cod. These would only occur when the pollock and cod fisheries are closed.
- 7. Alter the five tables in the "Summary of 1997 Fishing Activities" section to include the actual catch quantity when possible. Also, add a set of tables that report the number of vessels (plants) in each cell instead of catch.
- 8. Research and correct the fish tax table on page 67.
- 9. Note that there <u>could</u> be more than 3 true motherships in the future.
- 10. To the extent possible, provide information on different product grades (surimi/roe for example).
- 11. Annual operator's report to estimate inshore first wholesale prices.
- 12. On page 66 of Tax section, true motherships need to be broken out from the offshore component.
- 13. Regarding PSC bycatch tables, rates are more important than total lbs and this information should be consolidated to the relevant perspective.
- 14. Regarding industry information (particularly employment and price data) the AP recognizes that the analysts may be utilizing this information using the guidelines cited in the discussion paper.
- 15. In a general sense, the Impact Assessment, Inc., study should examine the linkages between industry sectors and shoreside communities, aside from specific CDQ partnership linkages.
- 16. For harvest vessels, the AP would like a finer breakdown of catch (histogram) by delivery mode (i.e., how many vessels at various catch levels) and by size.
- 17. Qualitative discussions of product mix and market implications of shifting pollock allocations should be included to the extent possible.

Motion carries unanimously (22/0).

C-4 Essential Fish Habitat

The AP recommends the Council have NMFS include equivalent information in a comparable format on habitat for halibut, herring and GOA crab stocks in future documents. We further request studies of non-trawl gear impacts be included where available and provide a more detailed description of the size and type of gear used when discussing commercial fishery related impacts on EFH. Motion carries unanimously (21/0).

C-5 Scallop Management

The AP recommends the following be incorporated into the analysis for a limited entry program for scallops:

- (1) clarify Alternative 4 to include federal or state moratorium participation
- (2) adding a sub-option to Alternative 4 that would award the licenses to moratorium permit holders rather than vessels
- (3) add an alternative to create a combined Cook Inlet and state-wide license
- (4) add an option in which vessel length is based on the vessel length which qualified in 1996 or 1997
- (5) add an option that would restrict horsepower to vessel capability during the qualifying period.

Motion carries unanimously (22/0).

C-6 License Limitation (LLP)/CDQs

The AP recommends the Council initiate an amendment to extend the moratorium until superseded by further CRP measures. Motion carries unanimously (23/0).

Further, the AP recommends the Council initiate a regulatory amendment to adopt a moratorium application closure date as today's date or the soonest possible date that can be legally implemented. Motion carries unanimously (23/0).

The AP recommends the Council initiate an amendment to the LLP that prevents transfer of permits from vessels that never held a federal fishery permit during the LLP qualifying period and that transfers of fishing histories and subsequent licenses will not be allowed as of February 3, 1998. This would apply to all vessels. Motion carries 22/1.

The AP recommends initiating a plan amendment not allowing licenses and fishing histories earned by vessels employing non-trawl gear to be used on vessels employing trawl gear. We further recommend issuing grandfather rights only to those persons who can demonstrate significant financial commitment to apply a non-trawl license or fishing history to a trawl operation as of February 3, 1998, with the following sup-options:

- (1) has made a landing with trawl gear by February 3, 1998
- (2) has made a significant investment in conversion of a vessel to deploy trawl gear by February 3, 1998

Motion carries unanimously (23/0).

The AP recommends the Council rescind the CDQ vessel exemption portion of the LLP. Further, we recommend grandfathering rights to any vessels currently built or operating in an existing CDQ under this provision. Motion carries unanimously (23/0).

The AP recommends the Council initiate an amendment to the LLP crab and groundfish program to include a recent participation clause with the following:

Crab LLP:

(a) general umbrella only

Crab and groundfish landing in:

- (a) 1995
- (b) 1996
- (c) 1997
- (d) any combination of above
- (e) any one of four years through February 3, 1998

Motion carries 18/5.

The AP recommends the Council initiate an amendment to clarify that catch history transfers would be recognized, except those occurring after June 17, 1995, and where the owner of the vessel at that time was unable to document a vessel under Chapter 121, Title 46, U.S. Code. Motion carries 22/0/1.

A motion to exempt the Norton Sound red king crab fishery from the Crab LLP failed 8/12/3.

C-7 Catch and Bycatch Measurements

The AP recognizes that the current system of observer coverage and industry reporting provides a good foundation for determining total catch measurement. We note that the SSC and NMFS staff have identified measures through this review which will improve the current system and bring us closer to Magnuson-Stevens Act compliance. The AP requests the Council refine and implement these measures including research proposals which:

- recommend an analysis be performed on the offshore pollock and yellowfin sole target fisheries in at least two years other than 1994 to examine the stability of the statistical catch estimators over time,
- analysis of new random sampling table suited to flatfish fisheries,
- for any new analysis, it would be useful to focus on the precision of catch estimation at the individual vessel level rather than the fleet-wide level since management by IBQs and multi-species CDQ programs will require very high precision for individual vessels, and
- an expanded study of density values and product recovery rates in relation to total catch estimation and that federal funding be provided.

Motion carries 15/3/5.

The AP further requests the Council recommend that NMFS review and report on compliance with observer coverage requirements in the hook and line rockfish fisheries. Motion carries 19/2/2.

Salmon Bycatch Retention Regulations

The AP further recommends the Council take no action of the NMFS request to rescind the current salmon retention regulations. We recommend the Council request NMFS continue development of onboard protocols and research priorities to increase the accuracy of these numbers. Motion carries unanimously (23/0).

D-1 Groundfish Amendments with Action Required

(a) GOA Trimester Pollock Allocations

The AP recommends the Council adopt Alternative 2. Motion carries unanimously (23/0). There was a motion made to adopt both Alternatives 2 and 3, but failed 10/11/1.

(b) GOA Stand-down and Preregistration

The AP recommends the Council adopt Alternative 2 which establishes a vessel registration program for "at risk" fisheries which meet certain criteria, and Alternative 3 which establishes a stand-down requirement for vessels transiting between the BSAI and GOA with the following options:

Vessel and gear options:

Option 3 - Stand down requirement would apply to all trawl catcher vessels only, including an exemption for trawl catcher vessels delivering to at-sea processors in the GOA Pacific cod offshore fishery.

Fishery options: Option 1- Stand down requirement would apply to all target fisheries.

Length of stand-down period:

New Option 4: 96 hours between BS and GOA

48 hours between GOA and BS

Beginning and ending of stand-down period:

Option 2 - Stand down period begins on the date of delivery and fishing may resume in the new area at 12 noon, Alaska local time, 2, 3, or 4 days after the date of delivery.

Motion carried 14/5.

MINORITY REPORT D-1(b) WGOA Stand-down and Preregistration

The EA/RIR for Amendment 52/52 contained two distinct measures. Alternative 2 (preregistration) dealt with the measures necessary for NMFS to manage fisheries with relatively small TACs and relatively large effort without exceeding the TAC. The minority recognizes the need for preregistration in fisheries like the 610 pollock fishery.

However, the larger problem in the WGOA pollock fishery involves issues of preemption and stability and large boat/small boat allocation. The 96/48 hour stand-down goes beyond the NMFS management needs and amounts

to defacto exclusive area registration during the 1st and 3rd trimesters, but provides no protection in the June openings.

Allocation measures such as direct or indirect exclusive area registration deserve a more extensive analysis with respect to the economic and social impacts than was provided in the EA/RIR.

Signed:

Dave Fraser

Dave Benson Craig Cross

Stephanie Madsen Grant Yutrzenka

A motion to adopt Option 1 (48 hours) for <u>length of stand-down period</u> passed 10/7/4 but was subsequently replaced with a substitute motion (96/48 hours) with a 10/8/2 vote on this issue and 19/0/1 vote for <u>fishery options</u> - Option 1.

D-1(c) Amendment 53 (set gear allocations for shortraker/rougheye)

The AP recommends the Council adopt Alternative 2 (shortraker/rougheye rockfish TAC would be allocated between vessels using trawl and non-trawl gear), Option 1 (30% to non-trawl gear/70% to trawl gear). Motion carries unanimously (21/0).

D-1(d) Amendment 48/48 - Revise the Annual Specification Process in the BSAI and GOA

The AP recommends the Council send Amendment 48/48 out for public review. Motion carries unanimously (19/0).

D-2 Bycatch Management

(b) VBA Committee

The AP reiterates their September 1997 recommendation that "the Council have the committee continue its efforts. Further, the AP requests the Council have NOAA GC address the legal issues including enforceability. and have the committee examine the effects of the VBA program on the current observer program." Motion carries unanimously.

(c) Bycatch Amendments

The AP recommends the Council appoint a committee to further develop the Halibut Mortality Avoidance Program (HMAP) and Individual Vessel Checklist Program (IVCP) with membership consisting of the appropriate industry representation. Motion carries 11/9.

The above motion substituted the original motion recommending a committee for only the HMAP program.

The AP recommends the Council begin an analysis on a proposal to review chinook bycatch management regime:

- (a) sampling methodology/estimation procedures
- (b) fishery specific area closures and triggers
- (c) discreet hot spot closure

Motion carries unanimously (22/0).