Thorn Smith

Lisheries Information Services 20007 Cohen Orive, Luneau, A.L., 99801 19honel Lax 907-586-1416

email fis@gci.net


To: PARTICIPANT LONGLINE MONITORING PROGRAM

Fm: JANET SMOKER, FIS DATE: October 14, 2003


For week 10/11, now mostly complete, data has been reported from 29 boats. Average halibut bycatch rate was 47 kg/mt cod with a range from 4 to 271 kg/mt. Halibut viability was taken on 22 boats: fleet average was 8.6%. Nine boats had perfect 3.5% rates, highest was 45.3%. It doesn't look like catches improved any that week.


Very little data has been reported so far this current week. I'll have updated Bird and effort location reports for you tomorrow.

The cod reallocation has been announced. H&L CPs have a new allocation of 98,811 mt. H&L CVs have a new allocation of 492 mt.




FREEZER-LONGLINER INCIDENTAL TAKE OF SEABIRDS IN THE BERING SEA / ALEUTIAN ISLANDS AND GULF OF ALASKA





*2003 DATA TO OCTOBER 23rd



North **Pacific** Longline Association



ONSERVATION LLIANCE

References:

Solutions to Seabird Bycatch in Alaska's Demersal Longline Fisheries www.wsg.washington.edu/pubs/seabirds/seabirdpaper.html

> Seabird Avoidance Gear & Methods for Alaska Fishermen

www.fakr.noaa.gov/protectedresources/seabirds/guide.htm

Focusing and Testing Fisher Know-How to Solve Conservation Problems: a Common Sense Approach

http://fisheries.ubc.ca/publications/reports/11-1/2 vin_Parrish.pdf





Photo Courtesy of Japanese Coast Guard

Torishima, where 90% of the Short-Tails nest



Black Footed Albatrosses



Short-Tailed with Laysans



Feather Merchants - Near Extinction



Juvenile Short-Tailed, St. Paul Island



Laysan Albatrosses



17,000 Brochures Prepared for Longliners