

Craig Cross

MOTION

Council Proposed BSAI OFL and ABC Recommendations (metric tons) for 2014 - 2015

Species	Area	2013				2014			2015		
		OFL	ABC	TAC	Catch	OFL	ABC	TAC	OFL	ABC	TAC
Pollock	EBS	2,550,000	1,375,000	1,247,000	1,146,604	2,730,000	1,430,000	1,252,500	2,730,000	1,430,000	1,252,500
	AI	45,600	37,300	19,000	2,916	48,600	39,800	19,000	48,600	39,800	19,000
	Bogoslof	13,400	10,100	100	57	13,400	10,100	100	13,400	10,100	100
Pacific cod	BSAI	359,000	307,000	260,000	178,388	n/a	n/a	n/a	n/a	n/a	n/a
	BS	n/a	n/a	n/a	169,840	352,470	300,390	245,000	352,470	300,390	245,000
	AI	n/a	n/a	n/a	8,548	22,500	16,900	7,381	22,500	16,900	7,381
Sablefish	BS	1,870	1,580	1,580	548	1,760	1,480	1,480	1,760	1,480	1,480
	AI	2,530	2,140	2,140	702	2,370	2,010	2,010	2,370	2,010	2,010
Yellowfin sole	BSAI	220,000	206,000	198,000	101,596	219,000	206,000	200,000	219,000	206,000	200,000
Greenland turbot	BSAI	2,540	2,060	2,060	1,097	3,270	2,650	2,060	3,270	2,650	2,060
	BS	n/a	1,610	1,610	818	n/a	2,070	1,610	n/a	2,070	1,610
	AI	n/a	450	450	279	n/a	580	450	n/a	580	450
Arrowtooth flounder	BSAI	186,000	152,000	25,000	18,515	186,000	152,000	25,000	186,000	152,000	25,000
Kamchatka flounder	BSAI	16,300	12,200	10,000	7,500	8,300	7,100	7,100	8,300	7,100	7,100
Northern rock sole	BSAI	241,000	214,000	92,380	55,401	229,000	204,000	94,569	229,000	204,000	94,569
Flathead sole	BSAI	81,500	67,900	22,699	15,317	80,100	66,700	22,699	80,100	66,700	22,699
Alaska plaice	BSAI	67,000	55,200	20,000	19,982	60,200	55,800	23,700	60,200	55,800	23,700
Other flatfish	BSAI	17,800	13,300	3,500	1,467	17,800	13,300	3,500	17,800	13,300	3,500
Pacific Ocean perch	BSAI	41,900	35,100	35,100	26,460	39,500	33,100	33,100	39,500	33,100	33,100
	BS	n/a	8,130	8,130	1,573	n/a	7,680	7,680	n/a	7,680	7,680
	EAI	n/a	9,790	9,790	8,209	n/a	9,240	9,240	n/a	9,240	9,240
	CAI	n/a	6,980	6,980	6,614	n/a	6,590	6,590	n/a	6,590	6,590
	WAI	n/a	10,200	10,200	10,064	n/a	9,590	9,590	n/a	9,590	9,590
Northern rockfish	BSAI	12,200	9,850	3,000	1,892	12,000	9,320	3,000	12,000	9,320	3,000
Blackspotted/Rougheye rockfish	BSAI	462	378	378	324	524	429	429	524	429	429
	EBS/EAI	n/a	169	169	173	n/a	189	189	n/a	189	189
	CAI/WAI	n/a	209	209	151	n/a	240	240	n/a	240	240
Shortraker rockfish	BSAI	493	370	370	333	493	370	370	493	370	370
Other rockfish	BSAI	1,540	1,159	873	653	1,540	1,159	873	1,540	1,159	873
	BS	n/a	686	400	146	n/a	686	400	n/a	686	400
	AI	n/a	473	473	507	n/a	473	473	n/a	473	473
Atka mackerel	BSAI	57,700	50,000	25,920	16,031	56,500	48,900	25,379	56,500	48,900	25,379
	EAI/BS	n/a	16,900	16,900	8,899	n/a	16,500	16,500	n/a	16,500	16,500
	CAI	n/a	16,000	7,520	7,012	n/a	15,700	7,379	n/a	15,700	7,379
	WAI	n/a	17,100	1,500	120	n/a	16,700	1,500	n/a	16,700	1,500
Skates	BSAI	45,800	38,800	24,000	19,643	44,100	37,300	24,000	44,100	37,300	24,000
Sculpins	BSAI	56,400	42,300	5,600	4,323	56,400	42,300	5,600	56,400	42,300	5,600
Sharks	BSAI	1,360	1,020	100	100	1,360	1,020	150	1,360	1,020	150
Squids	BSAI	2,620	1,970	700	235	2,620	1,970	500	2,620	1,970	500
Octopuses	BSAI	3,450	2,590	500	132	3,450	2,590	500	3,450	2,590	500
<b>Total</b>	BSAI	<b>4,028,465</b>	<b>2,639,317</b>	<b>2,000,000</b>	<b>1,620,216</b>	<b>4,193,257</b>	<b>2,686,688</b>	<b>2,000,000</b>	<b>4,193,257</b>	<b>2,686,688</b>	<b>2,000,000</b>

Council motion  
C-4(a) Stock Structure  
October 4, 2013

The Council recommends the following process for determining spatial management of stocks/assemblages:

1. As soon as preliminary scientific information indicates that further stock structure separation may be considered, the stock assessment authors, plan teams (groundfish, crab, scallop), and SSC should advise the Council of their findings and any associated conservation concerns.
2. With input from the agency, the public and its advisory bodies, the Council should identify the economic and management implications and potential options for management response to these findings and identify the suite of tools that could be used to achieve conservation and management goals. In the case of crab and scallop management, ADF&G needs to be part of this process.
3. To the extent practicable, further refinement of stock structure conservation concerns and potential management responses should be discussed through the process described in 1 and 2 above.
4. Based on the best information available provided through this process, the SSC should continue to recommend OFLs and ABCs that prevent overfishing of stocks.

*Sociological*

*or other spatial management measures*

*or other spatial*