

PIBKC


- SAFE completed May 2019
 - Next full update: 2021
 - 2019/20 overfishing status must be determined
- Updated 2019/20 fishing mortality:
 - No directed fishery
 - Bycatch mortality in the crab fisheries: 0.00 t
 - Bycatch mortality in the groundfish fisheries: 0.416 t



Year	MSST	Biomass (MMB _{mating})	TAC	Retained Catch	Total Catch Mortality	OFL	ABC
2016/17	2,053 A	232 A	closed	0	0.38	1.16	0.87
2017/18	2,053 A	230 A	closed	0	0.33	1.16	0.87
2018/19	2,053 A	230 A	closed	0	0.41	1.16	0.87
2019/20	--	175 B	closed	0	0.42	1.16	0.87
2020/21	--	175 B	--	--	--	1.16	0.87

- Overfishing did not occur in 2019/20
- Stock remains overfished


Fishing mortality



Bycatch Mortality (t)

year	fixed gear	trawl gear	total groundfish
2009	0.043	0.165	0.209
2010	0.009	0.045	0.054
2011	0.022	0.006	0.028
2012	0.034	0.535	0.569
2013	0.013	0.000	0.013
2014	0.029	0.000	0.029
2015	0.149	0.646	0.795
2016	0.015	0.364	0.379
2017	0.000	0.303	0.303
2018	0.004	0.373	0.377
2019	0.002	0.415	0.416

Groundfish bycatch by target



PIBKC

- Overfishing did not occur in 2019/20
- Stock remains overfished

Year	MSST	Biomass (MMB_{mating})	TAC	Retained Catch	Total Catch Mortality	OFL	ABC
2016/17	2,053 A	232 A	closed	0	0.38	1.16	0.87
2017/18	2,053 A	230 A	closed	0	0.33	1.16	0.87
2018/19	2,053 A	230 A	closed	0	0.41	1.16	0.87
2019/20	--	175 B	closed	0	0.42	1.16	0.87
2020/21	--	175 B	--	--	--	1.16	0.87

