



**NOAA
FISHERIES**

Alaska Region

GOA Inseason Management Report

2025


Catch data are through December 31, 2025

Management reports can be found at:

<https://www.fisheries.noaa.gov/alaska/commercial-fishing/fisheries-catch-and-landings-reports>

GOA REPORTING AREAS

N



Abbreviations:

- NPT = Non Pelagic Trawl
- PTR = Pelagic Trawl
- HAL = Hook-and-line / Longline
- CP = Catcher Processor
- CV = Catcher Vessel
- M = Mothership

Field Definitions

Fisheries status:

- Open = open to directed fishing in the harvest specifications
- Bycatch = closed to directed fishing in the harvest specifications or through an inseason action
- Prohibited species catch (PSC) = prohibit directed fishing in regulations or through an inseason action
- Overfishing level (OFL) closure = may prohibit areas or fisheries with high incidental catch of a species approaching an OFL


Management terms:

- Total allowable catch (TAC) = set less than or equal to the acceptable biological catch (ABC) for an area or subarea
- Allocation = when TAC is distributed to a specific user group or gear type
- Apportionment = when TAC is split proportionally to the ABC across an area
- Incidental catch allowance (ICA) = TAC set-aside to support other directed fisheries
- Directed Fishing Allowance (DFA) = remaining TAC apportioned by area after the ICA is deducted if applicable

2025 GOA Total Groundfish Catch by Gear and Sector




| 2025 | TAC (mt) | Catch (mt) | % |
|------|----------|------------|-----|
| GOA | 514,619 | 231,601 | 45% |



GOA Total Groundfish Catch and Maximum Weekly Harvest

Discarded Catch
 Retained Catch
 ▲ Maximum Weekly Catch

| | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 |
|----------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Discarded Catch | 15,901 | 15,372 | 10,989 | 11,897 | 12,768 | 11,686 | 13,531 | 12,371 |
| Retained Catch | 230,664 | 199,377 | 176,402 | 170,992 | 212,340 | 206,362 | 207,223 | 218,670 |
| Maximum Weekly Catch | 20,354 | 18,531 | 14,428 | 9,443 | 15,247 | 14,185 | 16,454 | 14,363 |




2025 Gulf of Alaska Pollock Directed Fishery

Pollock Trawl Catch


Metric tons

- 3.1 - 50
- 51 - 100
- 101 - 1,000
- 1,001 - 2,000
- 2,001 - 4,000
- 4,001 - 8,000
- >8,000


- Center of Catch (Current year)
- Center of Catch (Last year)
- Center of Catch (Last 5 years)



2025 Pollock Catch in the GOA



Counts of Vessels Targeting GOA Pollock



| Area | Spring 2018 | Fall 2018 | Spring 2019 | Fall 2019 | Spring 2020 | Fall 2020 | Spring 2021 | Fall 2021 | Spring 2022 | Fall 2022 | Spring 2023 | Fall 2023 | Spring 2024 | Fall 2024 | Spring 2025 | Fall 2025 |
|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|
| 610 | 14 | 29 | 12 | 26 | 5 | 28 | 0 | 24 | 0 | 24 | 0 | 23 | 11 | 25 | 10 | 13 |
| 620 | 51 | 37 | 48 | 39 | 43 | 41 | 38 | 36 | 39 | 34 | 39 | 24 | 37 | 19 | 35 | 24 |
| 630 | 24 | 40 | 31 | 36 | 36 | 33 | 34 | 31 | 37 | 26 | 36 | 22 | 21 | 20 | 32 | 25 |
| All Areas | 59 | 63 | 55 | 53 | 45 | 51 | 38 | 53 | 39 | 49 | 39 | 46 | 45 | 45 | 42 | 32 |


2025 Gulf of Alaska Pacific Cod Catch by Trawl Gear

Pacific Cod Trawl Catch

Metric tons

- 1 - 10
- 11 - 25
- 26 - 50
- 51 - 75
- 76 - 100
- 101 - 250
- 251 - 500
- >500

- Center of Catch (Current year)
- Center of Catch (Last year)
- Center of Catch (Last 5 years)




2025 Gulf of Alaska Pacific Cod Catch by Non-Trawl Gear

Pacific Cod Fixed Gear Catch

Metric tons

- 1 - 25
- 26 - 50
- 51 - 100
- 101 - 250
- 251 - 500
- >500


- Center of Catch (Current year)
- Center of Catch (Last year)
- Center of Catch (Last 5 years)



2025 Western GOA Pacific Cod Catch by Week and Sector




| 2025 Western GOA Pacific Cod | TAC (mt) | Catch (mt) | % |
|------------------------------|--------------|--------------|------------|
| HAL (CV) | 152 | 142 | 93% |
| HAL (CP) | 1,165 | 1,019 | 87% |
| Trawl (CV) | 2,040 | 1,927 | 94% |
| Trawl (CP) | 141 | 34 | 24% |
| Pot Gear | 2,386 | 2,250 | 94% |
| Jig Gear | 213 | 89 | 42% |
| TOTAL | 6,097 | 5,461 | 90% |



Counts of Catcher Vessels Targeting Western GOA Pacific Cod

| Gear | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 |
|--------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|
| HAL | 4 | 1 | 0 | 0 | 2 | 0 | 0 | 0 |
| Trawl | 15 | 14 | 0 | 18 | 26 | 13 | 15 | 10 |
| Pot | 18 | 15 | 0 | 15 | 15 | 10 | 7 | 12 |
| Jig | 10 | 11 | 0 | 2 | 0 | 15 | 4 | 8 |
| TOTAL | 47 | 41 | 0 | 33 | 40 | 37 | 26 | 27 |

Gear ● HAL ● JIG ● POT ● TRW




Western GOA Tender Vessels Report



Trawl Pollock Fixed Gear Pacific Cod Trawl Pacific Cod

| Year | Pacific Cod | | Pollock | |
|------|-------------------|------------------|-------------------|------------------|
| | % of Total Catch* | Count of Tenders | % of Total Catch* | Count of Tenders |
| 2020 | 8% | 14 | 24% | 14 |
| 2021 | 43% | 16 | 13% | 9 |
| 2022 | 45% | 19 | 22% | 13 |
| 2023 | 42% | 17 | 7% | 12 |
| 2024 | 32% | 24 | 57% | 23 |
| 2025 | 36% | 5 | 0% | 3 |

*Percentage of total Pacific cod or pollock catch delivered to tender vessels.



2025 Central GOA Pacific Cod Catch by Week and Sector




| 2025 Central GOA Pacific Cod | TAC (mt) | Catch (mt) | % |
|------------------------------|---------------|---------------|------------|
| HAL CV <50 feet | 2,178 | 1,956 | 90% |
| HAL CV >=50 feet | 1,000 | 752 | 75% |
| HAL CP | 762 | 689 | 90% |
| Trawl CV (Non-RP) | 5,177 | 4,632 | 89% |
| Trawl CV (RP) | 458 | 368 | 80% |
| Trawl CP | 1,046 | 1,036 | 99% |
| Pot | 4,168 | 4,157 | 100% |
| Jig | 462 | 444 | 96% |
| TOTAL | 15,251 | 14,034 | 92% |

Counts of Catcher Vessels Targeting Central GOA Pacific Cod


● HAL < 50 ● HAL >= 50 ● JIG ● POT ● TRW

| Sector | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 | 2025 |
|----------------|-----------|-----------|----------|-----------|-----------|-----------|------------|------------|
| HAL < 50 feet | 23 | 28 | 0 | 31 | 27 | 24 | 24 | 27 |
| HAL >= 50 feet | 7 | 4 | 0 | 8 | 5 | 6 | 5 | 6 |
| Trawl | 1 | 2 | 2 | 4 | 24 | 1 | 32 | 16 |
| Pot | 15 | 14 | 0 | 16 | 21 | 24 | 23 | 20 |
| Jig | 0 | 13 | 0 | 11 | 2 | 42 | 22 | 56 |
| TOTAL | 46 | 57 | 2 | 67 | 79 | 96 | 102 | 119 |


Number of Unique Vessels Targeting Pacific Cod



Central GOA Tender Vessels Report




Western GOA Trawl Rockfish Fishery




2025 Central GOA Trawl Rockfish Program Fishery by Month


Species Dusky Rockfish Northern Rockfish Pacific Ocean Perch




2025 Rockfish Program Allocations and Catch



Pacific Ocean Perch




Northern Rockfish



Dusky Rockfish

| Allocations | Species | Limit (mt) | Catch (mt) | % |
|---|---------------------|------------|--------------|--------------|
| Entry Level Longline Fishery | Pacific Ocean Perch | 5 | 0 | 0% |
| | Northern Rockfish | 5 | 0 | 0% |
| | Dusky Rockfish | 50 | 1 | 2% |
| Cooperatives | Pacific Ocean Perch | 24,704 | 22,909 | 93% |
| | Northern Rockfish | 3,375 | 1,191 | 35% |
| | Dusky Rockfish | 5,518 | 2,141 | 39% |
| | Pacific Cod | 586 | 462 | 79% |
| | Sablefish | 1,003 | 751 | 75% |
| | Thornyhead | 203 | 57 | 28% |
| | Shortraker | 76 | Confidential | Confidential |
| | Rougheye | 211 | Confidential | Confidential |
| Primary Species Central GOA Incidental Catch | Pacific Halibut PSC | 191 | 50 | 26% |
| | Pacific Ocean Perch | 3,500 | 1,666 | 48% |
| | Northern Rockfish | 300 | 27 | 9% |
| | Dusky Rockfish | 250 | 51 | 20% |

2025 GOA Shortraker Rockfish Catch




2025 GOA Rougheye/Blackspotted Rockfish Catch

Metric Tons of Rougheye/Blackspotted Rockfish


| 2025 Rougheye Rockfish | TAC (mt) | Catch (mt) | % |
|------------------------|--------------|------------|------------|
| Western GOA | 224 | 55 | 25% |
| Central GOA | 359 | 131 | 37% |
| Eastern GOA | 597 | 71 | 12% |
| TOTAL | 1,180 | 257 | 22% |

Area Western GOA Central GOA Eastern GOA



2025 GOA Thornyhead Rockfish Catch

Area Western GOA Central GOA Eastern GOA




2025 GOA Other Rockfish Catch

Area Central GOA/Western GOA/West Yakutat Southeast Outside



| 2025 Other Rockfish | TAC (mt) | Catch (mt) | % |
|--------------------------------------|--------------|------------|------------|
| Southeast Outside* | 300 | 22 | 7% |
| Central GOA/Western GOA/West Yakutat | 1,084 | 420 | 39% |
| TOTAL | 1,384 | 442 | 32% |

*Southeast Outside Other Rockfish does not include Demersal Shelf rockfish (DSR) species.


| Predominate Species | | |
|---------------------|-----------------------|-----|
| Trawl | Harlequin Rockfish | 34% |
| | Widow Rockfish | 21% |
| | Redstripe Rockfish | 20% |
| Hook-and-Line | Yelloweye Rockfish | 35% |
| | Redbanded Rockfish | 26% |
| | Unidentified Rockfish | 26% |




2025 GOA Hook-and-Line Catch



2025 GOA Sablefish Catch




Sablefish Catch by Trawl Vessels




2025 Sablefish by Fixed Gear

| | |
|--|-------------------------|
| | HAL Sablefish Discarded |
| | HAL Sablefish Retained |
| | Pot Sablefish Discarded |
| | Pot Sablefish Retained |
| Gear | |
| | HAL |
| | Pot |


| 2025 Sablefish | Hook-and-Line | | | Pot | | |
|----------------|----------------|----------------|--------------------|----------------|----------------|--------------------|
| | Unique Vessels | Sablefish (mt) | % of IFQ Sablefish | Unique Vessels | Sablefish (mt) | % of IFQ Sablefish |
| Western GOA | 10 | 73 | 2% | 35 | 3,026 | 98% |
| Central GOA | 27 | 474 | 7% | 78 | 6,084 | 93% |
| West Yakutat | 33 | 331 | 16% | 51 | 1,717 | 84% |
| Southeast | 83 | 1,448 | 28% | 106 | 3,706 | 72% |
| TOTAL | 113 | 2,326 | 14% | 165 | 14,533 | 86% |




2025 Sablefish and Incidental Catch in Fixed Gear Sablefish Targets



2025 GOA Big Skate




2025 GOA Longnose Skate and Other Skates



2025 GOA Sharks and Octopus

Sharks Octopus





2025 GOA Groundfish Species Placed on Prohibited Species Status

| Effective Date | Sector and Gear | GOA Sub Area | Species |
|----------------|------------------------------|--------------------------------|-------------------------|
| 2025-04-15 | All Gear Types and Sectors | Central 620/630 | Shortraker Rockfish |
| 2025-07-14 | Catcher Processor Trawl Gear | Central 620/630 | Pacific Cod |
| 2025-09-26 | All Gear Types and Sectors | Western 610 | Pacific Ocean Perch |
| 2025-11-21 | All Gear Types and Sectors | Central 620/630 | Big Skate |
| 2025-12-04 | All Gear Types and Sectors | Central, Western, West Yakutat | Demersal Shelf Rockfish |

| Effective Date | Sector and Gear | GOA Sub Area | Species |
|----------------|------------------------------|-----------------|-------------|
| 2024-08-29 | Catcher Processor Trawl Gear | Central 620/630 | Pacific Cod |

GOA Trawl Flatfish Catch by Species



GOA Trawl Groundfish Retained and Discarded

| 2024 Trawl | Retained | Discarded | % Retained |
|------------------------|----------------|--------------|------------|
| Dusky Rockfish | 2,108 | 88 | 96% |
| Pollock | 123,399 | 1,953 | 98% |
| Northern Rockfish | 1,063 | 68 | 94% |
| Pacific Ocean Perch | 24,730 | 676 | 97% |
| Rex Sole | 526 | 33 | 94% |
| Big Skates | 227 | 60 | 79% |
| Arrowtooth Flounder | 16,976 | 933 | 95% |
| Flathead Sole | 883 | 140 | 86% |
| Atka Mackerel | 344 | 36 | 91% |
| Pacific Cod | 7,744 | 603 | 93% |
| Longnose Skates | 61 | 35 | 64% |
| Thornyhead Rockfish | 99 | 15 | 87% |
| Sablefish | 1,108 | 254 | 81% |
| Shortraker Rockfish | 240 | 28 | 90% |
| Shallow Water Flatfish | 1,302 | 1,580 | 45% |
| Rougheye Rockfish | 170 | 29 | 85% |
| Deep Water Flatfish | 29 | 53 | 35% |
| Other Skates | 19 | 60 | 24% |
| Other Species | 12 | 340 | 3% |
| TOTAL | 181,038 | 6,983 | 96% |

Sorted by 2025 species' percent retained.

* Species on prohibited retention status.

'Other Species' includes sharks and octopus.

| 2025 Trawl | Retained | Discarded | % Retained |
|------------------------|----------------|--------------|------------|
| Dusky Rockfish | 2,257 | 22 | 99% |
| Pollock | 133,185 | 1,327 | 99% |
| Northern Rockfish | 1,660 | 20 | 99% |
| Pacific Ocean Perch | 27,470 | 796 | 97% |
| Rex Sole | 579 | 25 | 96% |
| Big Skates | 408 | 17 | 96% |
| Arrowtooth Flounder | 12,492 | 611 | 95% |
| Flathead Sole | 866 | 64 | 93% |
| Atka Mackerel | 897 | 70 | 93% |
| Pacific Cod | 7,144 | 948 | 88% |
| Longnose Skates | 98 | 14 | 88% |
| Thornyhead Rockfish | 79 | 11 | 88% |
| Sablefish | 998 | 164 | 86% |
| Shortraker Rockfish | 369 | 66 | 85% |
| Shallow Water Flatfish | 1,797 | 374 | 83% |
| Rougheye Rockfish | 153 | 33 | 82% |
| Other Rockfish | 53 | 12 | 82% |
| Deep Water Flatfish | 22 | 40 | 35% |
| Other Skates | 5 | 41 | 10% |
| Other Species | 20 | 233 | 8% |
| TOTAL | 190,552 | 4,888 | 97% |

Sorted by species' percent retained.

* Species on prohibited retention status.

'Other Species' includes sharks and octopus.

GOA Fixed Gear Groundfish Retained and Discarded

| 2024 Hook-and-Line | Retained | Discarded | % Retained |
|-------------------------|--------------|--------------|------------|
| Rougheye Rockfish | 71 | 11 | 87% |
| Sablefish | 2,734 | 331 | 89% |
| Pacific Cod | 4,376 | 905 | 83% |
| Shortraker Rockfish | 55 | 24 | 69% |
| Demersal Shelf Rockfish | 140 | 14 | 91% |
| Thornyhead Rockfish | 41 | 11 | 79% |
| Other Rockfish | 170 | 100 | 63% |
| Other Species | 15 | 97 | 14% |
| Big Skates | 55 | 1,141 | 5% |
| Longnose Skates | 40 | 1,111 | 3% |
| Other Skates | 26 | 586 | 4% |
| Arrowtooth Flounder | 0 | 215 | 0% |
| Shark | 1 | 1,887 | 0% |
| TOTAL | 7,726 | 6,432 | 55% |

Sorted by 2025 species' percent retained.

* Species on prohibited retention status.

'Other Species' includes Atka mackerel, flatfish, octopus, and pollock.

| 2025 Hook-and-Line | Retained | Discarded | % Retained |
|-------------------------|--------------|--------------|------------|
| Rougheye Rockfish | 48 | 7 | 87% |
| Sablefish | 2,349 | 369 | 86% |
| Pacific Cod | 4,059 | 940 | 81% |
| Shortraker Rockfish | 46 | 15 | 75% |
| Demersal Shelf Rockfish | 291 | 112 | 72% |
| Thornyhead Rockfish | 24 | 11 | 67% |
| Other Rockfish | 60 | 41 | 59% |
| Other Species | 21 | 162 | 11% |
| Big Skates | 62 | 1,425 | 4% |
| Longnose Skates | 36 | 1,136 | 3% |
| Other Skates | 13 | 533 | 2% |
| Arrowtooth Flounder | 1 | 191 | 0% |
| Shark | 1 | 1,969 | 0% |
| TOTAL | 7,011 | 6,912 | 50% |

Sorted by species' percent retained.

* Species on prohibited retention status.

'Other Species' includes Atka mackerel, flatfish, octopus, and pollock.

| 2024 Pot | Retained | Discarded | % Retained |
|---------------|---------------|------------|------------|
| Pacific Cod | 5,609 | 14 | 100% |
| Sablefish | 12,568 | 79 | 99% |
| Octopus | 76 | 33 | 70% |
| Other Species | 32 | 77 | 29% |
| TOTAL | 18,285 | 203 | 99% |

Sorted by 2025 species' percent retained.

* Species on prohibited retention status.

'Other Species' includes pollock, flatfish, rockfish, and sharks.

| 2025 Pot | Retained | Discarded | % Retained |
|---------------|---------------|------------|------------|
| Pacific Cod | 6,294 | 115 | 98% |
| Sablefish | 14,214 | 361 | 98% |
| Octopus | 70 | 9 | 89% |
| Other Species | 33 | 125 | 21% |
| TOTAL | 20,610 | 610 | 97% |

Sorted by species' percent retained.

* Species on prohibited retention status.

'Other Species' includes pollock, flatfish, rockfish, and sharks.

2025 GOA Salmon, Crab, and Herring PSC

| Chinook Salmon | Total Catch (#) | Limit (#) | % |
|---|-----------------|---------------|------------|
| Pollock Western GOA | 2,461 | 6,684 | 37% |
| Pollock Central GOA | 10,662 | 18,316 | 58% |
| Catcher Vessel Non-pollock/Non-Rockfish Program | 20 | 3,060 | 1% |
| Catcher Vessel Rockfish Program | 498 | 1,200 | 42% |
| Catcher Processors | 2,057 | 4,080 | 50% |
| TOTAL | 15,698 | 33,340 | 47% |
| Pollock 640 | 0 | n/a | n/a |
| Non-trawl Gear | 0 | n/a | n/a |



Golden King Crab




Chinook Salmon

| Other PSC Species | 2024 | 2025 |
|------------------------------|--------|--------|
| Non-Chinook Salmon (#) | 9,592 | 15,971 |
| Trawl Bairdi Tanner (#) | 33,772 | 15,532 |
| Fixed Gear Bairdi Tanner (#) | 5,346 | 4,554 |
| Red King Crab (#) | 539 | 1,273 |
| Golden King Crab (#) | 5,840 | 24,122 |
| Herring (mt) | 38 | 100 |

Crab and salmon PSC is reported in number of animals. Herring PSC is reported in metric tons.

GOA C. Bairdi Tanner Crab Incidental Catch by Targets




Chinook Salmon PSC in Western GOA Pollock Fisheries

| Western GOA | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------------|--------------|--------------|--------------|--------------|--------------|
| A Season | 0 | 0 | 0 | 1,022 | 438 |
| B Season | 2,934 | 2,325 | 1,986 | 4,013 | 2,023 |
| TOTAL | 2,934 | 2,325 | 1,986 | 5,035 | 2,461 |
| Rate (salmon/mt) | 0.164 | 0.099 | 0.075 | 0.156 | 0.171 |

Western GOA pollock seasons changed from 4 seasons to 2 seasons in 2021.

| Western GOA Chinook Salmon |
|----------------------------|
| Limit 6,684 |
| Total PSC 2,461 |
| % 37 |

A Season
 B Season



Chinook Salmon PSC in Central GOA Pollock Fisheries


| Central GOA | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------------|--------------|--------------|---------------|---------------|---------------|
| A Season | 4,336 | 2,946 | 4,025 | 4,955 | 4,752 |
| B Season | 2,938 | 4,984 | 9,360 | 15,377 | 5,910 |
| TOTAL | 7,273 | 7,929 | 13,385 | 20,332 | 10,662 |
| Rate (salmon/mt) | 0.092 | 0.075 | 0.129 | 0.221 | 0.088 |

Central GOA pollock seasons changed from 4 seasons to 2 seasons in 2021.

| Central GOA Chinook Salmon | |
|----------------------------|--------|
| Limit | 18,316 |
| Total PSC | 10,662 |
| % | 58 |

 A Season
 B Season


Number of Chinook



Chinook Salmon PSC in Non-Pollock / Non-Rockfish Program by CV

Deep-Water Flatfish Pacific Cod Shallow-Water Flatfish Other


| Non-Pollock/ Non-RP | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------------------|--------------|----------|------------|-----------|-----------|
| TOTAL | 3,829 | 0 | 937 | 18 | 20 |
| Rate (salmon/mt) | 1.903 | 0 | 0.208 | 0.001 | 0.002 |



Chinook Salmon PSC in Rockfish Program by Catcher Vessels

Rockfish Other

| Rockfish Program | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------------|--------------|-----------|------------|------------|------------|
| TOTAL | 1,290 | 77 | 743 | 332 | 498 |
| Rate (salmon/mt) | 0.071 | 0.005 | 0.048 | 0.025 | 0.033 |




Chinook Salmon PSC by Catcher/Processors

| C/Ps | 2021 | 2022 | 2023 | 2024 | 2025 |
|------------------|-------|-------|-------|-------|-------|
| TOTAL | 1,458 | 1,312 | 1,025 | 2,214 | 2,057 |
| Rate (salmon/mt) | 0.045 | 0.037 | 0.035 | 0.07 | 0.072 |

| Catcher/Processor Chinook Salmon | |
|----------------------------------|-------|
| Limit | 4,080 |
| Total PSC | 2,057 |
| % | 50 |

Deep-Water Flatfish Rockfish Shallow-Water Flatfish Other



2025 GOA Halibut Catch

| Trawl Halibut | Total Discard (mt) | Mortality (mt) | Mortality Limit (mt) | % |
|------------------------|--------------------|----------------|----------------------|------------|
| Pollock | 22 | 17 | | |
| Pacific Cod | 33 | 25 | | |
| Rockfish/Sablefish | 87 | 56 | | n/a |
| Arrowtooth Flounder | 235 | 132 | | |
| Shallow Water Flatfish | 48 | 35 | | |
| TOTAL | 426 | 265 | 1,705 | 16% |

Includes 80 mt deck sorted halibut mortality by 5 trawl CPs.

Discard mortality rates are 100% for pelagic trawl, 76% for non-pelagic trawl CPs and motherships, 74% for non-pelagic trawl CVs, and 56% for Rockfish Program CVs.


| Fixed Gear Halibut (mt) | Retained | Discard | Mortality | Limit | % |
|--|--------------|--------------|------------|------------|------------|
| IFQ Halibut Fishery | 6,492 | 4,944 | 791 | n/a | n/a |
| IFQ Sablefish Fishery | | 49 | 14 | n/a | n/a |
| Pacific Cod/Other Groundfish Targets - HAL | | 540 | 83 | 257 | 32% |
| Pacific Cod/Other Groundfish Targets - Pot | | 47 | 15 | n/a | n/a |
| TOTAL | 6,492 | 5,581 | 903 | n/a | n/a |

All catch, retained and discarded, is in round weight metric tons.


Halibut mortality rate in IFQ Halibut is 16% (Gilroy, H.L. 2012. Incidental mortality of halibut in the commercial halibut fishery (Wastage). Int. Pac. Halibut Comm. Report of Assessment and Research Activities).

IFQ Sablefish and Pacific Cod/Other groundfish target discard mortality rates are 10% for HAL CPs, 19% for HAL CVs, and 32% for pot CPs and CVs.


2025 GOA Catcher Vessel Trawl Catch and Halibut Mortality



Groundfish catch from trips that targeted pelagic pollock was excluded
Includes Rockfish Program catch
Halibut PSC in Deep-water targets - 53 mt, Shallow-water targets - 77 mt



2025 GOA Catcher/Processor Trawl Catch and Halibut Mortality



2025 Trawl Halibut Mortality

| Category | Season | Start Date | End Date | Limit (mt) | Total Mortality (mt) | % |
|------------------------------------|--------------|------------|----------|--------------|----------------------|------------|
| Deep Water Species | 1 | Jan 20 | Apr 01 | 135 | 8 | 6% |
| | 2 | Apr 01 | Jul 01 | 256 | 104 | 40% |
| | 3 | Jul 01 | Aug 01 | 149 | 6 | 4% |
| | 4 | Aug 01 | Oct 01 | 75 | 15 | 20% |
| | TOTAL | | | 615 | 132 | 22% |
| Shallow Water Species | 1 | Jan 20 | Apr 01 | 385 | 30 | 8% |
| | 2 | Apr 01 | Jul 01 | 85 | 38 | 45% |
| | 3 | Jul 01 | Aug 01 | 120 | 0 | 0% |
| | 4 | Aug 01 | Oct 01 | 53 | 3 | 6% |
| | TOTAL | | | 643 | 72 | 11% |
| Rockfish Program | TOTAL | | | 191 | 50 | 26% |
| Season 5 Halibut Allocation | TOTAL | | | 256 | 11 | 4% |
| Halibut Mortality | TOTAL | | | 1,705 | 265 | 16% |

Mortality from trawl gear only; No fixed gear mortality included.

Includes reallocation between Deep-water and Shallow-water in July.

2025 GOA Reduction in Halibut Mortality Compared to 5 year Average

| Sector | | 2020-2024 Average (mt) | 2025 (mt) | % Change (mt) | 2020-2024 Rate * | 2025 Rate * | % Change in Rate |
|---------------|--------------------------|---------------------------|-----------|------------------|---------------------|----------------|---------------------|
| Hook-and-Line | Catcher/Processors | 22 | 22 | 1% | 9.04 | 10.68 | 18% |
| | Catcher Vessels | 23 | 59 | 163% | 8.19 | 12.06 | 47% |
| Hook-and-Line | Total | 44 | 81 | 83% | 8.54 | 11.65 | 36% |
| Trawl CVs | Central GOA CVs (NPT) | 231 | 108 | -53% | 13.67 | 6.87 | -50% |
| | Western GOA CVs (NPT) | 10 | 21 | 116% | 5.54 | 10.21 | 84% |
| | Pelagic Trawl CVs | 21 | 1 | -93% | 0.16 | 0.01 | -94% |
| Trawl CVs | Total | 262 | 130 | -50% | 1.74 | 0.77 | -56% |
| Trawl CPs | Total | 192 | 135 | -30% | 5.87 | 4.35 | -26% |
| All Sectors | Total | 498 | 346 | -31% | 2.63 | 1.67 | -37% |

Mortality from trawl and fixed gear.

* Rate is kg of halibut / mt of groundfish

2025 GOA Reduction in Halibut Mortality Compared to 2024

| Sector | | 2024 (mt) | 2025 (mt) | % Change (mt) | 2024 Rate * | 2025 Rate * | % Change in Rate |
|---------------|-----------------------|-----------|-----------|---------------|-------------|-------------|------------------|
| Hook-and-Line | Catcher/Processors | 19 | 22 | 14% | 7.88 | 10.68 | 35% |
| | Catcher Vessels | 16 | 59 | 261% | 4.95 | 12.06 | 144% |
| Hook-and-Line | Total | 36 | 81 | 127% | 6.2 | 11.65 | 88% |
| Trawl CVs | Central GOA CVs (NPT) | 289 | 108 | -63% | 14.97 | 6.87 | -54% |
| | Western GOA CVs (NPT) | 1 | 21 | 1,378% | 1.07 | 10.21 | 855% |
| | Pelagic Trawl CVs | 2 | 1 | -16% | 0.01 | 0.01 | -24% |
| Trawl CVs | Total | 293 | 130 | -56% | 1.85 | 0.77 | -58% |
| Trawl CPs | Total | 194 | 135 | -30% | 5.69 | 4.35 | -24% |
| All Sectors | Total | 522 | 346 | -34% | 2.64 | 1.67 | -37% |

Mortality from trawl and fixed gear.

* Rate is kg of halibut / mt of groundfish

Cook Inlet Salmon Summary

| 2025 | Catch (Number of Fish) | % | Number of Vessels |
|----------------|------------------------|-------------|-------------------|
| Federal Waters | 434,711 | 11% | 219 |
| State Waters | 3,520,234 | 89% | 305 |
| TOTAL | 3,954,945 | 100% | 315 |

| Species | Number of Vessels | Catch (Number of Fish) | TAC (Number of Fish) | % |
|---------|-------------------|------------------------|----------------------|-----|
| Chinook | 32 | 46 | 261 | 18% |
| Chum | 218 | 27,236 | 78,006 | 35% |
| Coho | 200 | 15,444 | 16,753 | 92% |
| Pink | 203 | 6,080 | 52,537 | 12% |
| Sockeye | 219 | 385,905 | 800,126 | 48% |

This fishery closed by regulation on August 15, 2025.

Acknowledgements

Catcher Processors

- 46 unique CP vessels fishing approximately 9,180 vessel days

Catcher Vessels

- 895 unique vessels with approximately 9,997 landings to 82

Observer Program

- FMA staff
- All observers

Elandings Team

- NMFS, ADF&G, IPHC, and Enforcement

Inseason Staff

- Abby Jahn
- Krista Milani (Dutch Harbor)
- Steve Whitney
- Adam Zaleski
- Andrew Olson

Operations Staff

- Amanda Oliver

Information Services Staff

- Application Development Staff

Habitat Staff

- Mason Smith

Permits Staff

- Restricted Access Management

Catch Analysis Staff

- Jason Gasper
- Phil Ganz
- Cathy Tide
- Tristan Sebens

Monitoring Staff

- Josh Keaton
- Maggie Chan
- Amy Hadfield
- Melanie Rickett
- Joel Kraski

Pacific State Marine Fisheries Commission

- EM reviewers