Table 1-- Proposed 2026 and 2027 Overfishing Level (OFL), Acceptable Biological Catch (ABC), Total Allowable Catch (TAC), Initial TAC (ITAC), CDQ Reserve Allocation, and Nonspecified Reserves of Groundfish in the BSAI<sup>1</sup>

[Amounts are in metric tons]

|                              |             | [Amounts are I         | ii iiictiic tolis |           |                   |                    |                          |  |
|------------------------------|-------------|------------------------|-------------------|-----------|-------------------|--------------------|--------------------------|--|
|                              |             | Proposed 2026 and 2027 |                   |           |                   |                    |                          |  |
| Species                      | Area        | OFL                    | ABC               | TAC       | ITAC <sup>2</sup> | CDQ <sup>3,4</sup> | Nonspecified<br>Reserves |  |
| Pollock <sup>4</sup>         | BS          | 2,496,000              | 2,036,000         | 1,375,000 | 1,237,500         | 137,500            | -                        |  |
|                              | AI          | 56,231                 | 46,437            | 19,000    | 17,100            | 1,900              | -                        |  |
|                              | Bogoslof    | 77,354                 | 58,015            | 250       | 250               | _                  | -                        |  |
| Pacific cod <sup>5</sup>     | BS          | 169,243                | 141,520           | 123,077   | 109,908           | 13,169             | _                        |  |
| i dellie cod                 | AI          | 16,273                 | 12,973            | 8,432     | 7,530             | 902                |                          |  |
| Sablefish <sup>6</sup>       | Alaska-wide | 57,797                 | 47,008            | n/a       | n/a               | n/a                |                          |  |
| Sabielish                    | BS          | n/a                    | 13,037            | 8,996     | 3,823             | 337                | 337                      |  |
|                              | AI          | n/a                    | 11,421            | 7,440     | 1,581             | 140                | 140                      |  |
| Yellowfin sole               | BSAI        | 305,039                | 267,639           | 145,000   | 129,485           | 15,515             | -                        |  |
|                              | BSAI        | 2,059                  | 1,328             | 1,328     | 1,129             | n/a                | -                        |  |
| Greenland turbot             | BS          | n/a                    | 1,120             | 1,120     | 952               | 120                | 48                       |  |
|                              | AI          | n/a                    | 208               | 208       | 177               | -                  | 31                       |  |
| Arrowtooth flounder          | BSAI        | 102,472                | 87,035            | 14,000    | 11,900            | 1,498              | 602                      |  |
| Kamchatka flounder           | BSAI        | 7,790                  | 6,606             | 6,606     | 5,615             | -                  | 991                      |  |
| Rock sole <sup>7</sup>       | BSAI        | 166,220                | 158,225           | 75,000    | 66,975            | 8,025              | -                        |  |
| Flathead sole <sup>8</sup>   | BSAI        | 106,283                | 87,700            | 36,000    | 32,148            | 3,852              | -                        |  |
| Alaska plaice                | BSAI        | 33,965                 | 28,230            | 16,200    | 13,770            | -                  | 2,430                    |  |
| Other flatfish <sup>9</sup>  | BSAI        | 26,083                 | 19,562            | 4,500     | 3,825             | _                  | 675                      |  |
| omer namen                   | BSAI        | 43,084                 | 36,578            | 33,490    | 29,481            | n/a                | -                        |  |
|                              | BS          | n/a                    | 9,905             | 9,905     | 8,419             | -                  | 1,486                    |  |
| Pacific ocean perch          | EAI         | n/a                    | 6,144             | 6,144     | 5,487             | 657                | -                        |  |
| •                            | CAI         | n/a                    | 5,441             | 5,441     | 4,859             | 582                | -                        |  |
|                              | WAI         | n/a                    | 16,058            | 12,000    | 10,716            | 1,284              | -                        |  |
| Northern rockfish            | BSAI        | 22,284                 | 18,232            | 12,000    | 10,200            | -                  | 1,800                    |  |
| Blackspotted/Rougheye        | BSAI        | 902                    | 766               | 766       | 651               | -                  | 115                      |  |
| rockfish 10                  | BS/EAI      | n/a                    | 441               | 441       | 375               | -                  | 66                       |  |
| rockfish                     | CAI/WAI     | n/a                    | 325               | 325       | 276               | -                  | 49                       |  |
| Shortraker rockfish          | BSAI        | 631                    | 473               | 473       | 402               | -                  | 71                       |  |
|                              | BSAI        | 1,406                  | 1,054             | 1,054     | 896               | -                  | 158                      |  |
| Other rockfish <sup>11</sup> | BS          | n/a                    | 639               | 639       | 543               | -                  | 96                       |  |
|                              | AI          | n/a                    | 415               | 415       | 353               | -                  | 62                       |  |
|                              | BSAI        | 107,889                | 92,361            | 82,941    | 74,066            | 8,875              | -                        |  |
| Atka mackerel                | BS/EAI      | n/a                    | 41,731            | 41,731    | 37,266            | 4,465              | -                        |  |
| AIKA MACKETEI                | CAI         | n/a                    | 23,716            | 23,716    | 21,178            | 2,538              | -                        |  |
|                              | WAI         | n/a                    | 26,914            | 17,494    | 15,622            | 1,872              | -                        |  |
| Skates                       | BSAI        | 43,285                 | 35,833            | 27,646    | 23,499            | -                  | 4,147                    |  |
| Sharks                       | BSAI        | 689                    | 450               | 400       | 340               | -                  | 60                       |  |
| Octopuses                    | BSAI        | 6,080                  | 4,560             | 400       | 340               | -                  | 60                       |  |
| TOTAL                        |             | 3,849,059              | 3,188,585         | 1,999,999 | 1,782,414         | 194,356            | 13,151                   |  |

<sup>&</sup>lt;sup>1</sup> These amounts apply to the entire BSAI management area unless otherwise specified. With the exception of pollock, and for the purpose of these harvest specifications, the Bering Sea subarea (BS) includes the Bogoslof District.

<sup>&</sup>lt;sup>2</sup> Except for pollock, the portion of the sablefish TAC allocated to fixed gear, and the Amendment 80 species (Atka mackerel, flathead sole, rock sole, yellowfin sole, Pacific cod, and Aleutian Islands Pacific ocean perch), 15 percent of TAC for each species and species group is put into a non-specified reserve. The ITAC for these species is the remainder of the TAC after subtraction of the reserves. For pollock and Amendment 80 species, ITAC is the non-CDQ allocation of TAC (see footnote 3 and 4).

BS=Bering Sea subarea, AI=Aleutian Islands subarea, EAI=Eastern Aleutian district, CAI=Central Aleutian district, WAI=Western Aleutian district.)

<sup>&</sup>lt;sup>3</sup> For the Amendment 80 species (Atka mackerel, flathead sole, rock sole, yellowfin sole, Pacific cod, and Aleutian Islands Pacific ocean perch), 10.7 percent of the TAC is reserved for use by CDQ participants (see § 679.20(b)(1)(ii)(C)). Twenty percent of the sablefish TAC allocated to fixed gear, 7.5 percent of the sablefish TAC allocated to trawl gear, and 10.7 percent of the TACs for Bering Sea Greenland turbot and BSAI arrowtooth flounder are reserved for use by CDQ participants (see § 679.20(b)(1)(ii)(B) and (D)). The 2027 fixed gear portion of the sablefish ITAC and CDQ reserve will not be specified until the final 2027 and 2028 harvest specifications. Aleutian Islands Greenland turbot, "other flatfish," Alaska plaice, Bering Sea Pacific ocean perch, Kamchatka flounder, northern rockfish, shortraker rockfish, blackspotted and rougheye rockfish, "other rockfish," skates, sharks, and octopuses are not allocated to the CDQ Program.

<sup>&</sup>lt;sup>4</sup> Under § 679.20(a)(5)(i)(A), the annual BS pollock TAC, after subtracting first for the CDQ directed fishing allowance (10 percent) and second for the incidental catch allowance (46,000 mt), is further allocated by sector for a pollock directed fishery as follows: inshore–50 percent; catcher/processor–40 percent; and motherships–10 percent. Section 679.20(a)(5)(iii)(B)(1) requires the AI pollock TAC to be set at 19,000 mt when the AI pollock ABC equals or exceeds 19,000 mt. Under § 679.20(a)(5)(iii)(B)(2), the annual AI pollock TAC, after subtracting first for the CDQ directed fishing allowance (10 percent) and second for the incidental catch allowance (3,000 mt), is allocated to the Aleut Corporation for a pollock directed fishery. The Bogoslof pollock TAC is set to accommodate incidental catch amounts.

<sup>&</sup>lt;sup>5</sup> The proposed BS Pacific cod TAC is set to account for the 13 percent of the BS ABC, plus 45 mt, for the State of Alaska's (State) guideline harvest level in State waters of the BS. The proposed AI Pacific cod TAC is set to account for 31 percent of the AI ABC for the State guideline harvest levels in State waters of the AI.

<sup>&</sup>lt;sup>6</sup>The sablefish OFL and ABC are Alaska-wide and include the Gulf of Alaska. The Alaska-wide sablefish OFL and ABC are included in the total OFL and ABC. The BS and AI sablefish TACs are set to account for the 5 percent of the BS and AI ABC for the State of Alaska's (State) guideline harvest level in State waters of the BS and AI.

<sup>&</sup>lt;sup>7</sup>"Rock sole" includes *Lepidopsetta polyxystra* (Northern rock sole).

<sup>8&</sup>quot;Flathead sole" includes Hippoglossoides elassodon (flathead sole) and Hippoglossoides robustus (Bering flounder).

<sup>&</sup>lt;sup>9</sup> "Other flatfish" includes all flatfish species, except for halibut (a prohibited species), Alaska plaice, arrowtooth flounder, flathead sole, Greenland turbot, Kamchatka flounder, rock sole, and yellowfin sole.

<sup>&</sup>lt;sup>10</sup> "Blackspotted/Rougheye rockfish" includes Sebastes melanostictus (blackspotted) and Sebastes aleutianus (rougheye).

<sup>11 &</sup>quot;Other rockfish" includes all *Sebastes* and *Sebastolobus* species except for Pacific ocean perch, dark rockfish, northern rockfish, shortraker rockfish, and blackspotted/rougheye rockfish.

Table 3--Proposed 2026 and 2027 Seasonal and Spatial Allowances, Gear Shares, CDQ Reserve, Incidental Catch Allowance (ICA), and Amendment 80 Allocations of the BSAI Atka Mackerel TAC

[Amounts are in metric tons]

|                           |                               | 2026 and 2027 allocation by area        |  |  |  |  |
|---------------------------|-------------------------------|---|--|--|--|--|
| Sector <sup>1</sup>       | Season <sup>2, 3, 4</sup>     | Eastern Aleutian<br>District/Bering Sea | Central Aleutian District <sup>5</sup> | Western Aleutian District <sup>5</sup> |  |  |
| TAC                       | n/a                           | 41,731                                  | 23,716                                 | 17,494                                 |  |  |
|                           | Total                         | 4,465                                   | 2,538                                  | 1,872                                  |  |  |
|                           | A                             | 2,233                                   | 1,269                                  | 936                                    |  |  |
| CDQ reserve               | Critical habitat <sup>5</sup> | n/a                                     | 761                                    | 562                                    |  |  |
|                           | В                             | 2,233                                   | 1,269                                  | 936                                    |  |  |
|                           | Critical habitat <sup>5</sup> | n/a                                     | 761                                    | 562                                    |  |  |
| non-CDQ TAC               | n/a                           | 37,266                                  | 21,178                                 | 15,622                                 |  |  |
| ICA                       | Total                         | 800                                     | 100                                    | 20                                     |  |  |
| $\mathrm{Jig}^6$          | Total                         | 182                                     | -                                      | -                                      |  |  |
|                           | Total                         | 3,628                                   | 2,108                                  | -                                      |  |  |
|                           | A                             | 1,814                                   | 1,054                                  | -                                      |  |  |
| BSAI trawl limited access | Critical habitat <sup>5</sup> | n/a                                     | 632                                    | -                                      |  |  |
|                           | В                             | 1,814                                   | 1,054                                  | -                                      |  |  |
|                           | Critical habitat <sup>5</sup> | n/a                                     | 632                                    | -                                      |  |  |
|                           | Total                         | 32,655                                  | 18,971                                 | 15,602                                 |  |  |
| Amendment 80 <sup>7</sup> | A                             | 16,328                                  | 9,485                                  | 7,801                                  |  |  |
|                           | Critical habitat <sup>5</sup> | n/a                                     | 5,691                                  | 4,681                                  |  |  |
|                           | В                             | 16,328                                  | 9,485                                  | 7,801                                  |  |  |
|                           | Critical habitat <sup>5</sup> | n/a                                     | 5,691                                  | 4,681                                  |  |  |

<sup>&</sup>lt;sup>1</sup> Section 679.20(a)(8)(ii) allocates the Atka mackerel TACs, after subtracting the CDQ reserves, ICAs, and the jig gear allocation, to the Amendment 80 and BSAI trawl limited access sectors. The allocation of the ITAC for Atka mackerel to the Amendment 80 and BSAI trawl limited access sectors is established in Table 33 to 50 CFR part 679 and § 679.91. The CDQ reserve is 10.7 percent of the TAC for use by CDQ participants (see § 679.20(b)(1)(ii)(C)).

<sup>&</sup>lt;sup>2</sup> Sections 679.20(a)(8)(ii)(A) and 679.22(a) establish temporal and spatial limitations for the Atka mackerel fishery.

<sup>&</sup>lt;sup>3</sup> The seasonal allowances of Atka mackerel for the CDQ reserve, BSAI trawl limited access sector, and Amendment 80 sector are 50 percent in the A season and 50 percent in the B season.

<sup>&</sup>lt;sup>4</sup> Section 679.23(e)(3) authorizes directed fishing for Atka mackerel with trawl gear during the A season from January 20 to June 10, and the B season from June 10 to December 31.

<sup>&</sup>lt;sup>5</sup> Section 679.20(a)(8)(ii)(C)(I)(i) limits no more than 60 percent of the annual TACs in Areas 542 and 543 to be caught inside of Steller sea lion critical habitat; § 679.20(a)(8)(ii)(C)(I)(ii) equally divides the annual harvest limits between the A and B seasons as defined at § 679.23(e)(3); and § 679.20(a)(8)(ii)(C)(I) requires that the TAC in Area 543 shall be no more than 65 percent of ABC in Area 543.

<sup>&</sup>lt;sup>6</sup> Sections 679.2 and 679.20(a)(8)(i) require that up to 2 percent of the Eastern Aleutian District and Bering Sea subarea TAC be allocated to jig gear after subtraction of the CDQ reserve and ICA. The proposed amount of this allocation is 0.5 percent. The jig gear allocation is not apportioned by season.

<sup>&</sup>lt;sup>7</sup> The 2027 allocations for Atka mackerel between Amendment 80 cooperatives and the Amendment 80 limited access sector will not be known until eligible participants apply for participation in the program by November 1, 2025.

Table 7--Proposed 2026 and 2027 ABC Surplus, ABC Reserves, Community Development Quota (CDQ) ABC Reserves, and Amendment 80 ABC Reserves in the BSAI for Flathead Sole, Rock Sole, and Yellowfin Sole

| [Amounts are in metric tons]                  |        |         |         |  |  |
|---|--------|---------|---------|--|--|
| Sector Flathead sole Rock sole Yellowfin sole |        |         |         |  |  |
| ABC   | 87,700 | 158,225 | 267,639 |  |  |
| TAC   | 36,000 | 75,000  | 145,000 |  |  |
| ABC surplus                                   | 51,700 | 83,225  | 122,639 |  |  |
| ABC reserve                                   | 51,700 | 83,225  | 122,639 |  |  |
| CDQ ABC reserve                               | 5,532  | 8,905   | 13,122  |  |  |
| Amendment 80 ABC reserve <sup>1</sup>         | 46,168 | 74,320  | 109,517 |  |  |

Note: The 2027 allocations between Amendment 80 cooperatives and the Amendment 80 limited access sector will not be known until eligible participants apply for participation in the program by November 1, 2025.

Table 8--Proposed 2026 and 2027 Apportionment of Prohibited Species Catch Allowances to Non-Trawl Gear,

the CDQ Program, Amendment 80, and the BSAI Trawl Limited Access Sectors

| PSC species, areas, and zones <sup>1</sup> | Total PSC <sup>4</sup> | Non-trawl PSC | CDQ PSQ<br>reserve <sup>2</sup> | Trawl PSC<br>remaining after<br>CDQ PSQ | Amendment 80 sector <sup>3</sup> | BSAI trawl<br>limited access<br>sector | BSAI PSC limits not allocated <sup>2</sup> |
|--|------------------------|---------------|---------------------------------|---|----------------------------------|--|--|
| Halibut mortality<br>(mt) BSAI             | 3,079                  | 710           | 315                             | n/a                                     | 1,309                            | 745                                    | n/a  |
| Herring (mt) BSAI                          | 2,651                  | n/a           | n/a                             | n/a                                     | n/a                              | n/a                                    | n/a  |
| Red king crab<br>(animals) Zone 1          | 97,000                 | n/a           | 10,379                          | 86,621                                  | 43,293                           | 26,489                                 | 16,839                                     |
| C. opilio (animals)<br>COBLZ               | 12,850,000             | n/a           | 1,374,950                       | 11,475,050                              | 5,639,987                        | 3,688,081                              | 2,146,982                                  |
| C. bairdi crab<br>(animals) Zone 1         | 980,000                | n/a           | 104,860                         | 875,140                                 | 368,521                          | 411,228                                | 95,390                                     |
| C. bairdi crab<br>(animals) Zone 2         | 2,970,000              | n/a           | 317,790                         | 2,652,210                               | 627,778                          | 1,241,500                              | 782,932                                    |

TRefer to § 679.2 for definitions of areas and zones.

The PSQ reserve for the CDQ program for crab species is 10.7 percent of each crab PSC limit.

<sup>&</sup>lt;sup>3</sup> The Amendment 80 program reduced apportionment of the trawl PSC limits for crab below the total PSC limit. These reductions are not apportioned to other gear types or sectors.

Table 9--Proposed 2026 and 2027 Herring and Red King Crab Savings Subarea Prohibited Species Catch Allowances for All Trawl Sectors

| Fishery categories   | Herring (mt) BSAI | Red king crab (animals) Zone 1 |
|--|-------------------|--------------------------------|
| Yellowfin sole   | 153               | n/a                            |
| Rock sole/flathead sole/Alaska plaice/other flatfish <sup>1</sup>      | 77                | n/a                            |
| Greenland turbot/arrowtooth flounder/Kamchatka flounder/sablefish      | 8                 | n/a                            |
| Rockfish   | 8                 | n/a                            |
| Pacific cod  | 14                | n/a                            |
| Midwater trawl pollock   | 2,359             | n/a                            |
| Pollock/Atka mackerel/other species <sup>2,3</sup>                     | 31                | n/a                            |
| 2024 Red king crab savings subarea non-pelagic trawl gear <sup>4</sup> | n/a               | 24,250                         |
| Total trawl PSC  | 2,360             | 97,000                         |

<sup>&</sup>quot;"Other flatfish" for PSC monitoring includes all flatfish species, except for halibut (a prohibited species), Alaska plaice, arrowtooth flounder, flathead sole, Greenland turbot, Kamchatka flounder, rock sole, and yellowfin sole.

<sup>&</sup>lt;sup>2</sup>Pollock other than midwater trawl pollock, Atka mackerel, and "other species" fishery category.

<sup>&</sup>lt;sup>3</sup>"Other species" for PSC monitoring includes skates, sharks, and octopuses.

<sup>&</sup>lt;sup>4</sup>In October 2024, the Council recommended and NMFS proposes that the red king crab bycatch limit within the RKCSS be limited to 25 percent of the red king crab PSC limit (see § 679.21(e)(3)(ii)(B)(2)). **Note**: Species apportionments may not total precisely due to rounding.

Table 10--Proposed 2026 and 2027 Prohibited Species Bycatch Allowances for the BSAI Trawl

Limited Access Sectors and Pacific Cod Trawl Cooperative Program

|   | Prohibited species and area <sup>1</sup> |                  |                     |                     |           |  |  |
|---|--|------------------|---------------------|---------------------|-----------|--|--|
| BSAI trawl limited access sector fisheries                        | Halibut mortality                        | Red king crab    | C. opilio (animals) | C. bairdi (animals) |           |  |  |
|   | (mt) BSAI                                | (animals) Zone 1 | COBLZ               | Zone 1              | Zone 2    |  |  |
| Yellowfin sole  | 250                                      | 23,337           | 3,521,726           | 346,228             | 1,185,500 |  |  |
| Rock sole/flathead sole/other flatfish <sup>2</sup>               | -  | -                | 0                   | -                   | -         |  |  |
| Greenland turbot/arrowtooth flounder/Kamchatka flounder/sablefish | -  | -                | 0                   | -                   | -         |  |  |
| Rockfish, April 15-December 31                                    | 5  | -                | 2,971               | -                   | 1,000     |  |  |
| Total Pacific cod <sup>3</sup>                                    | 300                                      | 2,955            | 148,531             | 60,000              | 50,000    |  |  |
| AFA CP Pacific cod  | 6  | 278              | 13,962              | 5,640               | 4,700     |  |  |
| PCTC Program Pacific cod, A and B season                          | 209                                      | 1,653            | 83,097              | 33,567              | 27,973    |  |  |
| Trawl CV Pacific cod, C season                                    | 15                                       | 134              | 6,728               | 2,718               | 2,265     |  |  |
| PCTC Program unallocated reduction                                | 70                                       | 890              | 44,744              | 18,075              | 15,062    |  |  |
| Pollock/Atka mackerel/other species <sup>4</sup>                  | 175                                      | 197              | 14,854              | 5,000               | 5,000     |  |  |
| Total BSAI trawl limited access sector PSC                        | 745                                      | 26,489           | 3,688,082           | 411,228             | 1,241,500 |  |  |

<sup>&</sup>lt;sup>1</sup> Refer to § 679.2 for definitions of areas and zones.

Note: Species apportionments may not total precisely due to rounding.

<sup>&</sup>lt;sup>2</sup> "Other flatfish" for PSC monitoring includes all flatfish species, except for halibut (a prohibited species), Alaska plaice,

<sup>&</sup>lt;sup>3</sup> The Pacific Cod Trawl Cooperative (PCTC) Program further apportioned the BSAI trawl limited access sector's Pacific cod fishery category PSC limits for halibut and crab between AFA CPs, PCTC A and B season for trawl CVs, and the open access C-season for trawl CVs (§ 679.131(c) and (d)). The halibut PSC limits are reduced for the A and B season trawl CV sector by 25 percent each year (§ 679.131(c)(1)(iii)). The crab PSC limits are reduced for the A and B season trawl CV sector by 35 percent each year (§ 679.131(d)(1)(iii)). Any amount of the PCTC Program PSC limit remaining after the B season may be reapportioned to the trawl CV open access fishery in the C season.

<sup>&</sup>lt;sup>4</sup> "Other species" for PSC monitoring includes skates, sharks, and octopuses.

Table 11--Proposed 2026 and 2027 Halibut Prohibited Species Bycatch Allowances for Non-Trawl Fisheries

| Halibut mortality (mt) BSAI     |                       |                   |                |               |  |  |
|---------------------------------|-----------------------|-------------------|----------------|---------------|--|--|
| Non-trawl fisheries             | Seasons               | Catcher/processor | Catcher vessel | All Non-Trawl |  |  |
| Pacific cod                     | Annual Pacific cod    | 648               | 13             | 661           |  |  |
|                                 | January 1-June 10     | 388               | 9              | n/a           |  |  |
|                                 | June 10-August 15     | 162               | 2              | n/a           |  |  |
|                                 | August 15-December 31 | 98                | 2              | n/a           |  |  |
| Non-Pacific cod non-trawl-Total | May 1-December 31     | n/a               | n/a            | 49            |  |  |
| Groundfish pot and jig          | n/a                   | n/a               | n/a            | Exempt        |  |  |
| Sablefish hook-and-line         | n/a                   | n/a               | n/a            | Exempt        |  |  |
| Total for all non-trawl PSC     | n/a                   | n/a               | n/a            | 710           |  |  |

Table 12--Proposed 2026 and 2027 Pacific Halibut Discard Mortality Rates (DMR) for the BSAI

| Gear              | Sector                           | Halibut discard mortality rate (percent) |
|-------------------|----------------------------------|--|
| Pelagic trawl     | All                              | 100                                      |
| Non-pelagic trawl | Mothership and catcher/processor | 86                                       |
| Non-pelagic trawl | Catcher vessel                   | 62                                       |
| Hook-and-line     | Catcher vessel                   | 10                                       |
| Hook-and-line     | Catcher/processor                | 10                                       |
| Pot               | All                              | 19                                       |