
C5 Bering Sea Aleutian Islands Groundfish Specifications



Outline of presentation

- Brief review of information available in this specifications process and stock status/survey information
- Actions for the AP for 2026-2027 specifications
 - Set TACs for 2026-2027
 - Set Flatfish reserves for 2026-2027
 - Set PSC limits and apportionments for 2026-2027
 - Set DMRs for 2026-2027

2025 planned BSAI Documentation Summary

Assessment	BSA! stocks for 2025 (November)
Operational Full	EBS Pollock, Yellowfin Sole, Greenland Turbot, Northern Rockfish, BSAI Skates
Operational Update	Pacific cod (Eastern Bering Sea and Aleutian Islands (AI))
Harvest Projection (reviewed in Sept/Oct)	None this year
Catch Report	Pollock (AI), Pollock (Bogoslof), Arrowtooth flounder, Kamchatka flounder, Northern rock sole, Flathead sole, Alaska plaice, Other flatfish, Pacific ocean perch, Rougheye & blackspotted rockfish, Shortraker rockfish, Other rockfish, Atka mackerel, Sharks, Octopus

Process 2026-2027: available information to inform specifications

- No new SAFE reports for 2025 due to federal shutdown
- 2024 SAFE Reports, previous SAFE Reports, ESRs, ESPs, associated information
 - September 2025 Plan Team, October 2025 SSC Review
 - Recommendations for proposed harvest specifications
- Catch reports for all stocks
- Limited survey information


EBS trawl survey (note additional slides are posted to eAgenda from September Plan Team with updated EBS NBS slides)

Highlights:


- O Survey methods update and standard data collections
- O Cold pool similar to 2022 in exter but colder and below average
- O Fish biomass generally down relative to 2022

Discussion:

O NBS survey was still being processed at time of Plan Team presentation (but appended to eAgenda version of survey presentation)



Bering Sea and Aleutian Islands




Eastern Bering Sea Trawl Survey

- EBS 350/350, NBS 137/144 stations sampled
- 124,170 lengths, 6,532 otoliths, 4,408 stomachs collected
- Water temps slightly warmer than 2024, cold pool area smaller, no CTD or O2 data
- Biomass similar to last year for most fish species, lots of small Pacific cod

Common name	Year	Biomass (mt)	Population (x1,000)
wallow pollock	2024	5,476,067	10,307,932
walleye pollock	2025	3,825,362 (-30%)	6,575,619 (-36%)
Desifie and	2024	635,840	436,530
Pacific cod	2025	570,986 (-10%)	516,669 (18%)
velleufin cele	2024	1,503,618	5,643,105
yellowfin sole	2025	1,548,142 (3%)	5,772,913 (2%)
northern rock sole	2024	1,439,739	7,417,950
northern rock sole	2025	1,490,955 (4%)	7,807,291 (5%)
flathead sole	2024	723,996	2,311,092
natnead sole	2025	714,106 (-1%)	2,278,779 (-1%)
Paring flounder	2024	10,370	48,918
Bering flounder	2025	12,315 (19%)	72,799 (49%)
Alaska plajes	2024	349,579	634,036
Alaska plaice	2025	333,810 (-5%)	586,292 (-8%)
arrowtooth flounder	2024	582,469	926,415
arrowtooth flounder	2025	491,918 (-16%)	669,870 (-28%)
Kamchatka flounder	2024	28,362	69,129
Kailicilatka lioulidei	2025	33,231 (17%)	73,058 (6%)
Pacific halibut	2024	125,145	65,136
Pacific Halibut	2025	133,705 (7%)	80,524 (24%)
Alaska skate	2024	407,133	102,931
MIASKA SKALE	2025	399,887 (-2%)	113,374 (10%)
Pacific accan perch	2024	50,664	71,612
Pacific ocean perch	2025	11,741 (-77%)	12,420 (-83%)

Thanks to Duane Stevenson





EBS Biomass

Mean: 4.6 M 2025: 3.8 M (-30% from 2024)

NBS Biomass

Mean: 600 K 2025: 548 K (+51% from 2023)






EBS Biomass

Mean: 700 K 2025: 571 K (-10% from 2024)

NBS Biomass

Mean: 200 K 2025: 69 K (-36% from 2023)

Yellowfin sole



EBS Biomass

Mean: 2.1 M 2025: 1.5 M (+3% from 2024)

NBS Biomass

Mean: 400 K 2025: 312 K (-21% from 2023) All 3 stocks above B_{MSY}

ACTION ITEMS FOR THE AP FOR BSAI SPECIFICATIONS:

RECOMMEND TACS FOR 2026-2027:

Set cod and Sablefish TACs to consider State Waters fisheries

BS cod, AI cod

BS GHL = 13% of ABC +45 t to Area O]
Al GHL = 31% of ABC [change from 35%]
Note that Al GHL change is not included in proposed TACs

BS Sablefish, AI Sablefish

State waters GHL set at 5% of the combined BS and AI ABC in 2026 and 2027

Based on the 2025 GHL fishery most of the catch in 2026-2027 expected to occur in State waters adjacent to the federal BS subarea therefore AP may consider recommending that the BS TACs account for the reduction due to State waters GHLs

Table 1. Harvest specifications for BSAI Groundfish for 2026 and 2027

rormoot	ing	DRAFT	Novem	<mark>bor2</mark> 025
---------	-----	-------	-------	-----------------------

			2024		Catch		2025		Catch		2026			2027	
0		051	• • • •		through	051			through	051			051		
Species	Area	OFL	ABC	TAC	12/31/24	OFL	ABC	TAC	11/8/25	OFL	ABC	TAC	OFL	ABC	TAC
Pollock	BS Al	3,162,000 51,516	2,313,000 42,654	1,313,580 5,420	1,311,261 4,999	2,957,000 55,728	2,417,000	1,389,000 5,000	1,324,556 4,527	2,496,000 56,231	2,036,000 46,437	1,375,000 19,000	2,496,000 56,231	2,036,000 46,437	1,375,000 19,000
FOIIOGK		115,146	96,360	5,420 250	23	77,354	46,051 58,015	5,000 250	4,927 63	77,354	46,437 58,015	250	77,354	58,015	250
	Bogoslof BS	200,995	167,952	147,753	142,783	183,509	153,617	133,602	111,227	169,243	141,520	123,077	169,243	141,520	123,077
Pacific cod	AL	18,416	12,431	8,080	4,169	16,782	13,376	8,694	4,608	16,273	12,973	8,433	16,273	12,973	8,433
	BSAI/GOA	55,084	47,146	n/a	6,333	58,532	47,605	nra	4,672	57,797	47,008	n/a	57,797	47,008	n/a
	BS	nra	11,450	7,996	4,591	nra	13,203	8,496	3,751	nra	13,037	8,996	n/a	13,037	8,996
Sablefish	AL	nra	13,100	8,440	1,742	n/a	11,566	7,940	921	nra	11,421	7,440	nra	11,421	7,440
Yellowfin sole	BSAI	305,298	265,913	195,000	91,192	299,247	262,557	135,000	80,971	305,039	267,639	145,000	305,039	267,639	145,000
	BSAI	3,705	3,188	3,188	768	2,598	1,678	1,678	618	2,059	1,328	1,328	2,059	1,328	1,328
Greenland turbot	BS	nra	2,687	2,687	462	n/a	1,415	1,415	406	nra	1,120	1,120	nra	1,120	1,120
	AL	nfa	501	501	305	nła	263	263	212	nła	208	208	nła	208	208
Arrowtooth flounder	BSAI	103,280	87,690	14,000	10,660	104,428	88,683	14,000	9,024	102,472	87,035	14,000	102,472	87,035	14,000
Kamchatka flounder	BSAI	8,850	7,498	7,498	5,157	8,019	6,800	6,800	5,038	7,790	6,606	6,606	7,790	6,606	6,606
Northern rock sole	BSAI	197,828	122,091	66,000	29,855	165,444	157,487	75,000	39,947	166,220	158,225	75,000	166,220	158,225	75,000
Flathead sole	BSAI	81,605	67,289	35,500	13,176	101,621	83,807	36,000	8,432	106,283	87,700	36,000	106,283	87,700	36,000
Alaska plaice	BSAI	42,695	35,494	21,752	10,399	34,576	28,745	15,903	6,947	33,965	28,230	16,200	33,965	28,230	16,200
Other flatfish	BSAI	22,919	17,189	4,500	3,197	26,083	19,562	4,500	5,353	26,083	19,562	4,500	26,083	19,562	4,500
3	BSAI	49,010	41,096	37,626	37,096	44,594	37,375	33,458	31,652	43,084	36,578	33,490	43,084	36,578	33,490
-	BS	nra	11,636	11,636	11,746	nra	10,121	10,121	9,483	nła	9,905	9,905	nra	9,905	9,905
Pacific Ocean perch	EAL	nła	7,969	7,969	7,792	nfa	6,278	6,278	6,003	nła	6,144	6,144	nła	6,144	6,144
	CAL	nfa	5,521	5,521	5,250	nfa	5,559	5,559	4,803	nfa	5,441	5,441	nfa	5,441	5,441
<u> </u>	WAL	nła	15,970	12,500	12,308	nła	15,417	11,500	11,363	nła	15,088	12,000	nła	15,088	12,000
Northern rockfish	BSAI	23,556	19,274	16,752	8,809	22,848	18,694	12,000	8,014	22,284	18,232	12,000	22,284	18,232	12,000
Blackspotted/Roug	BSAI	761	569	569	639	838	706	706	642	902	766	766	902	766	766
here Rockfish	BS/EAL	nła	388	388	201	nła	408	408	224	nła	441	441	nła	441	441
,	CAlfVAL	nfa	181	181	439	nra	298	298	418	nfa	325	325	nra	325	325
Shortraker rockfish	BSAI	706	530	530	177	631	473	473	301	631	473	473	631	473	473
	BSAI	1,680	1,260	1,260	1,361	1,406	1,054	1,054	1,026	1,406	1,054	1,054	1,406	1,054	1,054
Other rockfish	BS	nła	880	880	788	n/a	639	639	504	nła	639	639	nła	639	639
	Al	nra	380	380	573 72,173	n/a	415	415	522	n/a	415	415	n/a	415	415
7	C BS/EAI	111,684 n/a	95,358 41,723	72,987 32,260	31,765	122,622	103,247 46,650	82,000 39,000	80,440 37,871	107,889	92,361 41,7 31	82,941 41,731	107,889	92,361 41,731	82,941 41,731
Atka mackerel	CAL	nra n/a	16,754	32,260 16,754	16,654	n/a n/a	26,511	24,443	24,121	n/a n/a	23,716	23,716	n/a n/a	23,716	23,716
	VAI	nra n/a	36,882	23,973	23,754	nra nra	30,087	18,557	18,448	nra nra	26,914	17,494	nra nra	26,914	17,494
Skates	BSAI	45,574	37,808	30,519	27,146	44,086	36,523	27,646	19,503	43,285	35,833	27,646	43,285	35,833	27,646
Sharks	BSAI	689	450	400	174	689	450	400	197	689	450	400	689	450	400
Octopuses	BSAI	6,080	4,560	400	246	6,080	4,560	400	296	6,080	4,560	400	6,080	4,560	400
Total	BSAI	4,609,077	3,476,801		1,781,793	4,334,715	3,588,066	2,000,000		3,849,059	3,188,585		3,849,059	3,188,585	2,000,000
Sources: Sources: 2024 a											rch 2025): 2026				

Sources: Sources: 2024 and 2025 Final BSAI Harvest Specifications (published March 2024, 2025 and 2026 Final BSAI Harvest Specifications (published March 2025); 2026-2027 Propties BSAI Harvest Specifications (Council recommendations, October 2025); Catch Accounting System.

Note: BSAI catch (not AK wide catch) for sablefish included in total. ABCs are at the level of the stock or stock complex and shown in "Total" rows. Any quantities shown in "Area" rows are spatial apportionments of ABC and do not reflect ACLs. 2026 and 2027 quantities based on 2025-2026 Proposed BSAI Harvest Specifications (October 2025);2024 and 2025 OFLs, ABCs, and TACs are from harvest specifications adopted by the Council in December 2023 and 2024, respectively. Catch data are from the Catch Accounting System accessed 11/13/2025. "TACs for Al pollock BS pollock, yellowfin sole, northern rocksole and flathead sole differ from the Council December 2024 motion to reflect inseason reallocation of pollock and flatfish exchanges. On June 27 the TAC for "other flatfish" was raised from 4,500 mt to 5,225 mt through a release of non-specified reserves.



Pollock AI 55,728 46,051 5,000 4,527 56,231 46,437 Bogoslof 77,354 58,015 250 63 77,354 58,015 Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,97\$ BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	TAC 1,375,000 19,000 250 123,077 8,433
Species Area OFL ABC TAC 11/8/25 OFL ABC Pollock BS 2,957,000 2,417,000 1,389,000 1,324,556 2,496,000 2,036,000 3,000 4,672 56,231 46,437 58,015 12,037 12,037 12,037 12,037 12,037 12,037 13,037 13,037 13,037 13,037 13,037 13,037 13,037 13,037 13,03	1,375,000 19,000 250 123,077 8,433
Species Area OFL ABC TAC 11/8/25 OFL ABC Pollock BS 2,957,000 2,417,000 1,389,000 1,324,556 2,496,000 2,036,000 AI 55,728 46,051 5,000 4,527 56,231 46,437 Bogoslof 77,354 58,015 250 63 77,354 58,015 Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,973 BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 BS n/a 13,203 8,496 3,751 n/a 13,037 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,636 BSAI 2,598 1,678 1,678 618 2,059 1,328	1,375,000 19,000 250 123,077 8,433
Pollock BS 2,957,000 2,417,000 1,389,000 1,324,556 2,496,000 2,036,000 AI 55,728 46,051 5,000 4,527 56,231 46,437 Bogoslof 77,354 58,015 250 63 77,354 58,015 Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,973 BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 BS n/a 13,203 8,496 3,751 n/a 13,037 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,636 BSAI 2,598 1,678 1,678 618 2,059 1,328	1,375,000 19,000 250 123,077 8,433
Pollock AI 55,728 46,051 5,000 4,527 56,231 46,437 Bogoslof 77,354 58,015 250 63 77,354 58,015 Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,97\$ BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	19,000 250 123,077 8,433
Bogoslof 77,354 58,015 250 63 77,354 58,015 Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,97\$ BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	250 123,077 8,433
Pacific cod BS 183,509 153,617 133,602 111,227 169,243 141,520 AI 16,782 13,376 8,694 4,608 16,273 12,973 BSAI/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 AI n/a 11,566 7,940 921 n/a 11,421 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	123,077 8,433
Pacific cod Al 16,782 13,376 8,694 4,608 16,273 12,973 BSAl/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Al n/a 11,566 7,940 921 n/a 11,421 Yellowfin sole BSAl 299,247 262,557 135,000 80,971 305,039 267,638 BSAl 2,598 1,678 1,678 618 2,059 1,328	8,433
BSAl/GOA 58,532 47,605 n/a 4,672 57,797 47,008 Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Al n/a 11,566 7,940 921 n/a 11,421 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	×
Sablefish BS n/a 13,203 8,496 3,751 n/a 13,037 Al n/a 11,566 7,940 921 n/a 11,421 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,636 BSAI 2,598 1,678 1,678 618 2,059 1,328	
Sablerish Al n/a 11,566 7,940 921 n/a 11,421 Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,636 BSAI 2,598 1,678 1,678 618 2,059 1,328	0,000
Yellowfin sole BSAI 299,247 262,557 135,000 80,971 305,039 267,638 BSAI 2,598 1,678 1,678 618 2,059 1,328	7,440
BSAI 2,598 1,678 1,678 618 2,059 1,328	145,000
	1,328
Greenland turbot BS n/a 1,415 1,415 406 n/a 1,120	1,120
Al n/a 263 263 212 n/a 208	208
Arrowtooth flounder BSAI 104,428 88,683 14,000 9,024 102,472 87,035	14,000
Kamchatka flounder BSAI 8,019 6,800 6,800 5,038 7,790 6,606	6,606
Northern rock sole BSAI 165,444 157,487 75,000 39,947 166,220 158,225	75,000
Flathead sole BSAI 101,621 83,807 36,000 8,432 106,283 87,700	36,000
Alaska plaice BSAI 34,576 28,745 15,903 6,947 33,965 28,230	16,200
Other flatfish BSAI 26,083 19,562 4,500 5,353 26,083 19,562	4,500
BSAI 44,594 37,375 33,458 31,652 43,084 36,578	33,490
BS n/a 10,121 10,121 9,483 n/a 9,905/	9,905
Pacific Ocean perch EAI n/a 6,278 6,278 6,003 n/a 6,144	6,144
CAI n/a 5,559 5,559 4,803 n/a 5,441	5,441
WAI n/a 15,417 11,500 11,363 n/a 15,088	12,000
Northern rockfish BSAI 22,848 18,694 12,000 8,014 22,284 18,232 \rightarrow	12,000
Blackspotted/Roug BSAI 838 706 706 642 902 766 PRINTED TO THE PRIN	766
hous Postfish BOIEAI N/a 408 408 224 N/a 441 (441
CARWAI NA 250 256 416 NA 325	325
Shortraker rockfish BSAI 631 473 473 301 631 473	473
BSAI 1,406 1,054 1,054 1,026 1,406 1,054	1,054
Other rockfish BS n/a 639 639 504 n/a 639	639
Al n/a 415 415 522 n/a 415 C 122,622 103,247 82,000 80,440 107,889 92,361	415 82,941
BS/EAI n/a 46,650 39,000 37,871 n/a 41,731	41,731
Atka mackerel CAI n/a 26,511 24,443 24,121 n/a 23,716	23,716
WAI n/a 30,087 18,557 18,448 n/a 26,914	17,494
Skates BSAI 44,086 36,523 27,646 19,503 43,285 35,833	27,646
Sharks BSAI 689 450 400 197 689 450	400
Octopuses BSAI 6,080 4,560 400 296 6,080 4,560	
Total BSAI 4,334,715 3,588,066 2,000,000 1,748,054 3,849,059 3,188,585	400

TAC changes in proposed 2026 from final 2025

EBS Pollock: Decrease in OFL/ABC

EBS and AI cod: Decrease OFL/ABC

Sablefish: Decrease OFL/ABC

YFS: Increase OFL/ABC

Turbot: Decrease OFL/ABC

Flatfish reflect usage (reallocations in 2025)

Increase in OFL/ABC

Other changes tied to balancing opportunity based on decreases from 2025

Set ABC reserves for flathead sole, rock sole and yellowfin sole

ABC reserve:

 Consider ABC surplus (ABC – TAC for all 3 species) and consider whether or not to set a discretionary buffer by reducing the available surplus in establishing an ABC reserve

Table 7 ABC reserves

Table 7-Proposed 2026 and 2027 ABC Surplus, ABC Reserves, Community Development Quota (CDQ) ABC

Reserves, and Amendment 80 ABC Reserves in the BSAI for Flathead Sole, Rock Sole, and Yellowfin Sole

Sector	Flathead sole	Rock sole	Yellowfin Sole
ABC	87,700	158,225	267,639
TAC	36,000	75,000	145,000
ABC surplus	51,700	83,225	122,639
ABC reserve	51,700	83,225	122,639
CDQ ABC reserve	5,532	8,905	13,122
Amendment 80 ABC reserve ¹	46,168	74,320	109,517

PSC LIMITS AND APPORTIONMENTS: BBRKC, TANNER CRAB, SNOW CRAB, HERRING, HALIBUT

Amd 80 Halibut PSC limit


		Eastern Bering Sea shelf trawl survey index (t)			
Survey Index Ran	Survey Index Ranges		High ≥150,000		
	High ≥ 11,000	1,745 mt	1,745 mt		
IPHC setline survey index in Area 4ABCDE	Medium 8,000 – 10,999	1,396 mt	1,571 mt		
(WPUE)	Low 6,000-7,999	1,309 mt	1,396 mt		
	Very Low < 6,000	1,134 mt	1,134 mt		



PSC limits for red king crab, Tanner crab and snow crab established based on formulas in the FMP and in regulation.

For red king crab Zone 1 PSC limit:


The zone 1 PSC When the number of mature female red king crab is ... limit will be ... (A) At or below the threshold of 8.4 million mature crab or the effective 32,000 red king spawning biomass is less than or equal to 14.5 million lb (6,577 mt) crab 97,000 red king (B) Above the threshold of 8.4 million mature crab and the effective spawning biomass is greater than 14.5 but less than 55 million lb (24,948 crab. mt) (C) Above the threshold of 8.4 million mature crab and the effective 197,000 red king spawning biomass is equal to or greater than 55 million lb crab.



PSC limits and surveys: Tanner crab Zones 1 and 2



When the total abundance of <i>C. bairdi</i> crabs is	The PSC limit will be
(1) 150 million animals or less	0.5 percent of the total abundance minus 20,000 animals
(2) Over 150 million to 270 million animals	730,000 animals
(3) Over 270 million to 400 million animals	830,000 animals
(4) Over 400 million animals	980,000 animals



>	When the total abundance of C. bairdi crabs is	The PSC limit will be
	(1) 175 million animals or less	1.2 percent of the total abundance minus 30,000 animals
	(2) Over 175 million to 290 million animals	2,070,000 animals
	(3) Over 290 million to 400 million animals	2,520,000 animals
	(4) Over 400 million animals	2,970,000 animals




PSC limits and surveys: Snow Crab PSC limit

- C. opilio. The PSC limit of C. opilio is based on total abundance of C. opilio as indicated by the NMFS annual bottom trawl survey = 0.1133 percent of the total abundance, minus 150,000 C. opilio crabs, unless;
 - minimum PSC limit will be 4.350 million animals; or
 - maximum PSC limit will be 12.850 million animals.
- The 'survey estimate' is taken from the snow crab assessment of total survey biomass

2026 = 12,850,000 crab

C. Opilio Bycatch Limitation Zone (COBLZ)



PSC apportionment to non-Trawl gear

Table 8-Proposed 2026 and 2027 Apportionment of Prohibited Species Catch Allowances to Non-Trawl Gear,
the CDQ Program, Amendment 80, and the BSAI Trawl Limited Access Sectors

PSC species and area and zone ¹	Total PSC	Non- trawl PSC	CDQ PSQ reserve ²	Trawl PSC remaining after CDQ PSQ	Amendment 80 sector ^{3 4}	BSAI trawl limited access sector	BSAI PSC limits not allocated to Amendment 80
Halibut mortality (mt) BSAI	3,079	710	315		1,309	745	
Herring (mt) BSAI	2,651						
Red king crab (animals) Zone 1	97,000		10,379	86,621	43,293	26,489	16,839
C. opilio (animals) COBLZ	12,850,000		1,374,950	11,475,050	5,639,987	3,688,081	2,146,982
C. bairdi crab (animals) Zone 1	980,000		104,860	875,140	368,521	411,228	95,390
C. bairdi crab (animals) Zone 2	2,970,000		317,790	2,652,210	627,778	1,241,500	782,932

Trawl PSC allowances for herring and Red King Crab

Table 9-Proposed 2026 and 2027 Herring and Red King Crab Savings Subarea Prohibited Species Catch

Allowances for All Trawl Sectors

Fishery categories	Herring (mt) BSAI	Red king crab (animals) Zone 1
Yellowfin sole	153	
Rock sole/flathead sole/Alaska plaice/other flatfish1	77	
Greenland turbot/arrowtooth flounder/Kamchatka flounder/sablefish	8	
Rockfish	8	
Pacific cod	14	
Midwater trawl pollock	2,359	
Pollock/Atka mackerel/other species ²³	31	
2025 Red king crab savings subarea non-pelagic trawl gear4		24,250
Total trawl PSC	2,651	97,000



PSC allowances BSAI Trawl Limited Access

Table 10-Proposed 2026 and 2027 Prohibited Species Bycatch Allowances for the BSAI Trawl Limited Access Sectors and Pacific Cod Trawl Cooperative Programs

		Prohibited species and area1						
BSAI trawl limited access sector fisheries	Halibut	Red king crab	C. opilio	C. bairdi (animals)				
Dorif dawi minted access sector insieries	mortality (mt) BSAI	(animals) Zone 1	(animals) COBLZ	Zone 1	Zone 2			
Yellowfin sole	250	23,337	3,521,725	346,22 8	1,185,500			
Rock sole/flathead sole/Alaska plaice/other flatfish ²								
Greenland turbot/arrowtooth flounder/Kamchatka flounder/sablefish								
Rockfish April 15-December 31	5		2,972		1,000			
Total Pacific cod ³	315	2,955	148,531	60,000	50,000			
AFA CP Pacific cod	6	278	13,962	5,640	4,700			
PCTC Program Pacific cod, A and B	220	1,653	83,097	33,567	27,973			
Trawl CV Pacific cod, C season	15	134	6,728	2,718	2,265			
PCTC Program unallocated reduction	73	890	44,744	18,075	15,062			
Pollock/Atka mackerel/other species4	175	197	14,853	5,000	5,000			
Total BSAI trawl limited access sector PSC	745	26,489	3,688,081	411,22 8	1,241,500			



Halibut PSC Allowances for Non-Trawl Fisheries

Table 11-Proposed 2026 and 2027 Halibut Prohibited Species Bycatch Allowances for Non-Trawl Fisheries

Non-trawl fisheries	Seasons	Catcher/processor	Catcher vessel	All Non-Trawl
Pacific cod	Annual Pacific cod	648	13	661
	January 1-June 10	388	9	n/a
	June 10-August 15	162	2	n/a
	August 15-December 31	98	2	n/a
Non-Pacific cod non-trawl-Total	May 1-December 31	n/a	n/a	n/a
Groundfish pot and jig	n/a	n/a	n/a	Exempt
Sablefish hook-and-line	n/a	n/a	n/a	Exempt
Total for all non-trawl PSC	n/a	n/a	n/a	710

BSAI Halibut Discard Mortality Rates (DMRs) Table 12

Table 12-Proposed 2026 and 2027 Pacific Halibut Discard Mortality Rates (DMR) for the BSAI

Gear Sector		Halibut discard mortality rate (percent)	
Pelagic Trawl	A11	100	
Non-Pelagic Trawl	Mothership and catcher/processor	86	
Non-Pelagic Trawl	Catcher vessel	62	
Hook-and-line	Catcher vessel	10	
Hook-and-line	Catcher/processor	10	
Pot	A11	19	