




FISHING EFFECT MODEL

3-6-2026



FISHING EFFECTS MODEL

- **Fishing Effects Model** is a decision-support tool. It employs spatially-explicit Vessel Monitoring System (VMS), Observer data, **gear dimensional and contact information** and literature-based habitat impact information to:
- Quantify and visualize fishing activity.
- Estimate fishing footprint and bottom contact.
- Estimate cumulative impacts of fishing on Essential Fish Habitat.



[2022 EFH Fishing Effects Discussion Paper](#)

Funding: NMFS ARO Hab Div., NPFMC, NEFMC, Atkinson Foundation (Cornell Univ.)

Science Publications: Grabowski et al., 2014, Smeltz et al., 2019, Smeltz 2023



Student Research: Alaska Education Tax Credit Program (APA, AKSC, APICDA)

Management Peer Reviews: NEFMC SSC (4+), NPFMC SSC (4), more coming ...

Management Publications: NEFMC. 2011, 2020, Simpson et al., 2017, Zaleski et al., 2024, Bachman et al., 2025, and more....



FISHING EFFECTS MODEL – WORKFLOW

Fishing Module




APPENDIX 2 GEAR PARAMETERS
 Table A2.1. The gear parameter table provides the metrics used in the Fishing Effects model for each gear type, listed by fishery. Vessel types are either catcher vessels (CVs) or catcher-processors (CPs), and the definitions for gear type and target species and other species caught and retained can be found [here](#). Contact adjustments are reported as either a range (low to high) or single metric if they were the same.

Fishery	Vessel type	Area	Gear	Target Sp.	Other Sp.	Vessel Length (ft)	Season	Depth Range (fath.)	Nominal Width (mi)	Contact Adjustment
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	125-151	B	≥90	115	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	125-151	B	60-90	109	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	125-151	B	<60	96	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	A	≥90	132	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	A	60-90	124	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	A	<60	106	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	B	≥90	163	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	B	60-90	154	0.2 - 0.6
BS Pollock Pelagic Trawl	CV	BS	PTR	P	B, all others	151-300	B	<60	137	0.2 - 0.6
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	A	≥90	142	0.7 - 0.9
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	A	60-90	133	0.7 - 0.9
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	A	<60	114	0.7 - 0.9
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	B	≥90	175	0.8 - 1
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	B	60-90	166	0.8 - 1
BS Pollock Pelagic Trawl	CP	BS	PTR	P	B, all others	all	B	<60	147	0.8 - 1



Habitat Module



Impacts

Literature

Susceptibility (Prop. Disturbed)

Recovery (Time to 95%)

Fishing Effects

$$H_{t+1} = H_t(1 - I'_t) + h_t\rho'_t$$

Impacts (I')

Disturbed (h) ↔ Undisturbed (H)

Recovery (ρ')

FISHING EFFECTS MODEL – FISHING INFORMATION



Swept Area

(Fishing Footprint)

- Area of potential gear – seabed interaction



Bottom Contact

(adjusted Swept Area)

- Area of expected gear – seabed interaction

Summary Information

- Footprint vs. Contact
- Contact Area Ratio
- Catch/ Contact Area



FISHING EFFECTS MODEL – HABITAT DISTURBANCE

2003-2021:


- 2.6 – 4.8% of benthic habitat (<1000m) in a disturbed state.
- A/B Season pulse of fishing disturbance.
- 2008
 - ↓ Disturbance
 - A80, elevated-sweeps, ...

2018 - 2021

- Shift N. in fishing
- ↑ ↓ Disturbance

Aug. 2022:


- 2.7% of habitat in a disturbed state, 97.3% undisturbed.



FISHING EFFECTS MODEL – EFH: ADVERSE FISHING EFFECTS



NPFMC Adverse Effects Framework

- More than minimal AND not temporary
- FMP Species - Feeding, breeding and growth to maturity



Further Analysis:

- Informed by adverse effects evidence (e.g., $\uparrow FE : \downarrow Recruitment$)
- EFH Team, Stock Authors, Plan Teams, Council



	Element	ρ	p-value	
Average size-at-age	age-3	-0.49	0.33	
	age-4	-0.25	0.63	
	age-5	-0.56	0.24	
	age-6	-0.58	0.23	
	age-7	-0.20	0.71	
	age-8	-0.71	0.11	
	age-9	-0.25	0.63	
	age-10	-0.60	0.21	
	age-11	0.02	0.97	
	age-12	-0.40	0.43	
	age-13	-0.38	0.46	
	age-14	0.42	0.41	
	age-15	-0.14	0.79	
	LVB params	L_{∞}	0.56	0.33
		K	-0.64	0.24
t_0		-0.64	0.24	
Assessment output	Spawning biomass	0.43	0.17	
	Total biomass	0.37	0.24	
	Recruitment	0.33	0.30	

- GEAR INNOVATION INITIATIVE (GII) -

Purpose


Improve Understanding of Pollock Gear and Fishery → Foundation for Innovation

- What gear is currently used in BSAI and GOA pollock fisheries?
- How is this gear implemented in pollock fishing?
- When, where and how much is this gear fished?
- When, where and how much is this gear in contact with the bottom?

Improve Fisheries Management Decision Support → Fishing Effects Model

- Gear Tables
- Fishing footprint
- Bottom contact
- Benthic habitat disturbance
- Non-habitat species interactions (e.g., crab).

Study Framework



- GEAR CATALOG -

• CP fleet complete! • CV fleets at >90% • Timeline = Complete for EFH 5-yr Review

Gear Catalog Structure:

- Design – Including individual net plan.
- Materials (e.g., footrope chain dimensions)
- Configuration (e.g., doors, bridle length, and set back)
- Modification (e.g., salmon excluders)

- Catalog Structure Guidance



- Information Quality Control



290 Trawls Cataloged!

BS Catcher - Processors:

- 12 vessels (all)
- 84 Individual trawls

BS Catcher Vessels:

- 58/59 vessels
- 116* individual trawls

GOA Catcher Vessels:

- 37/39 vessels
- 64* individual trawls

BS/GOA (cross-over) Catcher Vessels :

- 12 vessels (all)
- 26* individual trawls

- FISHING PRACTICE PROFILES -

- CP fleet complete!
- Steady progress with CV fleets
- Timeline = Complete for EFH 5-yr Review

Fishing Practice Profile:

Set of operator-controlled parameters/ *targets that influence the vertical location, and geometry of the trawl.

- Speed (k)
- Warp length (m, fa)
- Headline Scope (ratio)
- Wing weight (kg)
- Bridle length (m, fa)
- Setback (m, fa)
- Door roll (deg)
- *Headline depth (m, fa)
- *Vert. opening (m, fa)
- *Wing spread (m, fa)
- ...



85 Fishing Practice Profiles

BS Catcher - Processors:

- Status: Completed
- 12/12 (100%) FPPs completed

BS Catcher Vessels:

- Status: Ongoing
- 29/59 (49%) FPPs completed

GOA Catcher Vessels:

- Status: Ongoing
- 33/38 (86%) FPPs completed





BS/GOA Crossover CVs:

- Status: Ongoing
- 11/12 (92%) FPPs completed

- GEAR MODELS AND FISHING SIMULATIONS -

Net Plan + Cataloged Specifications + FPP

→ *Geometry, Horizontal / Vertical Forces, Seabed Contact*




- GEAR SIMULATIONS: GEOMETRY -

- Geometry → Gear width and potential bottom contact width


Trawl geometry determines:

- Gear width and potential bottom contact width
- Is influenced by gear design and specs (catalog) and operator decisions (FPP)



Width (w) → Footprint

Footprint + Headline **Height (h)** → Contact (c)
(Contact = % of footprint)



- FIELD SAMPLING: TRAWL GEOMETRY -

• Strong CP and CV fleet participation! • 2025 A&B seasons/ 2026 A-season ongoing • Timeline = EFH 5-yr Review

- Haul log sheet collection is ongoing for 2026 A season
- Haul log sheet data collected for:
 - 2025 A season:
 - 38 haul logs
 - 101 entries
 - 8 vessels
 - 2025 B season:
 - 73 haul logs
 - 265 entries
 - 21 vessels


111 Haul Logs

Vessel: _____			
<input type="checkbox"/> A Season <input type="checkbox"/> B Season			
Trawl in use: _____			
Doors in use: _____			
Rigging:			
Bridle length: _____ fathoms/meters/feet			
Setback length: _____ fathoms/meters/feet			
Wing Weights per side: _____ lbs/kg			
Haul Information:			
Haul Number: _____ <small>(Match to logbook #)</small>		Date: _____	
Start of haul	Start time: _____	Start Lat/Lon (dd.dddd): _____	
	Bottom Depth: _____	Vessel Speed: _____	Main wire payout: _____
	Headrope Height: _____	Door Spread: _____	Door height (above seafloor) _____
	Vertical Opening: _____	Fishing circle width IF AVAILABLE: _____	
	Seastate: _____	Notes: _____	
	Tension on main winches IF AVAILABLE: _____		
	Tension on third wire IF AVAILABLE: _____		
In tow entry	Time of entry: _____		
	Bottom Depth: _____	Vessel Speed: _____	Main wire payout: _____
	Headrope Height: _____	Door Spread: _____	Door height (above seafloor) _____
	Vertical Opening: _____	Fishing circle width IF AVAILABLE: _____	
	Seastate: _____	Notes: _____	
	Tension on main winches IF AVAILABLE: _____		
	Tension on third wire IF AVAILABLE: _____		

- GEAR INNOVATION INITIATIVE (GII) -


Gear Table → Fishing Effects Model → Essential Fish Habitat (EFH)

Quantitative Assessment of Cumulative Habitat Impacts → Informs if additional measures are needed



APPENDIX 2 GEAR PARAMETERS
 Table A2.1. The gear parameter table provides the metrics used in the Fishing Effects model for each gear type, listed by fishery. Vessel types are either catcher vessels (CV) or catcher-processors (CP), and the definitions for gear type and target species and other species caught and retained can be found [here](#). Contact adjustments are reported as either a range (low to high) or single metric if they were the same.

Fishery	Vessel type	Area	Gear	Target Sp.	Other Sp.	Vessel Length (ft)	Season	Depth Range (ft)	Normal Wells (ft)	Contact Adjustment
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	125-151	B	500	115	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	125-151	B	60-90	100	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	125-151	B	<60	96	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	A	>90	132	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	A	60-90	124	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	A	<60	106	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	B	>90	163	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	B	60-90	154	0.2 - 0.6
BS Pelagic Pelagic Trawl	CV	BS	PTB	P	B, all others	151-300	B	<60	137	0.2 - 0.6
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	A	>90	142	0.7 - 0.9
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	A	60-90	133	0.7 - 0.9
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	A	<60	114	0.7 - 0.9
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	B	>90	175	0.8 - 1
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	B	60-90	166	0.8 - 1
BS Pelagic Pelagic Trawl	CP	BS	PTB	P	B, all others	all	B	<60	147	0.8 - 1



GII informs scope and magnitude of gear impacts

- Gear Catalog: *What you Fish*
- Fishing Practice Profiles: *How you Fish it*
- Model Simulations: *How it looks in Theory*
- Haul Logs: *How it looks in Practice*

NPFMC Efforts/ Actions

- EFH 5-Yr Review
- Unobserved Crab Mortality
- GOA Tanner Crab
- Spatial/ Temporal Fishing effort redistribution
- ...


Parallel Ongoing Research

- Trident Seafoods modified footrope design
- American Seafoods testing remotely operated trawl doors
- Voluntary Crab Avoidance Areas
- Improved Data on Fishery Interactions with BS Crab pop's

<https://www.npfmc.org/pelagic-trawl-gear-research-summaries/>

RECAP/ GII NEXT STEPS

- **GII informs scope and magnitude of gear impacts**
 - Sourced from gear inventory, fishing practice profiles, model simulations and haul logs.
- **GII → Essential Fish Habitat (EFH)**
 - Gear catalog and fishing simulation-based estimates of nominal width and seabed contact will be used to update the pollock trawl gear parameters
- **GII → Other NPFMC Actions and Parallel Ongoing Research**
- **GII Status: Catalog, FPP, Haul Logs, Sims, Gear Tables**
 - Gear and fishing practice profiles - ongoing
 - 2026 A Season haul logs - ongoing
 - Simulations - ongoing (geometry and forces)
 - GII outputs integrated in the FE analyses on the EFH – 5yr review timeline.
- **FEM: Updated Catch-In-Area effort data, gear parameters, benthic habitat data, habitat susceptibility and recovery rates.**
 - The SSC will review the updated gear parameters (including nominal widths and bottom contact adjustments) and any updates to the FE model habitat recovery parameters.



Thank You

Dr. S. Smeltz
F. Restrepo
Dr. S. Sethi
*J. Olson
M. Eagleton
Dr. S. Lewis
Dr. C. Rose
Dr. J. Pirtle
*A. Nimick
*S. Zagorski
*B. King
*K. Yahnke
NPFMC SSC
AKRO Habitat
NEFMC SSC
NEFMC Habitat PT
... and MANY more!
* Student

