
ADF&G Westward Region Scallop Fishery Update Scallop Plan Team Meeting – Kodiak, Alaska February 19, 2020





Preseason Management

- Establish guideline harvest limits (GHLs) and crab bycatch limits (CBLs)

Data Informing GHLs

- Survey results
- Fishery CPUE
- Size and age structure


Data Informing CBLs

- Historical bycatch rate in fishery
- Survey estimated Tanner crab abundance
- MSST: 3 Tier approach (Bering Sea)

Inseason Management and Closure Scenarios


- -Harvest achieves GHL
- -Crab bycatch exceeds CBL
- -Fishery performs below minimum performance standards of CPUE

Kodiak Northeast District




Harvest (lb scallop meat)






Kodiak Shelikof District




Bed • 1 • 2-7







Kodiak Southwest District Recent changes 2017/18



Kodiak Southwest District Recent changes 2018/19




Kodiak Southwest District Recent changes 2019/20



*change in management, not regulation


Kodiak Southwest District



Harvest (lb scallop meat)



Bed • 1 • 2





Kodiak Southeast District

Newly opened in 2018/19 GHL: 15,000 pounds


2018/19 Harvest: 470 pounds Effort: 60 CPUE: 8


<u>2019/20</u> No effort






Alaska Peninsula Area









Bering Sea Area







Dutch Harbor Area



Harvest (Ib scallop meat)

Bed • 1 • 2 • 4

