

## Appendix B. Data files for model 23.0a

Data files can be provided by the author in a more readable format, [katie.palof@alaska.gov](mailto:katie.palof@alaska.gov)

### Model 23.0a data file for 2024

```
#updating trawl and fixed gear bycatch data for length comp. during 1986-2022 and biomass 2009-2021
# was base data file 21.1b model fall 2023 - updated for season for SSB - 24s
# Now base data file for model 23.0a fall 2024 - use same .dat for both model runs in fall 2024
# date: 6-12-2024/ 8-14-2024
#-----
# Gmacs Main Data File Version 1.1: BBRKC Example
# GEAR_INDEX DESCRIPTION
# 1 : Pot fishery retained catch.
# 1 : Pot fishery with discarded catch.
# 2 : Trawl bycatch
# 3 : Trawl survey
# Fisheries: 1 Pot Fishery, 2 Pot Discard, 3 Trawl by-catch, 4 Tanner bycatch 5 fixed gear
# Surveys: 6 NMFS Trawl Survey, 7 BSFRF Survey
#-----
1975 # Start year
2023 # End year - update annually in fall
7 # Number of seasons
6 # Number of fleets (fishing fleets and surveys)
2 # Number of sexes
2 # Number of shell condition types
1 # Number of maturity types
20 # Number of size-classes in the model
7 # Season recruitment occurs
7 # Season molting and growth occurs
7 #6 # Season to calculate SSB
1 # Season for N output
# maximum size-class (males then females)
20 16
# size_breaks (a vector giving the break points between size intervals, dim=nclass+1)
65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165
# Natural mortality per season input type (1 = vector by season, 2 = matrix by season/year)
2
# Proportion of the total natural mortality to be applied each season
0.0000 0.2329 0.0000 0.2671 0.0000 0.194 0.306 #1975
0.0000 0.2795 0.0000 0.2205 0.000 0.194 0.306 #1976
0.0000 0.3233 0.0000 0.1767 0.000 0.194 0.306 #1977
0.0000 0.2548 0.0000 0.2452 0.000 0.194 0.306 #1978
0.0000 0.2493 0.0000 0.2507 0.000 0.194 0.306 #1979
0.0000 0.2493 0.0000 0.2507 0.000 0.194 0.306 #1980
0.0000 0.2493 0.0000 0.2507 0.000 0.194 0.306 #1981
0.0000 0.2356 0.0000 0.2644 0.000 0.194 0.306 #1982
0.0000 0.2400 0.0000 0.2600 0.000 0.194 0.306 #1983
0.0000 0.2712 0.0000 0.2288 0.000 0.194 0.306 #1984
0.0000 0.2438 0.0000 0.2562 0.000 0.194 0.306 #1985
0.0000 0.2521 0.0000 0.2479 0.000 0.194 0.306 #1986
0.0000 0.2493 0.0000 0.2507 0.000 0.194 0.306 #1987
0.0000 0.2438 0.0000 0.2562 0.000 0.194 0.306 #1988
0.0000 0.2493 0.0000 0.2507 0.000 0.194 0.306 #1989
0.0000 0.3507 0.0000 0.1493 0.000 0.194 0.306 #1990
0.0000 0.3425 0.0000 0.1575 0.000 0.194 0.306 #1991
0.0000 0.3425 0.0000 0.1575 0.000 0.194 0.306 #1992
0.0000 0.3452 0.0000 0.1548 0.000 0.194 0.306 #1993
0.0000 0.3400 0.0000 0.1600 0.000 0.194 0.306 #1994
0.0000 0.3400 0.0000 0.1600 0.000 0.194 0.306 #1995
0.0000 0.3400 0.0000 0.1600 0.000 0.194 0.306 #1996
0.0000 0.3400 0.0000 0.1600 0.000 0.194 0.306 #1997
0.0000 0.3400 0.0000 0.1600 0.000 0.194 0.306 #1998
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #1999
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2000
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2001
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2002
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2003
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2004
```

September 2024

```

0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2005
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2006
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2007
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2008
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2009
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2010
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2011
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2012
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2013
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2014
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2015
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2016
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2017
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2018
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2019
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2020
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2021
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2022 update annually
0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2023
#0.0000 0.3000 0.0000 0.2000 0.000 0.194 0.306 #2024

```

```

# Fishing fleet names (delimited with: no spaces in names)
Pot_Fishery Trawl_Bycatch Bairdi_Fishery_Bycatch Fixed_Gear

```

```

# Survey names (delimited with: no spaces in names)
NMFS_Trawl BSFRF
# Are the seasons instantaneous (0) or continuous (1)
1 1 1 1 1 1 1

```

```

# Input data format (0 = old, 1=new)
0

```

```

# Number of catch data frames
7
# Number of rows in each data frame
49 34 34 48 25 25 28 # updated annually with new data

```

```

## #CATCH DATA
## Type of catch: 1 = retained, 2 = discard, 0 = total
## Units of catch: 1 = biomass, 2 = numbers
## for BBRKC Units are in 1000 mt for landed & discards.
## # Male retained pot fishery (tonnes)

```

#year	seas	fleet	sex	obs	cv	type	units	mult	effort	discard_mortality
1975	3	1	1	23281.2	0.03	1	1	1	0	0.2
1976	3	1	1	28993.6	0.03	1	1	1	0	0.2
1977	3	1	1	31736.9	0.03	1	1	1	0	0.2
1978	3	1	1	39743	0.03	1	1	1	0	0.2
1979	3	1	1	48910	0.03	1	1	1	0	0.2
1980	3	1	1	58943.6	0.03	1	1	1	0	0.2
1981	3	1	1	15236.8	0.03	1	1	1	0	0.2
1982	3	1	1	1361.3	0.03	1	1	1	0	0.2
1983	3	1	1	0.1	0.03	1	1	0	0.2	#AEP
1984	3	1	1	1897.1	0.03	1	1	1	0	0.2
1985	3	1	1	1893.8	0.03	1	1	1	0	0.2
1986	3	1	1	5168.2	0.03	1	1	1	0	0.2
1987	3	1	1	5574.2	0.03	1	1	1	0	0.2
1988	3	1	1	3351.1	0.03	1	1	1	0	0.2
1989	3	1	1	4656	0.03	1	1	1	0	0.2
1990	3	1	1	9272.8	0.03	1	1	1	0	0.2
1991	3	1	1	7885.1	0.03	1	1	1	0	0.2
1992	3	1	1	3681.8	0.03	1	1	1	0	0.2
1993	3	1	1	6659.6	0.03	1	1	1	0	0.2
1994	3	1	1	42.3	0.03	1	1	1	0	0.2
1995	3	1	1	36.4	0.03	1	1	1	0	0.2
1996	3	1	1	3861.7	0.03	1	1	1	0	0.2
1997	3	1	1	4042.1	0.03	1	1	1	0	0.2
1998	3	1	1	6779.2	0.03	1	1	1	0	0.2
1999	3	1	1	5377.9	0.03	1	1	1	0	0.2
2000	3	1	1	3737.9	0.03	1	1	1	0	0.2
2001	3	1	1	3866.2	0.03	1	1	1	0	0.2
2002	3	1	1	4384.5	0.03	1	1	1	0	0.2
2003	3	1	1	7135.3	0.03	1	1	1	0	0.2
2004	3	1	1	7006.7	0.03	1	1	1	0	0.2
2005	3	1	1	8399.7	0.03	1	1	1	0	0.2

2006	3	1	1	7143.2	0.03	1	1	1	0	0.2
2007	3	1	1	9303.9	0.03	1	1	1	0	0.2
2008	3	1	1	9216.1	0.03	1	1	1	0	0.2
2009	3	1	1	7272.5	0.03	1	1	1	0	0.2
2010	3	1	1	6761.5	0.03	1	1	1	0	0.2
2011	3	1	1	3607.1	0.03	1	1	1	0	0.2
2012	3	1	1	3621.7	0.03	1	1	1	0	0.2
2013	3	1	1	3991	0.03	1	1	1	0	0.2
2014	3	1	1	4538.6	0.03	1	1	1	0	0.2
2015	3	1	1	4613.7	0.03	1	1	1	0	0.2
2016	3	1	1	3923.9	0.03	1	1	1	0	0.2
2017	3	1	1	3093.7	0.03	1	1	1	0	0.2
2018	3	1	1	2026.5	0.03	1	1	1	0	0.2
2019	3	1	1	1775.3	0.03	1	1	1	0	0.2
2020	3	1	1	1257.0	0.03	1	1	1	0	0.2
2021	3	1	1	17.45	0.03	1	1	1	0	0.2 # update annually - from item7
2022	3	1	1	24.0	0.03	1	1	1	0	0.2 # looks like this is from fish ticket data for test fishery
2023	3	1	1	972.6	0.03	1	1	1	0	0.2 # fishery was open

## Total Male pot fishery (t)

#year	seas	fleet	sex	obs	cv	type	units	mult	effort	discard_mortality
1990	3	1	1	11621.8	0.04	0	1	1	0	0.2
1991	3	1	1	9792.9	0.04	0	1	1	0	0.2
1992	3	1	1	5916.2	0.04	0	1	1	0	0.2
1993	3	1	1	9516.8	0.04	0	1	1	0	0.2
1994	3	1	1	62.3	0.04	0	1	1	0	0.2
1995	3	1	1	52.8	0.04	0	1	1	0	0.2
1996	3	1	1	3845.2	0.04	0	1	1	0	0.2
1997	3	1	1	3758.8	0.04	0	1	1	0	0.2
1998	3	1	1	15644.8	0.04	0	1	1	0	0.2
1999	3	1	1	12112.3	0.04	0	1	1	0	0.2
2000	3	1	1	6579.7	0.04	0	1	1	0	0.2
2001	3	1	1	5711.5	0.04	0	1	1	0	0.2
2002	3	1	1	6961.4	0.04	0	1	1	0	0.2
2003	3	1	1	12166.5	0.04	0	1	1	0	0.2
2004	3	1	1	10692.0	0.04	0	1	1	0	0.2
2005	3	1	1	13615.9	0.04	0	1	1	0	0.2
2006	3	1	1	9254.0	0.04	0	1	1	0	0.2
2007	3	1	1	13871.9	0.04	0	1	1	0	0.2
2008	3	1	1	14894.9	0.04	0	1	1	0	0.2
2009	3	1	1	12218.8	0.04	0	1	1	0	0.2
2010	3	1	1	10095.4	0.04	0	1	1	0	0.2
2011	3	1	1	5665.3	0.04	0	1	1	0	0.2
2012	3	1	1	4495.5	0.04	0	1	1	0	0.2
2013	3	1	1	5305.9	0.04	0	1	1	0	0.2
2014	3	1	1	8113.8	0.04	0	1	1	0	0.2
2015	3	1	1	6726.8	0.04	0	1	1	0	0.2
2016	3	1	1	5651.8	0.04	0	1	1	0	0.2
2017	3	1	1	4077.2	0.04	0	1	1	0	0.2
2018	3	1	1	3423.2	0.04	0	1	1	0	0.2
2019	3	1	1	3144.6	0.04	0	1	1	0	0.2
2020	3	1	1	2299.7	0.04	0	1	1	0	0.2
2021	3	1	1	33.8	0.04	0	1	1	0	0.2
2022	3	1	1	28.3	0.04	0	1	1	0	0.2 # updated from item1a
2023	3	1	1	1543.5	0.04	0	1	1	0	0.2 # updated from item1a

## Female discards Pot fishery

#year	seas	fleet	sex	obs	cv	type	units	mult	effort	discard_mortality
1990	3	1	2	3196.2	0.07	0	1	1	0	0.2
1991	3	1	2	233.9	0.07	0	1	1	0	0.2
1992	3	1	2	1976.3	0.07	0	1	1	0	0.2
1993	3	1	2	3141.5	0.07	0	1	1	0	0.2
1994	3	1	2	1.877	0.07	0	1	1	0	0.2
1995	3	1	2	1.612	0.07	0	1	1	0	0.2
1996	3	1	2	5.1	0.07	0	1	1	0	0.2
1997	3	1	2	182.7	0.07	0	1	1	0	0.2
1998	3	1	2	2769.3	0.07	0	1	1	0	0.2
1999	3	1	2	28.0	0.07	0	1	1	0	0.2
2000	3	1	2	821.9	0.07	0	1	1	0	0.2
2001	3	1	2	604.0	0.07	0	1	1	0	0.2
2002	3	1	2	45.6	0.07	0	1	1	0	0.2
2003	3	1	2	1784.4	0.07	0	1	1	0	0.2
2004	3	1	2	859.2	0.07	0	1	1	0	0.2
2005	3	1	2	2027.1	0.07	0	1	1	0	0.2

2006	3	1	2	187.4	0.07	0	1	1	0	0.2
2007	3	1	2	799.4	0.07	0	1	1	0	0.2
2008	3	1	2	724.2	0.07	0	1	1	0	0.2
2009	3	1	2	441.3	0.07	0	1	1	0	0.2
2010	3	1	2	592.6	0.07	0	1	1	0	0.2
2011	3	1	2	124.8	0.07	0	1	1	0	0.2
2012	3	1	2	55.9	0.07	0	1	1	0	0.2
2013	3	1	2	490.7	0.07	0	1	1	0	0.2
2014	3	1	2	424.3	0.07	0	1	1	0	0.2
2015	3	1	2	1195.6	0.07	0	1	1	0	0.2
2016	3	1	2	617.2	0.07	0	1	1	0	0.2
2017	3	1	2	266.9	0.07	0	1	1	0	0.2
2018	3	1	2	750.4	0.07	0	1	1	0	0.2
2019	3	1	2	218.0	0.07	0	1	1	0	0.2
2020	3	1	2	76.1	0.07	0	1	1	0	0.2
2021	3	1	2	29.4	0.07	0	1	1	0	0.2
2022	3	1	2	4.7	0.07	0	1	1	0	0.2 # update annually from item 1b
2023	3	1	2	65.4	0.07	0	1	1	0	0.2 # update annually from item 1b

## Trawl fishery discards (t, without applying to handling mortality rate)

#year	seas	fleet	sex	obs	cv	type	units	mult	effort	discard_mortality
1976	5	2	0	853.494	0.10	2	1	1	0	0.8
1977	5	2	0	1562.313	0.10	2	1	1	0	0.8
1978	5	2	0	1650.775	0.10	2	1	1	0	0.8
1979	5	2	0	1664.925	0.10	2	1	1	0	0.8
1980	5	2	0	1295.625	0.10	2	1	1	0	0.8
1981	5	2	0	274.229	0.10	2	1	1	0	0.8
1982	5	2	0	718.610	0.10	2	1	1	0	0.8
1983	5	2	0	525.554	0.10	2	1	1	0	0.8
1984	5	2	0	1367.550	0.10	2	1	1	0	0.8
1985	5	2	0	487.576	0.10	2	1	1	0	0.8
1986	5	2	0	250.758	0.10	2	1	1	0	0.8
1987	5	2	0	233.045	0.10	2	1	1	0	0.8
1988	5	2	0	747.996	0.10	2	1	1	0	0.8
1989	5	2	0	219.023	0.10	2	1	1	0	0.8
1990	5	2	0	324.883	0.10	2	1	1	0	0.8
1991	5	2	0	436.783	0.10	2	1	1	0	0.8
1992	5	2	0	366.816	0.10	2	1	1	0	0.8
1993	5	2	0	501.770	0.10	2	1	1	0	0.8
1994	5	2	0	109.129	0.10	2	1	1	0	0.8
1995	5	2	0	102.623	0.10	2	1	1	0	0.8
1996	5	2	0	113.495	0.10	2	1	1	0	0.8
1997	5	2	0	71.862	0.10	2	1	1	0	0.8
1998	5	2	0	232.580	0.10	2	1	1	0	0.8
1999	5	2	0	188.101	0.10	2	1	1	0	0.8
2000	5	2	0	102.161	0.10	2	1	1	0	0.8
2001	5	2	0	241.011	0.10	2	1	1	0	0.8
2002	5	2	0	189.018	0.10	2	1	1	0	0.8
2003	5	2	0	171.114	0.10	2	1	1	0	0.8
2004	5	2	0	216.889	0.10	2	1	1	0	0.8
2005	5	2	0	155.924	0.10	2	1	1	0	0.8
2006	5	2	0	189.660	0.10	2	1	1	0	0.8
2007	5	2	0	192.571	0.10	2	1	1	0	0.8
2008	5	2	0	170.561	0.10	2	1	1	0	0.8
2009	5	2	0	118.672	0.10	2	1	1	0	0.8
2010	5	2	0	104.005	0.10	2	1	1	0	0.8
2011	5	2	0	70.286	0.10	2	1	1	0	0.8
2012	5	2	0	42.641	0.10	2	1	1	0	0.8
2013	5	2	0	83.613	0.10	2	1	1	0	0.8
2014	5	2	0	43.129	0.10	2	1	1	0	0.8
2015	5	2	0	56.410	0.10	2	1	1	0	0.8
2016	5	2	0	84.127	0.10	2	1	1	0	0.8
2017	5	2	0	114.624	0.10	2	1	1	0	0.8
2018	5	2	0	97.561	0.10	2	1	1	0	0.8
2019	5	2	0	94.599	0.10	2	1	1	0	0.8
2020	5	2	0	98.436	0.10	2	1	1	0	0.8
2021	5	2	0	43.149	0.10	2	1	1	0	0.8
2022	5	2	0	19.025	0.10	2	1	1	0	0.8 # update annually - gf_weight - trawl_thou column
2023	5	2	0	25.661	0.10	2	1	1	0	0.8

# Tanner crab fishery discards males

#year	seas	fleet	sex	obs	cv	type	units	mult	potlifts	discard_mortality
1975	5	3	1	0	0.07	2	1	1	106.445	0.25
1976	5	3	1	0	0.07	2	1	1	233.667	0.25

September 2024

1977	5	3	1	0	0.07	2	1	1	408.437	0.25				
1978	5	3	1	0	0.07	2	1	1	356.594	0.25				
1979	5	3	1	0	0.07	2	1	1	476.410	0.25				
1980	5	3	1	0	0.07	2	1	1	496.751	0.25				
1981	5	3	1	0	0.07	2	1	1	322.634	0.25				
1982	5	3	1	0	0.07	2	1	1	192.538	0.25				
1983	5	3	1	0	0.07	2	1	1	44.546	0.25				
1984	5	3	1	0	0.07	2	1	1	67.037	0.25				
#1985	5	3	1	0	0.07	2	1	1	0.0001	0.25				
#1986	5	3	1	0	0.07	2	1	1	0.0001	0.25				
1987	5	3	1	0	0.07	2	1	1	39.827	0.25				
1988	5	3	1	0	0.07	2	1	1	92.551	0.25				
1989	5	3	1	0	0.07	2	1	1	306.175	0.25				
1990	5	3	1	0.000	0.07	2	1	1	493.82	0.25				
1991	5	3	1	1890.540	0.07	2	1	1	360.864	0.25				
1992	5	3	1	263.854	0.07	2	1	1	508.922	0.25				
1993	5	3	1	118.614	0.07	2	1	1	286.62	0.25				
1994	5	3	1	38.907	0.07	2	1	1	228.254	0.25				
#1995	5	3	1	0.000	0.07	2	1	1	201.988	0.25				
#1996	5	3	1	0.000	0.07	2	1	1	64.989	0.25				
#1997	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#1998	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#1999	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2000	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2001	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2002	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2003	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2004	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2005	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
2006	5	3	1	14.334	0.07	2	1	1	15.273	0.25				
2007	5	3	1	5.536	0.07	2	1	1	26.441	0.25				
2008	5	3	1	9.245	0.07	2	1	1	19.401	0.25				
2009	5	3	1	3.089	0.07	2	1	1	6.635	0.25				
#2010	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2011	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2012	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
2013	5	3	1	37.426	0.07	2	1	1	16.633	0.25				
2014	5	3	1	68.588	0.07	2	1	1	72.768	0.25				
2015	5	3	1	189.229	0.07	2	1	1	130.302	0.25				
#2016	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2017	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2018	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2019	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2020	5	3	1	0.000	0.07	2	1	1	1e-4	0.25				
#2021	5	3	1	0.000	0.07	2	1	1	1e-4	0.25 # update annually				
#2022	5	3	1	0.000	0.07	2	1	1	1e-4	0.25 # update annually item 2a				
#2023	5	3	1	0.000	0.07	2	1	1	1e-4	0.25 # update annually item 2a				
#	Tanner	crab		fishery	discards		sex	obs	cv	type	units	mult	potlifts	discard_mortality
#year	seas	fleet	sex	obs	cv	type	units	mult	potlifts	discard_mortality				
1975	5	3	2	0	0.07	2	1	1	106.445	0.25				
1976	5	3	2	0	0.07	2	1	1	233.667	0.25				
1977	5	3	2	0	0.07	2	1	1	408.437	0.25				
1978	5	3	2	0	0.07	2	1	1	356.594	0.25				
1979	5	3	2	0	0.07	2	1	1	476.410	0.25				
1980	5	3	2	0	0.07	2	1	1	496.751	0.25				
1981	5	3	2	0	0.07	2	1	1	322.634	0.25				
1982	5	3	2	0	0.07	2	1	1	192.538	0.25				
1983	5	3	2	0	0.07	2	1	1	44.546	0.25				
1984	5	3	2	0	0.07	2	1	1	67.037	0.25				
#1985	5	3	2	0	0.07	2	1	1	0.0001	0.25				
#1986	5	3	2	0	0.07	2	1	1	0.0001	0.25				
1987	5	3	2	0	0.07	2	1	1	39.827	0.25				
1988	5	3	2	0	0.07	2	1	1	92.551	0.25				
1989	5	3	2	0	0.07	2	1	1	306.175	0.25				
1990	5	3	2	0.000	0.07	2	1	1	493.82	0.25				
1991	5	3	2	3690.303	0.07	2	1	1	360.864	0.25				
1992	5	3	2	698.992	0.07	2	1	1	508.922	0.25				
1993	5	3	2	99.498	0.07	2	1	1	286.62	0.25				
1994	5	3	2	0.488	0.07	2	1	1	228.254	0.25				
#1995	5	3	2	0.000	0.07	2	1	1	201.988	0.25				
#1996	5	3	2	0.000	0.07	2	1	1	64.989	0.25				



#Index	Year	Season	Fleet	Sex	Abundance	CV	Units	
1	1975	1	5	1	0	133084.0	0.193	1 0
1	1976	1	5	1	0	256362.2	0.207	1 0
1	1977	1	5	1	0	232538.7	0.144	1 0
1	1978	1	5	1	0	199542.2	0.152	1 0
1	1979	1	5	1	0	102448.2	0.164	1 0
1	1980	1	5	1	0	166524.3	0.221	1 0
1	1981	1	5	1	0	68294.4	0.190	1 0
1	1982	1	5	1	0	72296.3	0.251	1 0
1	1983	1	5	1	0	34761.9	0.214	1 0
1	1984	1	5	1	0	96418.3	0.606	1 0
1	1985	1	5	1	0	26819.4	0.159	1 0
1	1986	1	5	1	0	40549.3	0.420	1 0
1	1987	1	5	1	0	46769.1	0.209	1 0
1	1988	1	5	1	0	35373.6	0.228	1 0
1	1989	1	5	1	0	42357.7	0.232	1 0
1	1990	1	5	1	0	38727.8	0.242	1 0
1	1991	1	5	1	0	66528.0	0.443	1 0
1	1992	1	5	1	0	25096.2	0.176	1 0
1	1993	1	5	1	0	35670.6	0.198	1 0
1	1994	1	5	1	0	23002.5	0.174	1 0
1	1995	1	5	1	0	27251.9	0.266	1 0
1	1996	1	5	1	0	26815.7	0.203	1 0
1	1997	1	5	1	0	59638.3	0.264	1 0
1	1998	1	5	1	0	46208.6	0.182	1 0
1	1999	1	5	1	0	44528.7	0.204	1 0
1	2000	1	5	1	0	38390.7	0.216	1 0
1	2001	1	5	1	0	27942.7	0.187	1 0
1	2002	1	5	1	0	45139.9	0.202	1 0
1	2003	1	5	1	0	74641.0	0.283	1 0
1	2004	1	5	1	0	90354.3	0.321	1 0
1	2005	1	5	1	0	54789.5	0.171	1 0
1	2006	1	5	1	0	51215.2	0.169	1 0
1	2007	1	5	1	0	58144.3	0.174	1 0
1	2008	1	5	1	0	67214.4	0.249	1 0
1	2009	1	5	1	0	43170.4	0.326	1 0
1	2010	1	5	1	0	39020.6	0.223	1 0
1	2011	1	5	1	0	27385.1	0.213	1 0
1	2012	1	5	1	0	30655.4	0.237	1 0
1	2013	1	5	1	0	39650.2	0.244	1 0
1	2014	1	5	1	0	60649.4	0.191	1 0
1	2015	1	5	1	0	37085.3	0.208	1 0
1	2016	1	5	1	0	27184.9	0.194	1 0
1	2017	1	5	1	0	25335.3	0.173	1 0
1	2018	1	5	1	0	16034.2	0.161	1 0
1	2019	1	5	1	0	15169.9	0.157	1 0
1	2021	1	5	1	0	18235.4	0.177	1 0
1	2022	1	5	1	0	24940.4	0.181	1 0
1	2023	1	5	1	0	20590.04	0.246	1 0
1	2024	1	5	1	0	30553.64	0.168	1 0 # update annually males use CV for combined males and females
1	1975	1	5	2	0	66558.7	0.193	1 0
1	1976	1	5	2	0	71252.4	0.207	1 0
1	1977	1	5	2	0	138684.3	0.144	1 0
1	1978	1	5	2	0	143646.6	0.152	1 0
1	1979	1	5	2	0	63000.5	0.164	1 0
1	1980	1	5	2	0	80701.3	0.221	1 0
1	1981	1	5	2	0	62850.4	0.190	1 0
1	1982	1	5	2	0	69601.4	0.251	1 0
1	1983	1	5	2	0	13713.6	0.214	1 0
1	1984	1	5	2	0	56188.5	0.606	1 0
1	1985	1	5	2	0	7318.7	0.159	1 0
1	1986	1	5	2	0	6884.6	0.420	1 0
1	1987	1	5	2	0	22475.5	0.209	1 0
1	1988	1	5	2	0	19223.7	0.228	1 0
1	1989	1	5	2	0	12778.0	0.232	1 0
1	1990	1	5	2	0	20722.8	0.242	1 0
1	1991	1	5	2	0	17363.5	0.443	1 0
1	1992	1	5	2	0	12238.2	0.176	1 0
1	1993	1	5	2	0	17235.1	0.198	1 0
1	1994	1	5	2	0	9101.7	0.174	1 0
1	1995	1	5	2	0	10816.3	0.266	1 0
1	1996	1	5	2	0	17143.2	0.203	1 0

















```
# Indices
# Index Year Value
## eof
9999
```

Model 21.1b control file for 2023

```
### control file for base model 23.0a , fall 2024 estimate base M for males - updates to gmacs sept 2024##
## Leading Parameter Controls
## LEADING PARAMETER CONTROLS
## Controls for leading parameter vector (theta)
## LEGEND
## prior: 0 = uniform, 1 = normal, 2 = lognormal, 3 = beta, 4 = gamma
## Blocks to be used in the model (block 0 is the year range)
6
# Number of blocks per group (after the first block, i.e. 1 means two blocks)
1 2 1 1 1
# Block definitions (first block always start with syr; year 0 is last year)
1980 1984 #Natural mortality 1985 previous b/c start of new block
1983 1993 1994 2023 # female growth transition #186
1980 2023 # molt
2005 2020 #????
1982 2024 # 5; Gear 5 selectivity
2005 2024 # 6; Gear 1 time retention

## GENERAL CONTROLS
1975 # First rec_dev
2023 # last rec_dev ; gets updated every year #update
0 # Terminal molting (0 = off, 1 = on). If on, the calc_stock_recruitment_relationship() isn't called in the procedure
2 # Estimated rec_dev phase
2 # Estimated sex_ratio
0.5 # initial sex-ratio
3 # Initial conditions (0 = Unfished, 1 = Steady-state fished, 2 = Free parameters, 3 = Free parameters (revised))
1 # 4 # Reference size-class for initial conditons = 3 k.p think this should be 1 for bbrkc
1 # Lambda (proportion of mature male biomass for SPR reference points).
0 # Stock-Recruit-Relationship (0 = none, 1 = Beverton-Holt)
1 # Use years specified to computed average sex ratio in the calculation of average recruitment for reference points (0 = off -i.e. Rec b
200 # Year to compute equilibria !!!NEW 1/2022
5 # Devpar phase (!)
1940 # First year of bias-correction
1950 # First full bias-correction
2050 # Last full bias-correction
2051 # Last year of bias-correction

## Ival parameter
## ival lb ub phz prior p1 p2 # parameter ##
## 16.5 -10 18 -2 0 -10.0 20.0 # logR0
19.5 -10 25 3 0 10.0 25.0 # logRini, to estimate if NOT initialized at unfished (n68)
16.5 -10 25 1 0 10.0 20.0 #1 # logRbar, to estimate if NOT initialized at unfished #1
72.5 55 100 -4 1 72.5 7.25 # recruitment expected value (males or combined)
0.726149 0.32 1.64 3 0 0.1 5.0 # recruitment scale (variance component) (males or combined)
0.00 -5 5 -4 0 0.0 20.00 # recruitment expected value (females)
0.00 -1.69 0.40 3 0 0.0 20.0 # recruitment scale (variance component) (females)
-0.10536 -10 0.75 -4 0 -10.0 0.75 # ln(sigma_R)
#-0.10 -5 5.0 4 0 -10.0 10.0 # ln(sigma_R)
0.75 0.20 1.00 -2 3 3.0 2.00 # steepness
0.01 0.00 1.00 -3 3 1.01 1.01 # recruitment autocorrelation
# 0.00 -10 4 2 0 10.0 20.00 # Deviation for size-class 1 (normalization class)
1.107962885630 -10 4 9 0 10.0 20.00 # Deviation for size-class 2
0.563229168219 -10 4 9 0 10.0 20.00 # Deviation for size-class 3
0.681928313426 -10 4 9 0 10.0 20.00 # Deviation for size-class 4
```

0.491057364532	-10	4	9	0	10.0	20.00	# Deviation for size-class 5
0.407911777560	-10	4	9	0	10.0	20.00	# Deviation for size-class 6
0.436516142684	-10	4	9	0	10.0	20.00	# Deviation for size-class 7
0.40612675395550	-10	4	9	0	10.0	20.00	# Deviation for size-class 8
0.436145974880	-10	4	9	0	10.0	20.00	# Deviation for size-class 9
0.40494522852708	-10	4	9	0	10.0	20.00	# Deviation for size-class 10
0.30401970466854	-10	4	9	0	10.0	20.00	# Deviation for size-class 11
0.2973752673022	-10	4	9	0	10.0	20.00	# Deviation for size-class 12
0.1746800712364	-10	4	9	0	10.0	20.00	# Deviation for size-class 13
0.0845298456942	-10	4	9	0	10.0	20.00	# Deviation for size-class 14
0.0107462399193	-10	4	9	0	10.0	20.00	# Deviation for size-class 15
-0.190468322904	-10	4	9	0	10.0	20.00	# Deviation for size-class 16
-0.376312503735	-10	4	9	0	10.0	20.00	# Deviation for size-class 17
-0.699162895473	-10	4	9	0	10.0	20.00	# Deviation for size-class 18
-1.15881771530	-10	4	9	0	10.0	20.00	# Deviation for size-class 19
-1.17311583316	-10	4	9	0	10.0	20.00	# Deviation for size-class 20
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 1
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 2
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 3
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 4
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 5
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 6
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 7
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 8
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 9
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 10
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 11
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 12
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 13
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 14
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 15
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 16
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 17
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 18
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 19
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 20
0.425704202053	-10	4	9	0	10.0	20.00	# Deviation for size-class 1
2.268408592660	-10	4	9	0	10.0	20.00	# Deviation for size-class 2
1.810451373080	-10	4	9	0	10.0	20.00	# Deviation for size-class 3
1.37035725111	-10	4	9	0	10.0	20.00	# Deviation for size-class 4
1.158258087990	-10	4	9	0	10.0	20.00	# Deviation for size-class 5
0.596196784439	-10	4	9	0	10.0	20.00	# Deviation for size-class 6
0.225756761257	-10	4	9	0	10.0	20.00	# Deviation for size-class 7
-0.0247857565368	-10	4	9	0	10.0	20.00	# Deviation for size-class 8
-0.214045895269	-10	4	9	0	10.0	20.00	# Deviation for size-class 9
-0.560539577780	-10	4	9	0	10.0	20.00	# Deviation for size-class 10
-0.974218300021	-10	4	9	0	10.0	20.00	# Deviation for size-class 11
-1.24580072031	-10	4	9	0	10.0	20.00	# Deviation for size-class 12
-1.49292897450	-10	4	9	0	10.0	20.00	# Deviation for size-class 13
-1.94135821253	-10	4	9	0	10.0	20.00	# Deviation for size-class 14
-2.05101560679	-10	4	9	0	10.0	20.00	# Deviation for size-class 15
-1.94956606430	-10	4	9	0	10.0	20.00	# Deviation for size-class 16
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 17
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 18
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 19
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 20
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 1
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 2
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 3
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 4
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 5
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 6
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 7
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 8
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 9
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 10
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 11
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 12
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 13
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 14
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 15
-100.00	-101	5	-2	0	10.0	20.00	# Deviation for size-class 16





```
# RW_blk: Block number for random walks

# Inputs for sex * type 1
# MAIN PARS: Initial Lower_bound Upper_bound Prior_type Prior_1 Prior_2 Phase Block Block_fn Env_L EnvL_var RW RW_Block RW_Sigma
16.5 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.5 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.4 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.3 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.3 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.2 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.2 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.1 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.1 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.0 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
16.0 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.9 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.8 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.8 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.7 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.7 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.6 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.6 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.5 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
15.5 0 20 0 0 999 -33 0 1 0 0 0 0 0.3 # Males
1 0.5 3 0 0 999 6 0 1 0 0 0 0 0.3 # Males (beta)
# EXTRA PARS: Initial Lower_bound Upper_bound Prior_type Prior_1 Prior_2 Phase Relative
# Inputs for sex * type 2
# MAIN PARS: Initial Lower_bound Upper_bound Prior_type Prior_1 Prior_2 Phase Block Block_fn Env_L EnvL_var RW RW_Block RW_Sigma
13.8 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
12.2 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
10.5 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
8.4 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
7.5 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
7 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
6.6 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
6.1 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
5.6 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
5.1 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
4.6 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
4.1 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
3.6 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
3.2 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
2.7 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
2.2 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
1.7 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
1.2 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
0.7 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
0.4 0 20 0 0 999 -33 2 1 0 0 0 0 0.3 # Females
1.5 0.5 3 0 0 999 6 0 1 0 0 0 0 0.3 # Females
# EXTRA PARS: Initial Lower_bound Upper_bound Prior_type Prior_1 Prior_2 Phase Relative
15.4 0 20 0 0 999 -33 0 # Females 1 1
15.1 0 20 0 0 999 -33 0 # Females 1 2
13.8 0 20 0 0 999 -33 0 # Females 2 1
14 0 20 0 0 999 -33 0 # Females 2 2
12.2 0 20 0 0 999 -33 0 # Females 3 1
12.9 0 20 0 0 999 -33 0 # Females 3 2
10.5 0 20 0 0 999 -33 0 # Females 4 1
11.8 0 20 0 0 999 -33 0 # Females 4 2
8.9 0 20 0 0 999 -33 0 # Females 5 1
10.6 0 20 0 0 999 -33 0 # Females 5 2
7.9 0 20 0 0 999 -33 0 # Females 6 1
8.7 0 20 0 0 999 -33 0 # Females 6 2
7.2 0 20 0 0 999 -33 0 # Females 7 1
7.4 0 20 0 0 999 -33 0 # Females 7 2
6.6 0 20 0 0 999 -33 0 # Females 8 1
6.6 0 20 0 0 999 -33 0 # Females 8 2
6.1 0 20 0 0 999 -33 0 # Females 9 1
6.1 0 20 0 0 999 -33 0 # Females 9 2
5.6 0 20 0 0 999 -33 0 # Females 10 1
5.6 0 20 0 0 999 -33 0 # Females 10 2
5.1 0 20 0 0 999 -33 0 # Females 11 1
```







