CP Chinook Salmon Bycatch Reduction Incentive Plan Annual Report 2015

April 2016 NPFMC



Primary IPA components

- Data gathering, monitoring, reporting, information sharing.
- Identification of bycatch avoidance areas.
- Fishing area prohibitions for vessels with poor bycatch performance.
- A-season closed area.
- Conditional B-season closed areas.




2015 CP IPA results—Chinook PSC and pollock catch

A Se	ason	B-Season					
Pollock (mt)	Chinook (n)	Pollock (mt)	Chinook (n)				
233,553	3,821	356,952	2,624				

*All IPA participants (PCC, HSCC, OP, CDQ)




2015 CP IPA results—Chinook PSC rates



2015 CP IPA results—A-season Bycatch Avoidance <u>Areas</u> 170°W 55°N 2015 A season chinook bycatch


	Some Backson										
Week	1/29	2/5	2/12	2/19	2/26	3/5	3/12	3/19	3/26	4/02	
# of C/Ps excluded from BAAs	4	1	0	4	7	2	1	0	0	0	5

avoidance areas for the CP sector



Vessel Chinook bycatch rate distribution by year for 1 Sept-1 March.








Bycatch Rate (Chinook/mt pollock)

Upper panel: A-Season CP Vessel Chinook Bycatch Rate Frequency Distribution for 2008-2010 with a variance of 0.006 and Lower panel: Distribution for 2013-2015 with variance equal to 0.0004.










NEW 2015 IPA Amendments


- Salmon excluders required- All A-season trawls and September/October B-season trawls
- Disincentive to chronic poor bycatch performance: Poor performers are prohibited from fishing in all BAA and seasonal closed areas

NEW 2015 IPA Amendments



Use of New Gear Technologies

- MacMarine prototype titanium trawl camera Mobius ActionCam HD wide-angle lens
- Sexton prototype Aluminum trawl camera
- Underwater LED lights attract both chum and Chinook salmon in field experiments



Thank you

Questions?

