

































Table 5. Recovery codes

Feature Class	Features	Mud	Sand	Gran/Peb	Cobble	Boulder	Deep/rocky
G	Bedforms		0				
G	Biogenic burrows	0	0				
G	Biogenic depressions	0	0				
G	Boulder, piled					3	3
G	Boulder, scattered, in sand					0	0
G	Cobble, pavement				0		0
G	Cobble, piled				3		3
G	Cobble, scattered in sand				0		0
G	Granule-pebble, pavement			0			
G	Granule-pebble, scattered, in sand			2			
G	Sediments, surface/subsurface	0	0				
G	Shell deposits		2	2			
B	Amphipods, tube-dwelling	0	0				
B	Anemones, actinarian			2	2	2	2
B	Anemones, cerianthid burrowing	2	2	2			
B	Ascidians		1	1	1	1	1
B	Brachiopods			2	2	2	2
B	Bryozoans			1	1	1	1
B	Corals, sea pens	2	2				
B	Hydroids	1	1	1	1	1	1
B	Macroalgae			1	1	1	1
B	Mollusks, epifaunal bivalve, <i>Modiolus modiolus</i>	3	3	3	3	3	3
B	Mollusks, epifaunal bivalve, <i>Placopecten magellanicus</i>		2	2	2		
B	Polychaetes, <i>Filograna implexa</i>		2	2	2	2	2
B	Polychaetes, other tube-dwelling			1	1	1	1
B	Sponges		2	2	2	2	2
B	Long-lived features <sup>1</sup>						4

Adapted from trawl recovery table (Grabowski et al. 2014)

**Recovery codes: 0: < 1 year; 1: 1 – 2 years; 2: 2 – 5 years; 3: 5 – 10 years; 4: 10 – 50 years**

**Blank spaces are habitat features not associated with the given sediment class**

**G = Geological features; B = Biological features**

<sup>1</sup> Long-lived features added to deep and rocky habitat category at request of SSC