Table 1. September GOA Groundfish Plan Team Proposed OFL and ABC Recommendations (metric tons) for 2020-2021 (Page 1)

| | | | | 2018 | | Catch | | 2019 | | Catch as | 20 |)20 and 2021 | |
|-------------|-----------|----------|---------|---------|---------|---------|---------|---------|---------|------------|---------|--------------|-----|
| ies | Area | | OFL | ABC | TAC | | OFL | ABC | TAC | of 8/31/19 | OFL | ABC | TAC |
| Pollock | State GHL | | n/a | 4,037 | - | - | n/a | 3,396 | - | | n/a | 2,722 | |
| | W (610) | | n/a | 30,188 | 30,188 | 30,675 | n/a | 24,875 | 24,875 | 7,649 | n/a | 19,939 | |
| | C (620) | | n/a | 79,495 | 79,495 | 80,057 | n/a | 67,388 | 67,388 | 50,131 | n/a | 57,279 | |
| | C (630) | | n/a | 40,939 | 40,939 | 40,285 | n/a | 34,443 | 34,443 | 9,079 | n/a | 24,345 | |
| | WYAK | | n/a | 6,833 | 6,833 | 4,125 | n/a | 5,748 | 5,748 | 6,612 | n/a | 4,607 | |
| | S | Subtotal | 187,059 | 161,492 | 157,455 | 155,142 | 194,230 | 135,850 | 132,454 | 73,471 | 148,968 | 108,892 | |
| | EYAK/SEO | | 11,697 | 8,773 | 8,773 | - | 11,697 | 8,773 | 8,773 | - | 11,697 | 8,773 | |
| | | Total | 198,756 | 170,265 | 166,228 | 155,142 | 205,927 | 144,623 | 141,227 | 73,471 | 160,665 | 117,665 | |
| Pacific Cod | W | | n/a | 8,082 | 5,657 | 5,043 | n/a | 7,633 | 5,343 | 3,251 | n/a | 9,695 | |
| | С | | n/a | 8,118 | 6,089 | 5,755 | n/a | 7,667 | 5,750 | 3,727 | n/a | 9,738 | |
| | Е | | n/a | 1,800 | 1,350 | 101 | n/a | 1,700 | 1,275 | 181 | n/a | 2,159 | |
| | | Total | 23,565 | 18,000 | 13,096 | 10,899 | 23,669 | 17,000 | 12,368 | 7,159 | 26,078 | 21,592 | |
| Sablefish | W | | n/a | 1,544 | 1,544 | 1,397 | n/a | 1,581 | 1,581 | 889 | n/a | 2,105 | |
| | С | | n/a | 5,158 | 5,158 | 5,775 | n/a | 5,178 | 5,178 | 3,783 | n/a | 6,931 | |
| | WYAK | | n/a | 1,829 | 1,829 | 1,859 | n/a | 1,828 | 1,828 | 1,543 | n/a | 2,433 | |
| | SEO | | n/a | 2,974 | 2,974 | 3,006 | n/a | 2,984 | 2,984 | 2,156 | n/a | 3,993 | |
| | | Total | 22,703 | 11,505 | 11,505 | 12,037 | 25,227 | 11,571 | 11,571 | 8,371 | 34,782 | 15,462 | |
| Shallow- | W | | n/a | 25,206 | 13,250 | 56 | n/a | 25,620 | 13,250 | 57 | n/a | 25,952 | |
| Water | С | | n/a | 25,315 | 25,315 | 2,914 | n/a | 25,731 | 25,731 | 1,369 | n/a | 26,065 | |
| Flatfish | WYAK | | n/a | 2,242 | 2,242 | 1 | n/a | 2,279 | 2,279 | 1 | n/a | 2,308 | |
| | EYAK/SEO | | n/a | 1,925 | 1,925 | 1 | n/a | 1,957 | 1,957 | 1 | n/a | 1,983 | |
| | | Total | 67,240 | 54,688 | 42,732 | 2,972 | 68,309 | 55,587 | 43,217 | 1,428 | 69,167 | 56,308 | |
| Deep- | W | | n/a | 413 | 413 | 3 | n/a | 416 | 416 | 1 | n/a | 420 | |
| Water | С | | n/a | 3,400 | 3,400 | 189 | n/a | 3,443 | 3,443 | 42 | n/a | 3,488 | |
| Flatfish | WYAK | | n/a | 3,239 | 3,239 | 6 | n/a | 3,280 | 3,280 | 9 | n/a | 3,323 | |
| | EYAK/SEO | | n/a | 2,332 | 2,332 | 5 | n/a | 2,362 | 2,362 | 1 | n/a | 2,393 | |
| | | Total | 11,294 | 9,385 | 9,384 | 203 | 11,434 | 9,501 | 9,501 | 53 | 11,581 | 9,624 | |
| Rex Sole | W | | n/a | 3,086 | 3,086 | 83 | n/a | 2,951 | 2,951 | 73 | n/a | 2,956 | |
| | С | | n/a | 8,739 | 8,739 | 1,665 | n/a | 8,357 | 8,357 | 1,225 | n/a | 8,371 | |
| | WYAK | | n/a | 1,737 | 1,737 | 2 | n/a | 1,657 | 1,657 | 2 | n/a | 1,664 | |
| | EYAK/SEO | | n/a | 1,811 | 1,811 | - | n/a | 1,727 | 1,727 | - | n/a | 1,734 | |
| | | Total | 18,706 | 15,373 | 15,373 | 1,750 | 17,889 | 14,692 | 14,692 | 1,300 | 17,942 | 14,725 | |
| Arrowtooth | W | | n/a | 37,253 | 14,500 | 1,043 | n/a | 35,994 | 14,500 | 565 | n/a | 34,765 | |
| Flounder | С | | n/a | 73,480 | 48,000 | 17,825 | n/a | 70,995 | 70,995 | 16,134 | n/a | 68,575 | |
| | WYAK | | n/a | 16,468 | 6,900 | 40 | n/a | 15,911 | 6,900 | 82 | n/a | 15,368 | |
| | EYAK/SEO | | n/a | 23,744 | 6,900 | 22 | n/a | 22,941 | 6,900 | 9 | n/a | 22,157 | |
| | | Total | 180,697 | 150,945 | 76,300 | 18,930 | 174,598 | 145,841 | 99,295 | 16,790 | 168,634 | 140,865 | |
| Flathead | W | | n/a | 12,690 | 8,650 | 150 | n/a | 13,234 | 8,650 | 192 | n/a | 13,771 | |
| Sole | С | | n/a | 20,238 | 15,400 | 2,060 | n/a | 21,109 | 15,400 | 1,902 | n/a | 21,965 | |
| | WYAK | | n/a | 1,932 | 1,932 | _ | n/a | 2,016 | 2,016 | _ | n/a | 2,097 | |
| | EYAK/SEO | | n/a | 406 | 406 | _ | n/a | 423 | 423 | _ | n/a | 440 | |
| | | Total | 43,011 | 35,266 | 26,388 | 2,210 | 44,865 | 36,782 | 26,489 | 2,094 | 46,666 | 38,273 | |

Sources: 2018 OFLs, ABCs, and TACs are from harvest specifications adopted by the Council in December 2017; 2019 OFLs, ABCs, and TACs are from the harvest specifications adopted by the Council in December 2018, 2018 catches through December 31, 2018 and 2019 catches through August 31, 2019 from AKR Catch Accounting.

1

Table 1. September GOA Groundfish Plan Team Proposed OFL and ABC Recommendations (metric tons) for 2020-2021 (Page 2)

| | | | 2018 | | Catch | | 2019 | | Catch | 20 | 020 and 2021 | |
|-------------------------|------------|---------|--------------|--------------|-------------|---------|--------------|--------------|-------------|---------|--------------|-----|
| pecies | Area | OFL | ABC | TAC | | OFL | ABC | TAC | of 8/31/19 | OFL | ABC | TAC |
| Pacific | W | n/a | 3,312 | 3,312 | 3,225 | n/a | 3,227 | 3,227 | 3,044 | n/a | 3,125 | |
| Ocean | С | n/a | 20,112 | 20,112 | 18,181 | n/a | 19,646 | 19,646 | 13,655 | n/a | 19,024 | |
| Perch | WYAK | n/a | 3,371 | 3,371 | 3,352 | n/a | 3,296 | 3,296 | 3,288 | n/a | 3,192 | |
| | W/C/WYAK | 31,860 | 26,795 | 26,795 | 24,758 | 31,113 | 26,169 | 26,169 | 19,987 | 30,128 | 25,341 | |
| | SEO | 2,902 | 2,441 | 2,441 | - | 2,838 | 2,386 | 2,386 | - | 2,748 | 2,311 | |
| | Total | 34,762 | 29,236 | 29,236 | 24,758 | 33,951 | 28,555 | 28,555 | 19,987 | 32,876 | 27,652 | |
| Northern | W | n/a | 420 | 420 | 297 | n/a | 1,190 | 1,190 | 649 | n/a | 1,122 | |
| Rockfish | С | n/a | 3,261 | 3,261 | 2,067 | n/a | 3,338 | 3,338 | 1,350 | n/a | 3,147 | |
| | Е | n/a | 4 | _ | _ | n/a | 1 | _ | - | n/a | 1 | |
| | Total | 4,380 | 3,685 | 3,681 | 2,364 | 5,402 | 4,529 | 4,528 | 1,999 | 5,093 | 4,270 | |
| Shortraker Rockfish | W | n/a | 44 | 44 | 37 | n/a | 44 | 44 | 15 | n/a | 44 | |
| SHOTHAKEI KOCKIISH | | | 305 | 305 | 319 | | 305 | 305 | | | 305 | |
| | C | | | | | n/a | | | 113 | n/a | | |
| | E | | 515 | 515 | 407 | n/a | 514 | 514 | 306 | n/a | 514 | |
| D 1 | Total | 1,151 | 864 | 864 | 763 | 1,151 | 863 | 863 | 434 | 1,151 | 863 | |
| Dusky | W | n/a | 146 | 146 | 50 | n/a | 781 | 781 | 173 | n/a | 774 | |
| Rockfish | C | n/a | 3,502 | 3,502 | 2,841 | n/a | 2,764 | 2,764 | 1,758 | n/a | 2,742 | |
| | WYAK | n/a | 232 | 232 | 12 | n/a | 95 | 95 | 93 | n/a | 94 | |
| | EYAK/SEO | n/a | 77 | 77 | 8 | n/a | 60 | 60 | 3 | n/a | 60 | |
| | Total | 4,841 | 3,957 | 3,957 | 2,911 | 4,521 | 3,700 | 3,700 | 2,027 | 4,484 | 3,670 | |
| | W | n/a | 176 | 176 | 81 | n/a | 174 | 174 | 66 | n/a | 172 | |
| Rougheye and | С | n/a | 556 | 556 | 439 | n/a | 550 | 550 | 265 | n/a | 545 | |
| Blackspotted Rockfish | Е | n/a | 712 | 712 | 233 | n/a | 704 | 704 | 127 | n/a | 697 | |
| | Total | 1,735 | 1,444 | 1,444 | 753 | 1,715 | 1,428 | 1,428 | 458 | 1,699 | 1,414 | |
| Demersal shelf rockfish | Total | 394 | 250 | 250 | 138 | 411 | 261 | 261 | 123 | 411 | 261 | |
| Thornyhead | W | n/a | 344 | 344 | 160 | n/a | 326 | 326 | 94 | n/a | 326 | |
| Rockfish | С | n/a | 921 | 921 | 699 | n/a | 911 | 911 | 294 | n/a | 911 | |
| | Е | n/a | 773 | 773 | 330 | n/a | 779 | 779 | 221 | n/a | 779 | |
| | Total | 2,717 | 2,038 | 2,038 | 1,189 | 2,688 | 2,016 | 2,016 | 609 | 2,688 | 2,016 | |
| Other | W/C | n/a | 1,737 | 1,737 | 1,039 | n/a | 1,737 | 1,737 | 569 | n/a | 1,737 | |
| Rockfish | WYAK | n/a | 368 | 368 | 135 | n/a | 368 | 368 | 173 | n/a | 368 | |
| | EYAK/SEO | n/a | 3,489 | 200 | 52 | n/a | 3,489 | 3,489 | 38 | n/a | 3,489 | |
| | Total | | 5,594 | 2,305 | 1,226 | 7,356 | 5,594 | 5,594 | 780 | 7,356 | 5,594 | |
| Atka mackerel | Total | - | 4,700 | 3,000 | 1,437 | 6,200 | 4,700 | 3,000 | 776 | 6,200 | 4,700 | |
| Big | W | n/a | 504 | 504 | 312 | n/a | 504 | 504 | 84 | n/a | 504 | |
| Skate | C | n/a | 1,774 | 1,774 | 976 | n/a | 1,774 | 1,774 | 841 | n/a | 1,774 | |
| Skate | E | | 570 | 570 | 79 | | 570 | 570 | 89 | | 570 | |
| | | n/a | | | | n/a | | | | n/a | | |
| Longnoss | Total W | | 2,848 149 | 2,848 149 | 1,367 56 | 3,797 | 2,848 149 | 2,848 149 | 1,014 29 | 3,797 | 2,848 149 | |
| Longnose | | n/a | | | | n/a | | | | n/a | | |
| Skate | С | n/a | 2,804 | 2,804 | 579 | n/a | 2,804 | 2,804 | 521 | n/a | 2,804 | |
| | E | n/a | 619 | 619 | 235 | n/a | 619 | 619 | 266 | n/a | 619 | |
| 0.1 | Total | · · | 3,572 | 3,572 | 870 | 4,763 | 3,572 | 3,572 | 816 | 4,763 | 3,572 | |
| Other Skates | GOA-wide | 1,845 | 1,384 | 1,384 | 758 | 1,845 | 1,384 | 1,384 | 611 | 1,845 | 1,384 | |
| Sculpins | GOA-wide | 6,958 | 5,301 | 5,301 | 631 | 6,958 | 5,301 | 5,301 | 476 | 6,958 | 5,301 | |
| Sharks | GOA-wide | 6,020 | 4,514 | 4,514 | 3,090 | 10,913 | 8,184 | 8,184 | 1,286 | 10,913 | 8,184 | |
| Squids | GOA-wide | 1,516 | 1,137 | 1,137 | 43 | - | - | | | - | - | |
| Octopuses | GOA-wide | 1,300 | 975 | 975 | 201 | 1,300 | 975 | 975 | 142 | 1,300 | 975 | |
| Total | | 796,158 | 667,877 | 535,863 | 246,643 | 664,889 | 509,507 | 430,569 | 142,203 | 627,049 | 487,218 | |

Sources: 2018 OFLs, ABCs, and TACs are from harvest specifications adopted by the Council in December 2017; 2019 OFLs, ABCs, and TACs are from the harvest specifications adopted by the Council in December 2018, 2018 catches through December 31, 2018 and 2019 catches through August 31, 2019 from AKR Catch Accounting.

Table 2. Proposed 2020 and 2021 Gulf of Alaska Pacific cod ABCs, TACs and State Guideline Harvest Levels (GHLs) in metric tons.

| Specifications | Western | Central | Eastern | Total |
|----------------|---------|---------|---------|--------|
| ABC | 9,695 | 9,738 | 2,159 | 21,592 |
| State GHL | 2,908 | 2,434 | 540 | 5,883 |
| (%) | 30% | 25% | 25% | 25-30 |
| Federal TAC | 6,787 | 7,304 | 1,619 | 15,710 |

Table 9. Proposed 2020 and 2021 Pacific Halibut PSC Limits, Allowances, and **Apportionments (Values are in metric tons)**

Hook-and-line gear1 Trawl gear Other than DSR

| rrawi geai | | Other | than DSR | | DSR | | |
|----------------------------|----------------|-------------|------------------------------|---------------|---------------------|----------------------------|---------|
| Season | Percent | Amount | Season | Percent | Amount ² | Season | Amount |
| January 20 - April 1 | 30.5 | 519 | January 1 - June 10 | 86 | 221 | January 1 - December 31 | 9 |
| April 1 - July 1 | 20 | 341 | June 10 - September 1 | 2 | 5 | | |
| July 1 - August 1 | 27 | 462 | September 1 - December 31 | 12 | 31 | | |
| August 1 - October 1 | 7.5 | 128 | | | | | |
| October 1 - December 31 | 15 | 256 | | | | | |
| Total | | 1,706 | | | 257 | | 9 |
| The Pacific halibut | : PSC limit fo | or hook-and | -line gear is allocate | ed to the der | nersal shelf | rockfish (DSR) fish | erv and |

¹ The Pacific halibut PSC limit for hook-and-line gear is allocated to the demersal shelf rockfish (DSR) fishery and fisheries other than DSR. The hook-and-line IFQ sablefish fishery is exempt from halibut PSC limits, as are pot and jig gear for all groundfish fisheries.

Table 10. Proposed 2020 and 2021 Seasonal Apportionments of the Pacific Halibut PSC Limit Apportioned Between the Trawl Gear Shallow-Water and Deep-Water Species Fisheries (Values are in metric tons)

| Season | Shallow-water | Deep-water ¹ | Total |
|--------------------------------------|---------------|-------------------------|-------|
| January 20 - April 1 | 384 | 135 | 519 |
| April 1 - July 1 | 85 | 256 | 341 |
| July 1 - August 1 | 121 | 341 | 462 |
| August 1 - October 1 | 53 | 75 | 128 |
| Subtotal, January 20 - October 1 | 643 | 807 | 1,450 |
| October 1 - December 31 ² | | | 256 |
| Total | | | 1,706 |

¹ Vessels participating in cooperatives in the Rockfish Program will receive 191 mt of the third season (July 1 through September 1) deep-water species fishery halibut PSC apportionment.

² There is no apportionment between trawl shallow-water and deep-water species fisheries during the fifth season (October 1 through December 31).

Table 11. Proposed 2020 and 2021 Apportionments of the "Other hook-and-line fisheries" Halibut PSC Allowance Between the Hook-and-Line Gear Catcher Vessel and Catcher/

Processor Sectors (Values are in metric tons)

| "Other than DSR" allowance | Hook-and- line sector | Sector annual amount | Season | Seasonal percentage | Sector seasonal amount |
|----------------------------------|--------------------------|----------------------------|------------------------------|------------------------|------------------------------|
| | | | January 1 - June 10 | 86 | 103 |
| | Catcher Vessel | 120 | June 10 - September 1 | 2 | 2 |
| 0.57 | V 03301 | | September 1 - December 31 | 12 | 14 |
| 257 | | | January 1 - June 10 | 86 | 118 |
| | Catcher/ Processor | 137 | June 10 - September 1 | 2 | 3 |
| | | | September 1 - December 31 | 12 | 16 |

Table 12. Proposed 2020 and 2021 Halibut Discard Mortality Rates for Vessels Fishing in the Gulf of Alaska. (Values are in percent of halibut assumed to be dead.)

| Gear Sector | | Groundfish fishery | Halibut discard mortality rate (percent) | |
|-------------------|--------------------------------------|--------------------|--|--|
| Dala sia travel | Catcher vessel | All | 100 | |
| Pelagic trawl | Catcher/processor | All | 100 | |
| | Catcher vessel | Rockfish Program | 52 | |
| Non-pelagic trawl | Catcher vessel | All others | 68 | |
| | Mothership and catcher/processor | All | 75 | |
| Heat and line | Catcher/processor | All | 11 | |
| Hook-and-line | Catcher vessel | All | 13 | |
| Pot | Catcher vessel and catcher/processor | All | 0 | |