

# Statewide Scallop Fishery Update

2022 Scallop Plan Team Meeting

February 16<sup>th</sup>, 2022

Andrew Olson, Cassandra Whiteside, & Elisa Russ

## Outline

#### Management Overview


#### 2020–2021 Registration Area Updates

- Westward (Areas K, M, O, and Q)
- Central (Area E)
- Southeast (Area D)

#### Statewide update

### Management Overview

- Preseason Management
  - Establish guideline harvest levels (GHLs) and crab bycatch limits (CBLs)
- Data Informing GHLs
  - Survey results
  - Fishery CPUE
  - Observer coverage
  - Size and age structure
- Data Informing CBLs
  - Historical bycatch rate in fishery
  - Survey estimated crab abundance
- Inseason Management and Closure Scenarios
  - Harvest achieves GHL
  - Crab bycatch exceeds CBL
  - Fishery performs below minimum performance standards of CPUE




North Pacific Ocean



# Westward Region

Areas K, M, O, and Q



#### **Preseason Management**

- Establish guideline harvest levels (GHLs) and crab bycatch limits (CBLs)

#### **Data Informing GHLs**

- Survey results
- Fishery CPUE
- Size and age structure


#### **Data Informing CBLs**


- Historical bycatch rate in fishery
- Survey estimated Tanner crab abundance
- MSST: 3 Tier approach (Bering Sea)

#### **Inseason Management and Closure Scenarios**


- Harvest achieves GHL
- Crab bycatch exceeds CBL
- Fishery performs below minimum performance standards of CPUE


#### **Kodiak Northeast District**






#### **Kodiak Shelikof District**








#### **Kodiak Southwest District**





#### Kodiak Southeast District

Newly opened in 2018/19 GHL: 15,000 pounds

#### 2018/19

Harvest: 470 pounds

Effort: 60


CPUE: 8

#### No effort


2019/20


2020/21

2021/22





#### Alaska Peninsula Area







#### **Bering Sea Area**





#### **Dutch Harbor Area**











Central Region

Area E


#### Central Region (RII) Scallop Registration Areas



#### Registration Area E – Prince William Sound Area



#### Area E Outside District Eastern Section showing West and East Kayak Subsections



Area E – Prince William Sound

2021/22 Season – WKS opened (EKS closed) GHL of 8,000 lb achieved, CPUE 124 lb/hr


GHR 0-50,000 lb


CBL historically set based on PWS Tanner crab Trawl survey results – 215 estimated Tanner crab caught in scallop fishery 2021 (0 other crab species)

**Recent Scallop Survey Results:** 


2018 – EKS – scallop abundance lowest level in history of survey & remained closed 2019 – WKS – abundance had declined significantly from last survey in 2016 & closed

2021 – both subsections surveyed EKS: Scallop abundance remained low & fishery remained closed WKS: Scallop abundance and biomass had Increased to levels high enough to allow for fishery – corroborated by 2021 fishery CPUE






#### Registration Area H – Cook Inlet Area



#### Registration Area H – Kamishak Bay District – Location of North & South Scallop Beds



Area H – Cook Inlet

2021/22 Season – Closed


GHR 10,000-20,000 lb


Only area that has different management plan – ADF&G observer accommodated upon request Vessel operator must collect 100 top valves if no observer onboard Gear limited to single 6-foot dredge (1983) New in 2018: Live scallops may be delivered – season closed since adopted

CBL historically set based on Kachemak Tanner crab Trawl survey results – survey no longer conducted Red king crab bycatch limit – 30 crab

Recent Scallop Survey Results:

2018 – both beds– scallop abundance declined sharply to lowest levels in history of survey - closed 2019 – North bed – survey showed continued low abundance – remained closed








# Southeast Region

Area D


- Management Overview:
  - 0–285,000 lb shucked meat GHR
  - July 1–February 15 season
- No crab bycatch limits (CBL)



**Spatial Distribution of Harvest** 









Harvest & CPUE

- 2020/2021 Season
  - 145,000 lb GHL
  - 141,455 lb retained meats
  - CPUE 1 6.8%
  - < 3 vessels fished
- 2021/2022 Season
  - 145,000 lb GHL
  - 136,275 lb retained meats\*
  - CPUE 1 28.7%\*
  - < 3 vessels fished






Bycatch & Clappers

No CBL


• Dungeness crab & halibut T





Shell Height Compositions










2020/21 Season Summary

Registration Area	District/Subsection	GHR (lb meat)	GHL (lb meat)	Retained catch (lb meat)	CPUE (lb meat per dredge hr)	Est scallop discard mortality (lb meat)
Yakutat (D)		0-285,000	145,000	145,025	47	9,362
Kodiak (K)	Northeast District	0-300,000 for whole Kodiak Area	15,000	15,095	77.9	6,153
	Shelikof District		40,000	40,060	92.6	8,479
	Southwest District		35,000	25,950	44.0	4,554
	Southeast District		15,000	0		0
Alaska Peninsula (M)	Central District	0-100,000 for whole Alaska Peninsula Area	7,500	0		0
	Unimak Bight District		7,500	0		0
Dutch Harbor (O)		0-110,000	5,000	0		0
Bering Sea (Q)		0-300,000	7,500	0		0
	Statewide Totals		277,500	227,270	52.6	112,811









2021/22 Season Preliminary Harvest

Registration Area	District/Subsection	GHL (lb scallop meats)	Retained catch (lb scallop meat)
Yakutat (D)		145,000	145,010
Dringo William Sound (E)	East Kayak Island Subsection	Closed	NA
Prince William Sound (E)	West Kayak Island Subsection	8,000	8,170
	Northeast District	30,000	30,295
Vadial (V)	Shelikof District	80,000	80,215
Kodiak (K)	Southwest District	35,000	35,080
	Southeast District	15,000	0
Alacka Daningula (NA)	Central District	7,500	0
Alaska Peninsula (M)	Unimak Bight District <sup>a</sup>	7,500	0
Dutch Harbor (O)		10,000	0
Bering Sea (Q)		7,500	0
	Statewide Totals	337,500	298,770

## Questions?